

RicherMap Constraints Report. Dated: 04-Feb-2013 at 04:40:51 PM

Property: St Marys University College 268 Waldegrave Road Twickenham TW1 4SX

Number of constraints: 139

ARCHAEOLOGICAL PRIORITY (ENGLISH HERITAGE) (DLO33458. Strawberry Hill.)
Building of Townscape Merit (05/09/1983. 83/02535/BTM. 21 Waldegrave Park Twickenham Middlesex TW1 4TL. Building of Townscape Merit.)
Building of Townscape Merit (05/09/1983. 83/02537/BTM. 33 Waldegrave Park Twickenham Middlesex TW1 4TJ. Building of Townscape Merit.)
Building of Townscape Merit (14/03/2005. 05/00126/BTM. St Marys College Chapel Waldegrave Road Teddington. South ranges of St Marys College.)
Conservation Area (CA54 Waldegrave Park Teddington)
Floodzone 2 (Flood Zone 2. Tidal Models.)
Floodzone 2 (Flood Zone 2. Fluvial Models.)
Floodzone 2 (Flood Zone 2. Tidal Models.)
Floodzone 2 (Flood Zone 2. Fluvial Models.)
Floodzone 2 (Flood Zone 2. Tidal Models.)
Floodzone 2 (Flood Zone 2. Fluvial Models.)
Floodzone 2 (Flood Zone 2. Tidal Models.)
Floodzone 2 (Flood Zone 2. Fluvial Models.)
Floodzone 2 (Flood Zone 2. Tidal Models.)
Floodzone 2 (Flood Zone 2. Fluvial Models.)
Floodzone 2 (Flood Zone 2. Tidal Models.)
Floodzone 2 (Flood Zone 2. Tidal Models.)
Floodzone 2 (Flood Zone 2. Fluvial Models.)
Floodzone 2 (Flood Zone 2. Tidal Models.)
Floodzone 2 (Flood Zone 2. Fluvial / Tidal Models.)
Floodzone 3 (Flood Zone 3. Fluvial / Tidal Models.)
Floodzone 3 (Flood Zone 3. Tidal Models.)
Highway Maintained At Public/Private Expense (CLIVE ROAD. Highways Publicly Maintained.)
Highway Maintained At Public/Private Expense (UNFP - OFF WALDEGRAVE ROAD TO CLIVE ROAD. Highways Publicly Maintained.)
HISTORIC PARK AND GARDEN (2 : Strawberry Hill Waldegrave Rd.)
Land Use Past Industrial (1967. 2004. Electricity Industry Facilities.)
LANDMARK (Ref 19 ST MARYS UNIV.)
LANDMARK (Ref 19 ST MARYS UNIV.)
Listed Building (02/09/1952. I. St Marys University College 268 Waldegrave Road Twickenham Middlesex TW1 4SX. Strawberry Hill (St Marys College).)
Listed Building (25/05/1983. I. Chapel In The Woods Waldegrave Road Teddington Middlesex. Chapel In The Woods.)
Listed Building (05/09/1983. II. St Marys College Chapel Waldegrave Road Teddington. St Marys College Chapel.)
METROPOLITAN OPEN LAND (528)
Public Open Space (Poorly Provided With) DMP (10/10/2010. Area poorly provided with Public Open Space.)

TPO (T0497. T25.)
TPO (T0497. T24.)
TPO (T0497. T21.)
TPO (T0497. T23.)
TPO (T0497. T22.)
TPO (T0497. T20.)
TPO (T0497. T18.)
TPO (T0497. T19.)
TPO (T0497. T17.)
TPO (T0497. T16.)
TPO (T0497. T15.)
TPO (T0497. T14.)
TPO (T0497. T12.)
TPO (T0497. T13.)
TPO (T0497. T8.)
TPO (T0497. T9.)
TPO (T0497. T10.)
TPO (T0497. T7.)
TPO (T0832. T1.)
TPO (T0497. T27.)
TPO (T0497. T26.)
TPO (T0496. T75.)
TPO (T0497. T76.)
TPO (T0497. T77.)
TPO (T0497. T78.)
TPO (T0497. T81.)
TPO (T0497. T82.)
TPO (T0497. T83.)
TPO (T0497. T84.)
TPO (T0497. T86.)
TPO (T0497. T47.)
TPO (T0497. T46.)
TPO (T0497. T45.)
TPO (T0497. T48.)
TPO (T0497. T42.)
TPO (T0497. T38.)
TPO (T0497. T36.)
TPO (T0497. T30.)
TPO (T0497. T34.)
TPO (T0497. T33.)
TPO (T0497. T32.)
TPO (T0497. T41.)
TPO (T0497. T31.)
TPO (T0497. T39.)
TPO (T0497. T43.)
TPO (T0497. T37.)
TPO (T0497. T35.)
TPO (T0497. T40.)
TPO (T0497. T44.)
TPO (T0497. T29.)

TPO (T0497. T28.)
TPO (T0497. T11.)
TPO (T0497. T6.)
TPO (T0497. T2.)
TPO (T0497. T4.)
TPO (T0497. T5.)
TPO (T0497. T3.)
TPO (T0497. T1.)
TPO (T0497. T73.)
TPO (T0497. T53.)
TPO (T0497. T52.)
TPO (T0497. T54.)
TPO (T0497. T51.)
TPO (T0497. T50.)
TPO (T0497. T55.)
TPO (T0497. T56.)
TPO (T0497. T49.)
TPO (T0497. T57.)
TPO (T0497. T58.)
TPO (T0497. T59.)
TPO (T0497. T60.)
TPO (T0412. T6.)
TPO (T0175. T6.)
TPO (T0175. T5.)
TPO (T0175. T4.)
TPO (T0175. T3.)
TPO (T0175. T1.)
TPO (T0175. T2.)
TPO (T0497. T71.)
TPO (T0497. T72.)
TPO (T0497. T61.)
TPO (T0497. T62.)
TPO (T0497. T63.)
TPO (T0497. T64.)
TPO (T0497. T65.)
TPO (T0412. T12.)
TPO (T0497. T66.)
TPO (T0412. T11.)
TPO (T0497. T67.)
TPO (T0412. T10.)
TPO (T0497. T68.)
TPO (T0412. T9.)
TPO (T0497. T69.)
TPO (T0412. T1.)
TPO (T0497. T70.)
TPO (T0412. T2.)
TPO (T0412. T3.)
TPO (T0412. T.)
TPO (T0412. T5.)
TPO Wood Group Area (T0497. G3.)

TPO Wood Group Area (T0412. G1.)
TPO Wood Group Area (T0497. G4.)
TPO Wood Group Area (T0497. G2.)
TPO Wood Group Area (T0497. W1.)
TPO Wood Group Area (T0497. G1.)
Ward (South Twickenham Ward. 01BDGK.)

End of constraints report.

RicherMap Case History Report. Dated: 04-Feb-2013 at 04:40:43 PM

Property: St Marys University College 268 Waldegrave Road Twickenham TW1
4SX
(UPRN: 100023392499 - Land Parcel (Approved))

Development Control Cases

DC 12/2420/NMA Officer: Not known
Erection of a temporary modular building adjacent to the existing athletics track to provide a track recorders hut [Non Material Amendment To Application 12/2420/FUL Dated 19/09/2012 To Allow Changes To The Proposed Doors And Windows Incorporating Moving The Window In The Front Elevation From The Right Hand Side To The Left Hand Side Of The Modular Building And Re-location Of The Door; Replacement Of The Proposed Double Door To Single Door In The Side Elevation.
Received: 04-Feb-2013 Valid: Unknown
Status: In Progress

DC 13/T0016/TPO Officer: Mr Craig Ruddick
T1 - Oak - On outside corner of sports hall beside clive car park - Reduce limb with defective join by 50% to alleviate pressure and prevent further stress to tree
Received: 11-Jan-2013 Valid: 11-Jan-2013
Status: In Progress

DC 13/T0011/TPO Officer: Mr Craig Ruddick
T1 - Robinia - Fell to ground level and remove stump - To protect wall from damage
Received: 10-Jan-2013 Valid: 10-Jan-2013
Status: In Progress

DC 12/T0854/TPO Officer: Mr Craig Ruddick
T1 - Taxus Baccata - Front of Chapel - Lift crown to a height of 15 ft, to reduce the lateral growth extending over the roadway back to the path & to reduce growth back that has encroached on the chapel to provide 1-2m clearance. T2 - Taxus Baccata - Rear of Chapel - Reduce to provide 1-2m clearance to prevent branches from damaging the facade.
Received: 30-Nov-2012 Valid: 30-Nov-2012
Status: granted permission 23-Jan-2013

DC 12/T0637/TPO Officer: Mr Craig Ruddick
T1 (T176) - Oak - Lift and reduce branches to provide 2m clearance around building T2 (T177) - Lime - Reduce branches and growth from trunk to provide 2m clearance around building
Received: 28-Sep-2012 Valid: 28-Sep-2012
Status: granted permission 20-Nov-2012

DC 12/2936/FUL Officer: Mr Andrew Menzies
Insertion of new pedestrian gateway to the Waldegrave Road perimeter of the campus.

Received: 18-Sep-2012 Valid: 24-Oct-2012
Status: refused permission 19-Dec-2012

DC 12/2839/FUL Officer: Mr Geoffrey Hugall
Retention of a single storey temporary modular building, providing teaching, office and storage accommodation on land within St Mary's University College for a period of 3 years.

Received: 06-Sep-2012 Valid: 17-Sep-2012
Status: granted permission 29-Oct-2012

DC 12/T0500/TPO Officer: Mr Craig Ruddick
T1 - (T354) - Castanea sativa - Crown reduce by 40% due to large wound in upper crown and remove deadwood

Received: 14-Aug-2012 Valid: 14-Aug-2012
Status: granted permission 10-Oct-2012

DC 12/T0495/TPO Officer: Mr Craig Ruddick
T1 - Norway Maple - beside the pavillion - Crown reduce by 30% T2 - Crab Apple - Reduce to clear netting T3 - Rowan - Reduce to clear netting

Received: 13-Aug-2012 Valid: 13-Aug-2012
Status: granted permission 24-Oct-2012

DC 12/2310/FUL Officer: Mr Geoffrey Hugall
Proposed temporary installation of a single portacabin structure to provide additional teaching space for a period of 3 years only. Installation of associated landscaping, containers and other structures.

Received: 19-Jul-2012 Valid: 06-Aug-2012
Status: granted permission 28-Sep-2012

DC 12/T0426/TPO Officer: Mr Craig Ruddick
T1 - (T94) - Aesculus hippocastanum - Crown reduce by 30%; canopy clean T2 - (T96) - Aesculus hippocastanum - Crown reduce by 30% T3 - (T101) - Aesculus hippocastanum - Crown reduce by 30%

Received: 17-Jul-2012 Valid: 17-Jul-2012
Status: granted permission 24-Oct-2012

DC 12/T0274/TPO Officer: Mr Craig Ruddick
T497 - Laburnum - Fell to ground level T506 - Robinia - Remove deadwood T156 - Ash - Remove deadwood; clear property by 1.5m T122 - Aesculus carnea - Crown reduce by 25% T311 - Leyland Cypress - Fell to ground level

Received: 26-Apr-2012 Valid: 26-Apr-2012
Status: granted permission 24-Jul-2012

DC 12/T0063/TCA Officer: Mr Paul Cross
T1- Conifer- Fell to ground level and remove stump and all debris.

Received: 25-Jan-2012 Valid: 25-Jan-2012
Status: decided as no objection raised 22-Feb-2012

DC 11/T0950/TCA Officer: Mr Paul Cross
T1-2- Elm- Fell to ground level

Received: 20-Dec-2011 Valid: 20-Dec-2011
Status: decided as no objection raised 22-Feb-2012

DC 11/T0622/TPO Officer: Mr Paul Cross
T1 - London Plane - Crown reduce by 30% to previous reduction points; T2 -
Horse Chestnut (by shed at end of row) Crown lift by removal of lowest limb over
shed and secondary branches 4m.
Received: 17-Aug-2011 Valid: 17-Aug-2011
Status: granted permission 09-Nov-2011

DC 11/2420/FUL Officer: Ms Victoria Houldsworth
Erection of a temporary modular building adjacent to the existing athletics track to
provide a track recorders hut.
Received: 15-Jul-2011 Valid: 15-Jul-2011
Status: granted permission 30-Aug-2011

DC 11/T0465/TPO Officer: Mr Paul Cross
T1 - Tilia Vulgaris - Crown lift to 6 metres
Received: 22-Jun-2011 Valid: 22-Jun-2011
Status: granted permission 30-Aug-2011

DC 11/0653/FUL Officer: Mr Bryan Staff
Installation of 12 cycles stands and 1 bank of 2 shelters (Outside Y Block halls of
residence).
Received: 01-Mar-2011 Valid: 18-May-2011
Status: granted permission 24-Feb-2012

DC 11/0610/FUL Officer: Mr Bryan Staff
Installation of 6 cycle stands under 1 shelter at location 2 (Reception).
Received: 18-Feb-2011 Valid: 18-Mar-2011
Status: granted permission 24-Jun-2011

DC 10/2100/FUL Officer: Mr Bryan Staff
Installation of 10 no. cycle stands and shelter adjacent main entrance.
Received: 20-Jul-2010 Valid: 15-Oct-2010
Status: refused permission 06-Dec-2010

DC 10/1823/FUL Officer: Ms Victoria Houldsworth
Erection of a modular building adjacent the existing athletics track to provide a
track recorders hut.
Received: 25-Jun-2010 Valid: 25-Jun-2010
Status: withdrawn by the applicant 18-Aug-2010

DC 07/4107/DD03 Officer: Not known
Details Pursuant To Section 106 Legal Agreement Of Planning Permission
07/4107/FUL.
Received: 14-Apr-2010 Valid: Unknown
Status: Void application 20-Apr-2010

DC 07/4107/DD02 Officer: Mr Bryan Staff

Details Pursuant To Conditions BD12 (Materials), DV28 (External illumination), U24525 (Railings details), U24529 (Bat and bird boxes), U24532 (SBEM results), U24536 (Permeable surfaces), PK06A (Cycle parking), U24528 (Archaeology), U24530 (Temporary car park details), LA07 (tree planting), LA11A (Landscaping), LA29 (Details of earthworks), U24522 (Tree protection), U24523 (Tree work supervision), U24527 (Surface water run off limitation), DV28 (lighting) Of Planning Permission 07/4107/FUL.

Received: 14-Apr-2010 Valid: 12-May-2010

Status: granted permission 23-Aug-2011

DC 07/4107/DD01 Officer: Mr Bryan Staff

Details Pursuant To Conditions U24528 (Archaeology) in part Of Planning Permission 07/4107/FUL.

Received: 23-Dec-2009 Valid: 14-Apr-2010

Status: granted permission 07-Jul-2010

DC 09/T0785/TPO Officer: Mr Paul Cross

G1 - Rows of Poplars(2) - Repollard/Coppice

Received: 01-Dec-2009 Valid: 01-Dec-2009

Status: granted permission 01-Feb-2010

DC 09/T0727/TPO Officer: Mr Paul Cross

T1 - Cherry - Fell

Received: 06-Nov-2009 Valid: 06-Nov-2009

Status: granted permission 23-Dec-2009

DC 09/2723/FUL Officer: Mr Bryan Staff

Temporary retention for 3 years of A Single Storey Temporary Modular Building Providing Teaching, Office And Storage Accommodation (Renewal Of Previously Approved Application 06/2073/FUL Dated 29/08/2006.

Received: 14-Oct-2009 Valid: 14-Oct-2009

Status: granted permission 09-Dec-2009

DC 09/2621/FUL Officer: Mr Bryan Staff

Erection of a Recycling and Waste Compound for St Mary's University College

Received: 03-Oct-2009 Valid: 03-Nov-2009

Status: withdrawn by the applicant 16-Dec-2009

DC 09/0782/LBC Officer: Mr Richard Temple

Various Internal And External Works To A Listed Building.

Received: 02-Apr-2009 Valid: 02-Apr-2009

Status: granted permission 24-Jul-2009

DC 09/0481/FUL Officer: Mr Richard Temple

New plant room (G23) to facilitate the separation of services from St Mary's University College. The new single-storey building will be constructed on the footprint of the lost scullery. New concrete paved path to rear staff entrance. New external disabled access ramp to serve lower ground floor of the Waldegrave Wing, together with the provision of disabled car parking. New external access ramp to education rooms and new internal disabled hoist.

Received: 02-Mar-2009 Valid: 03-Mar-2009
Status: granted permission 24-Jul-2009

DC 08/T0868/TPO Officer: Mr Jeremy Dallow
G2 - Crataegus - Remove
Received: 19-Dec-2008 Valid: 19-Dec-2008
Status: granted permission 05-Mar-2009

DC 08/2636/ADV Officer: Mr Bryan Staff
Double sided monolith type entrance sign
Received: 29-Jul-2008 Valid: 29-Jul-2008
Status: granted permission 08-Sep-2008

DC 08/T0462/TCA Officer: Mr Paul Cross
Application lapsed
G3 - Horse Chestnut x 16 - Crown reduce by 20%
G7 - Black Poplar x 12 - Re-reduce
G8 - Black Poplar - recoppice
T1 - Horse Chestnut - crown reduce by 20%
T5 - False Acacia - Reduce growth from structure to allow 2m clearance, raise canopy over footpath; remove major deadwood
T6 - Tree of Heaven - Crown lift over Tennis Court by 2m
T7 - False Acacia - Reduce growth from structure to allow 2m clearance
T8 - False Acacia - Reduce growth from structure to allow 2m clearance
T9 - Beech - Crown lift by 1.5m; prune to clear structure by 2m
T10 - Cherry - Reduce growth from structure to allow 2m clearance
T10B - Red Chestnut - Crown reduce by 20%; crown lift by 3m
T11 - Goat Willow - Fell
T13 - Maidenhead Tree - crown reduce by 20% and brace
T14 - Holly - Raise canopy to 3m; reduce growth from structure to leave 2m clearance
T15 - Honey Locust - Reduce growth from footpath
T17 - Common Lime - Raise canopy over footpath/road to 3m; remove basal and trunk growth; reduce from adjacent structure to leave 2-3m clearance
T18 - English Oak - Raise canopy over footpath/road to 3m; remove basal and trunk growth; reduce from adjacent structure to leave 2-3m clearance
T34 - Turkey Oak - reduce from property to leave 2m clearance
T35 - Holm Oak - reduce from property to leave 2m clearance
T36 - False Acacia - crown reduce by 20%
Received: 25-Jul-2008 Valid: 19-Sep-2008
Status: Void application 12-Feb-2009

DC 08/T0461/TPO Officer: Mr Paul Cross
G1 - Rowan x 3, Crab x 2, Sycamore - Prune back to allow 1m clearance from nets
T3- Sycamore - Prune from light
T4 - Sycamore - Crown lift over roof and road by 2m
T5 - Holm Oak - remove branches, crown lift over path by 2m
T6 - Scots Pine - Remove branch in contact with pavilion roof
Received: 25-Jul-2008 Valid: 26-Nov-2008
Status: granted permission 27-Mar-2009

DC 08/1629/LBC Officer: Mr Bryan Staff
Construction of a new timber stud partition within an office to form a corridor
Received: 09-May-2008 Valid: 09-May-2008
Status: granted permission 30-Jun-2008

DC 08/1211/PS192 Officer: Mr Christopher Tankard
Portable floodlight.

Received: 10-Apr-2008 Valid: 28-Apr-2008
Status: granted permission 20-May-2008

DC 08/T0054/TPO Officer: Mr Paul Cross
T1; Betula pendula 'Youngii' - Remove
Received: 24-Jan-2008 Valid: 24-Jan-2008
Status: granted permission 15-Apr-2008

DC 07/T0887/TPO Officer: Mr Paul Cross
T1; Oak - Crown lift to 2m to major whorl of branches and remove major
deadwoodT2; Oak - Crown lift to 2m and remove deadwood
Received: 17-Dec-2007 Valid: 17-Dec-2007
Status: granted permission 10-Jan-2008

DC 07/4107/FUL Officer: Mr Bryan Staff
New sports hall, the refurbishment and remodelling of the existing sports hall,
associated parking and landscaping works and removal of a hazardous chemical
store and a portacabin.
Received: 27-Nov-2007 Valid: 21-Jan-2009
Status: granted permission 14-Apr-2010

DC 07/2816/FUL Officer: Mr Bryan Staff
Installation of new bike shelters at various locations around the site.
Received: 09-Aug-2007 Valid: 21-Sep-2007
Status: granted permission 14-Nov-2007

DC 07/T0634/TPO Officer: Mr Paul Cross
T1; Sycamore - Reduce crown laterals by 25% over gardens of Cllive RoadT2;
Tree of Heaven (Not under TPO or in TCA) - Fell to ground level
Received: 08-Aug-2007 Valid: 08-Aug-2007
Status: granted permission 27-Sep-2007

DC 07/T0575/TPO Officer: Mr Paul Cross
T1; Judas Tree - Fell to ground levelT2; Judas Tree - Fell to ground levelT3; Holm
Oak - Reduce canopy back to 3.5m from running track and hedgeT4; Hornbeam -
Reduce canopy back to 3.5m from running track and hedgeT5; Wingnut - Crown
reduce protruding branches to main crown line, crown lift by 2-3m removing
supressed and abrasing branchesT6; Wingnut - Crown reduce protruding
branches to main crown line, crown lift by 2-3m removing supressed and abrasing
branchesT7; Ash - Crown reduce by 20%
Received: 25-Jul-2007 Valid: 25-Jul-2007
Status: granted permission 20-Sep-2007

DC 07/2285/ADV Officer: Mr Connor Corrigan
One theatre sign in white individual letters and two backlit A0 poster frames.
Received: 27-Jun-2007 Valid: 27-Jun-2007
Status: granted permission 22-Aug-2007

DC 07/2287/FUL Officer: Mr Connor Corrigan
Reinstate the entrance to the theatre building in its original location on the courtya

rd façade, currently a side door is used. Introduce external lighting and illuminated sign to new entrance to enable area to be lit in evenings when events occur. Introduce two A0 poster frames to façade to promote events. Refurbish lobby area and include station for staff use when taking tickets.

Received: 27-Jun-2007 Valid: 27-Jun-2007

Status: granted permission 22-Aug-2007

DC 06/T0627/TPO Officer: Mr Glen Harding

T1 - Plane (Platanus spp.) - Crown reduce by 30%. T2 - Plane (Platanus spp.) x 3 - Crown reduce laterally by 20% where appropriate on larger 2x specimens. Crown lift by 15% to remove suppressed and crossing branches.

Received: 25-Oct-2006 Valid: 25-Oct-2006

Status: refused permission 22-Dec-2006

DC 06/T0616/TPO Officer: Mr Glen Harding

T1 - Yew (Taxus baccata) - Remove and replace. T2 - Prunus 'amanogawa' - Remove and replace.

Received: 05-Oct-2006 Valid: 05-Oct-2006

Status: granted permission 15-Nov-2006

DC 06/3203/FUL Officer: Miss Polly Perks

Installation Of 5 No. 4 Metre High Lighting Columns and Lamp Fittings.

Received: 26-Sep-2006 Valid: 26-Sep-2006

Status: granted permission 21-Nov-2006

DC 06/1368/DD01 Officer: Miss Polly Perks

Details Pursuant To Conditions U10043 (Miscellaneous Details) And BD04 (Details To Specified Scale) Of Planning Permission Dated 16.06.2006.

Received: 18-Sep-2006 Valid: 18-Sep-2006

Status: granted permission 14-Dec-2006

DC 06/2081/FUL Officer: Miss Polly Perks

Proposed Two Storey Extension To The Existing College Refectory Consisting Of A Kitchen At Ground Floor Level And Catered Conferencing Facilities At First Floor Level.

Received: 23-Jun-2006 Valid: 23-Jun-2006

Status: granted permission 05-Oct-2006

DC 06/2073/FUL Officer: Miss Polly Perks

Erection Of A Single Storey Temporary Modular Building To Provide Teaching, Office And Storage Accommodation For A Period Of 3 Years.

Received: 23-Jun-2006 Valid: 23-Jun-2006

Status: granted permission 25-Aug-2006

DC 06/1368/LBC Officer: Miss Polly Perks

Conversion Of Chapel Undercroft To An Internet Cafe Involving External and Internal Alterations.

Received: 02-May-2006 Valid: 08-May-2006

Status: granted permission 15-Jun-2006

DC 06/T0297/TPO Officer: Mr Glen Harding
T1 - Yew (Taxus baccata) - Remove.T2 - Sycamore (Acer pseudoplatanus) -
Prune back.T3 (T5 on plan) - Various - Prune back to improve vistas.
Received: 28-Apr-2006 Valid: 28-Apr-2006
Status: refused permission 06-Jul-2006

DC 06/1432/FUL Officer: Mr Christopher Tankard
Proposal to install lighting and extend steps to Chapel.
Received: 27-Apr-2006 Valid: 27-Apr-2006
Status: granted permission 22-Jun-2006

DC 06/1430/LBC Officer: Mr Christopher Tankard
Proposed installation of lighting and extension to Chapel steps.
Received: 27-Apr-2006 Valid: 27-Apr-2006
Status: granted permission 22-Jun-2006

DC 05/1493/DD01 Officer: Mr Mark Benjamin
Details Pursuant To Condition UO5207 (Paving Details) Of Planning Permission
05/1493/DD01 Dated 27.06.2005.
Received: 25-Apr-2006 Valid: 25-Apr-2006
Status: granted permission 20-Jun-2006

DC 06/0863/FUL Officer: Mr Christopher Tankard
Retention Of A Hazardous Chemical Store.
Received: 21-Mar-2006 Valid: 21-Mar-2006
Status: decided as no further action be taken 03-Jul-2008

DC 06/0632/LBC Officer: Miss Polly Perks
Conversion Of Chapel Undercroft To An Internet Cafe With Raised Timber Floor
Protecting The Original Flooring.
Received: 01-Mar-2006 Valid: 01-Mar-2006
Status: withdrawn by the applicant 03-May-2006

DC 06/T0043/TPO Officer: Mr Glen Harding
T1 - Sycamore (Acer pseudoplatanus) - Fell to ground level.
Received: 09-Jan-2006 Valid: 09-Jan-2006
Status: granted permission 06-Mar-2006

DC 05/0406/DD01 Officer: Mr Connor Corrigan
Details Pursuant To Condition LA07A (Tree Planting) And LA11A (Landscaping -
Hard And Soft) Of Planning Permission 05/0406/FUL Dated 31.05.2005.
Received: 10-Oct-2005 Valid: 10-Oct-2005
Status: granted permission 05-Dec-2005

DC 05/2750/PS192 Officer: Mr John Brown
Change Of Use From Care Taker's Flat To Offices.
Received: 13-Sep-2005 Valid: 13-Sep-2005
Status: granted permission 21-Oct-2005

DC 04/0339/DD09 Officer: Mr John Brown

Details pursuant to BD12 (Materials - Hard Surfacing) of planning permission ref: 04/0339/FUL dated 29.04.04.

Received: 23-Aug-2005 Valid: 23-Aug-2005

Status: granted permission 05-Oct-2005

DC 05/T0514/TPO Officer: Mr Ben Lambert

T1 - Cedar (Cedrus spp.) - Crown thin by 20% Crown lift by 4 metres. Reduce laterally by 3-4 metres.

Received: 19-Aug-2005 Valid: 19-Aug-2005

Status: granted permission 07-Sep-2005

DC 04/0339/DD08 Officer: Mr John Brown

Details pursuant to LA09U (screen planting) of planning permission 04/0339/FUL dated 29.04.04.

Received: 01-Aug-2005 Valid: 01-Aug-2005

Status: granted permission 24-Aug-2005

DC 05/2276/LBC Officer: Mr John Brown

Internal works - installation of a platform stair - lift onto an existing stair with strengthening to the underside of the staircase.

Received: 01-Aug-2005 Valid: 01-Aug-2005

Status: withdrawn by the applicant 15-Sep-2005

DC 04/0339/DD07 Officer: Mr John Brown

Details of materials pursuant to BD12 in part (roof tiles) of planning permission ref: 04/0339/FUL dated 29.04.04.

Received: 26-Jul-2005 Valid: 26-Jul-2005

Status: granted permission 16-Aug-2005

DC 05/1708/FUL Officer: Mr John Brown

Erection Of A New Portacabin Type Physiotherapy Rooms Adjacent To The Existing Sports Hall 'R Block'.

Received: 02-Jun-2005 Valid: 02-Jun-2005

Status: granted permission 28-Jul-2005

DC 05/1492/LBC Officer: Mr John Brown

Proposed external landscape upgrade to include: 1. Chapel Courtyard upgrade: i) new bins, benches, lighting, cycle racks, shelters and bollards. ii) new planting scheme including pruning back of existing planting, iii) new paved area. 2.

General campus areas: replacement of benches and bins. 3. General Campus area: external notice management system.

Received: 03-May-2005 Valid: 03-May-2005

Status: decided as no further action be taken 27-Jun-2005

DC 05/1493/FUL Officer: Mr John Brown

Proposed external landscape upgrade to include: 1. Chapel Courtyard upgrade: i) new bins, benches, lighting, cycle racks, shelters and bollards. ii) new planting scheme, iii) new paved area. 2. General campus areas: replacement of benches and bins. 3. General Campus area: external notice management system.

Received: 03-May-2005 Valid: 03-May-2005

Status: granted permission 27-Jun-2005

DC 04/0339/DD06 Officer: Mr John Brown
Details pursuant to BD12 in part (staircase roofs) of planning permission
04/0339/FUL dated 29.04.04.
Received: 31-Mar-2005 Valid: 21-Apr-2005
Status: granted permission 17-May-2005

DC 05/0932/FUL Officer: Mr John Brown
Erection of tensile canopy within courtyard against the existing buildings. Erection
of a glazed screen, lighting, heating and resurfacing of courtyard hardstanding.
Received: 30-Mar-2005 Valid: 30-Mar-2005
Status: granted permission 23-May-2005

DC 05/0805/FUL Officer: Mr John Brown
Erection Of A New Portacabin Type Physiotherapy Rooms Adjacent To The
Existing Sports Hall 'R Block'.
Received: 15-Mar-2005 Valid: 15-Mar-2005
Status: refused permission 10-May-2005

DC 05/0406/FUL Officer: Mr John Brown
Proposed new cafe building (including external seating area) to overlook the
athletics track
Received: 09-Feb-2005 Valid: 09-Feb-2005
Status: granted permission 31-May-2005

DC 04/0339/DD05 Officer: Mr John Brown
Details pursuant to condition DV28 (External Illumination) and BD12 in part (part
external hard surfacing) of planning permission 04/0339/FUL dated 29.04.04.
Received: 02-Dec-2004 Valid: 02-Dec-2004
Status: granted permission 25-Jan-2005

DC 04/0339/DD04 Officer: Mr John Brown
Details pursuant to condition LA09U (planting) of planning permission
04/0339/FUL dated 29.04.04
Received: 05-Nov-2004 Valid: 05-Nov-2004
Status: decided as no further action be taken 01-Aug-2005

DC 04/0339/DD03 Officer: Mr John Brown
Details pursuant to condition BD12 in part (external hard surfacing) of planning
permission 04/0339/FUL dated 29.04.04.
Received: 05-Nov-2004 Valid: 05-Nov-2004
Status: decided as no further action be taken 25-Jan-2005

DC 04/0339/DD02 Officer: Mr John Brown
Details pursuant to conditions BD12 in part (window frame finish and glazed
insert panel) and PK06A (Cycle Parking) of planning permission 04/0399/FUL
dated 29.04.2004
Received: 20-Oct-2004 Valid: 20-Oct-2004
Status: granted permission 08-Dec-2004

DC 04/3260/LBC Officer: Mr John Brown
Proposed widening of existing opening in block B and installation of counter;
installation of double doors.
Received: 12-Oct-2004 Valid: 24-Mar-2005
Status: granted permission 04-Apr-2005

DC 04/3166/LBC Officer: Mr John Brown
Internal works comprising Installation of a platform stair lift onto an existing
staircase with strengthening to the underside of the staircase.
Received: 04-Oct-2004 Valid: 04-Oct-2004
Status: withdrawn by the applicant 01-Aug-2005

DC 02/1792/DD05 Officer: Mr John Brown
Details pursuant to condition BD12U (track barrier) of planning application
02/1792/FUL.
Received: 26-Aug-2004 Valid: 26-Aug-2004
Status: granted permission 14-Sep-2004

DC 04/2745/FUL Officer: Mr Connor Corrigan
Erection of 16m lighting columns to running track approved under planning
application 02/1792/FUL dated 14.11.2002.
Received: 25-Aug-2004 Valid: 03-Sep-2004
Status: granted permission 14-Oct-2004

DC 02/1792/DD04 Officer: Mr John Brown
Details pursuant to condition LB12A (archaeology) for planning permission
02/1792/FUL dated 14/11/2002.
Received: 19-Aug-2004 Valid: 19-Aug-2004
Status: granted permission 06-Sep-2004

DC 04/0246/TPO Officer: Mr Stephen Fuller
T1 - Oak (*Quercus robur*) - Tidy damaged branch, reduce 2 x adjacent limbs at
rear of summerhouse by 25% to balance.
Received: 11-Aug-2004 Valid: 11-Aug-2004
Status: granted permission 16-Sep-2004

DC 04/0339/DD01 Officer: Mr John Brown
Details pursuant to condition BD12 in part (bricks) of planning permission
04/0399/FUL dated 29.04.2004
Received: 27-Jul-2004 Valid: 27-Jul-2004
Status: granted permission 13-Sep-2004

DC 04/0293/DD02 Officer: Mr John Brown
Details pursuant to conditions U00697 (Protective fencing) and U00698 (Tree
protection measures) of planning permission 04/0293/FUL dated 13/07/2004.
Received: 24-Jul-2004 Valid: 24-Jul-2004
Status: granted permission 14-Sep-2004

DC 04/0293/DD01 Officer: Mr John Brown

Details pursuant to condition BD05 (Materials) of planning permission 04/0293/FUL dated 13/07/2004.

Received: 21-Jul-2004 Valid: 21-Jul-2004

Status: granted permission 13-Sep-2004

DC 02/1792/DD03 Officer: Mr John Brown

Details pursuant to conditions BD12U in part (surface treatment) and NS03U (trees) of planning permission 02/1792/FUL dated 14/11/2002.

Received: 30-Jun-2004 Valid: 30-Jun-2004

Status: granted permission 12-Aug-2004

DC 02/1792/DD02 Officer: Mr John Brown

Details pursuant to condition 02/1792/FUL of planning permission 02/1792/FUL

Received: 14-May-2004 Valid: 14-May-2004

Status: decided as no further action be taken 12-Aug-2004

DC 04/1085/FUL Officer: Mr John Brown

Erection Of Hazardous Chemical Store.

Received: 14-Apr-2004 Valid: 14-Apr-2004

Status: withdrawn by the applicant 04-Nov-2005

DC 04/1007/FUL Officer: Mr John Brown

Conversion And Rebuilding Of Block L Outbuildings To Offices.

Received: 06-Apr-2004 Valid: 28-Apr-2004

Status: granted permission 13-Jul-2004

DC 02/1792/DD01 Officer: Mr Connor Corrigan

Details Pursuant To Conditdions Bd11u (miscellaneous Details) And Ns02u (non Standard) To Planning Permission 02/1792/ful.

Received: 31-Mar-2004 Valid: 31-Mar-2004

Status: decided as no further action be taken 19-Jan-2005

DC 04/0904/FUL Officer: Mr John Brown

External Elevational Alterations Including Glazed Enclosure To Cloisters To Facilitate (1) Conversion Of Chapel Undercroft And Extension Of Existing Learning Resource Centre To Form An Internet Cafe and (2) ramped disabled access to chapel entrance.

Received: 24-Mar-2004 Valid: 08-Jul-2004

Status: granted permission 13-Jul-2004

DC 04/0293/FUL Officer: Mr John Brown

Temporary Erection Of Porta-cabin For Changing Room And Storage On Land Adjacent To The Existing Sports Hall.

Received: 02-Feb-2004 Valid: 10-May-2004

Status: granted permission 13-Jul-2004

DC 04/0300/FUL Officer: Mr John Brown

Proposed Provision Of Refuse Storage Compounds In 4 Locations On Campus With Central Connection Point. Accessible From Site's Internal Roads.

Received: 02-Feb-2004 Valid: 26-Mar-2004

Status: granted permission 27-Apr-2004

DC 04/0339/FUL Officer: Mr John Brown
Erection Of Additional Halls Of Residence Adjoining And Linked To The Existing
Halls Of Residence. Associated New Layout For Car Parking, Cycle Parking,
Hard And Soft Landscaping.

Received: 02-Feb-2004 Valid: 02-Feb-2004

Status: granted permission 29-Apr-2004

DC 03/T1875 Officer: Mr Stephen Fuller
Ash (fraxinus Excelsior) - Prune Back From Street Lamp And Phon Wires; Crown
Lift To Statutory Height Over Road; Lift Low Bra From Corrugated Roofs To Give
At Least 2 Metres Clearance.

Received: 28-Oct-2003 Valid: 28-Oct-2003

Status: granted permission 20-Nov-2003

DC 03/2802/FUL Officer: Mr Andrew Dillon
Erection Of A Portacabin On Existing Hardstanding To Rear Of Block N For A
Temporary Period.

Received: 08-Sep-2003 Valid: 17-Nov-2003

Status: granted permission 12-Jan-2004

DC 03/2789/FUL Officer: Mr Andrew Dillon
Provision Of Dispersed Refuse Storage Compounds In 6 Locations On Campus
With A Central Collection Point Accessible From Clive Road.

Received: 05-Sep-2003 Valid: 05-Sep-2003

Status: refused permission 31-Oct-2003

DC 03/T1150 Officer: Mr Stephen Fuller
Cedar (cedrus) - Prune Back From Property To Give Up To 1.5 Metres
Clearance; Remove Major Deadwood.

Received: 19-Jun-2003 Valid: 19-Jun-2003

Status: granted permission 11-Jul-2003

DC 03/T1151 Officer: Mr Stephen Fuller
Turkey Oak (quercus Cerris) - Crown Lift To 5 Metres; Remove Deadwood.

Received: 19-Jun-2003 Valid: 19-Jun-2003

Status: granted permission 11-Jul-2003

DC 03/1855/FUL Officer: Mr John Brown
Erection Of A Three Storey Extension To The Existing Three Storey Residences
At Graham, Wiseman And Doyle Comprising 178 Student Rooms Plus 4 Warden
Suites In Two New Wings With All Associated Functions And External Works.

Received: 16-Jun-2003 Valid: 16-Jun-2003

Status: refused permission 11-Sep-2003

DC 03/0963/FUL Officer: Mr John Brown
Erection Of A Three Storey Extension To The Existing Three Storey Residences
At Graham, Wiseman And Doyle Comprising 183 Student Rooms Plus 4 Warden
Suites In Two New Wings With All Associated Functions And External Works.

Received: 12-Mar-2003 Valid: 12-Mar-2003
Status: withdrawn by the applicant 17-Jun-2003

DC 03/0669/FUL Officer: Mr John Brown
Temporary Planning Permission To Locate Two Standard Containers And Two
Portacabins On Existing Hardstanding To The Rear Of Wiseman And Doyle
Student Residences.

Received: 26-Feb-2003 Valid: 16-May-2003
Status: decided as no further action be taken 06-May-2004

DC 03/0668/FUL Officer: Mr Andrew Dillon
Re-location Of The Existing Main College Bin Storage Area.

Received: 26-Feb-2003 Valid: 26-Feb-2003
Status: refused permission 22-Apr-2003

DC 02/2738 Officer: Mr John Brown
Installation Of A 6m High Stub Tower, Containing Three Panel Antennae And
One Antenna Dish And An Equipment Cabin On The Roof Of The Science Block.

Received: 10-Sep-2002 Valid: 10-Sep-2002
Status: granted permission 31-Oct-2002

DC 02/1967 Officer: Mr Robert Angus
Installation Of Telecommunications Apparatus

Received: 05-Jul-2002 Valid: 05-Jul-2002
Status: refused permission 28-Aug-2002

DC 02/1792 Officer: Mr M Rosel
Provision Of New Athletics Track And Associated Facilities To Replace The
Existing Facilities Including Floodlighting Columns.

Received: 13-Jun-2002 Valid: 13-Jun-2002
Status: granted permission 14-Nov-2002

DC 02/T0611 Officer: Mr Stephen Fuller
Sycamore - Fell

Received: 18-Mar-2002 Valid: 18-Mar-2002
Status: granted permission 18-Apr-2002

DC 02/T0610 Officer: Mr Stephen Fuller
English Oak - Remove Snapped Branch In Upper Canopy

Received: 18-Mar-2002 Valid: 18-Mar-2002
Status: granted permission 18-Apr-2002

DC 02/T0615 Officer: Mr Stephen Fuller
Dead Elms - Fell

Received: 18-Mar-2002 Valid: 18-Mar-2002
Status: granted permission 18-Apr-2002

DC 02/T0612 Officer: Mr Stephen Fuller
Elm - Fell

Received: 18-Mar-2002 Valid: 18-Mar-2002

Status: granted permission 18-Apr-2002

DC 02/T0613 Officer: Mr Stephen Fuller
Sycamore - Fell
Received: 18-Mar-2002 Valid: 18-Mar-2002
Status: granted permission 18-Apr-2002

DC 02/T0614 Officer: Mr Stephen Fuller
Dead Elm - Fell
Received: 18-Mar-2002 Valid: 18-Mar-2002
Status: granted permission 18-Apr-2002

DC 01/2924 Officer: Mr John Brown
Erection Of Acrylic Covers To Protect Antelope Figures On Staircase.
Received: 13-Feb-2002 Valid: 13-Feb-2002
Status: granted permission 18-Apr-2002

DC 01/1223 Officer: Mr Roy Summers
Works In Association With Demolition Of 'k' Block. Conversion Of Section Of Bin
Store To Launderette In 'l' Block. Alterations To Kitchen Area In 'n' Block.
Received: 10-May-2001 Valid: 29-May-2001
Status: granted permission 13-Jul-2001

DC 01/1197 Officer: Mr Roy Summers
Installation Of Radio Equipment Housing.
Received: 08-May-2001 Valid: 08-May-2001
Status: granted permission 02-Aug-2001

DC 01/1074 Officer: Mr Roy Summers
Proposed Temporary Teaching Accommodation, To Be Removed Subject To
Planning Application 01/0361/ful When Completed.
Received: 23-Apr-2001 Valid: 23-Apr-2001
Status: decided as no further action be taken 21-Jun-2001

DC 01/0782 Officer: Ms Emma Langmaid
Proposed 6m Stub Tower Supporting 6 Antennae And 4 Microwave Dishes 1
Equipment Cabinet To Be Located At Roof Level, Electric Meter Cabinets
Located At Ground Level.
Received: 23-Mar-2001 Valid: 23-Mar-2001
Status: refused permission 20-Apr-2001

DC 01/0361 Officer: Mr Roy Summers
Demolition Of Existing Teaching Accommodation. Erection Of
Received: 14-Mar-2001 Valid: 14-Mar-2001
Status: granted permission 18-Jun-2001

DC 00/3442 Officer: Mr Roy Summers
Proposed Telecommunications Base Station To Provide Mobile Telephone
Coverage.
Received: 08-Dec-2000 Valid: 08-Dec-2000

Status: decided as no objection raised 17-Jan-2001

DC 00/T1874 Officer: Mr Clive Fowler
Yew T43 - Lightly Selectively Prune Lower Branches Growing Over Paved Area
Retaining Natural Shape Of Tree
Received: 02-Nov-2000 Valid: 02-Nov-2000
Status: granted permission 08-Jan-2001

DC 00/T0513 Officer: Mr Nick Van Pelt
Black Poplar - Reduce By Up To 60
Received: 31-Mar-2000 Valid: 31-Mar-2000
Status: granted permission 15-May-2000

DC 00/T0512 Officer: Mr Nick Van Pelt
Black Poplar - Reduce By Up To 60
Received: 31-Mar-2000 Valid: 31-Mar-2000
Status: granted permission 15-May-2000

DC 00/T0511 Officer: Mr Nick Van Pelt
Black Poplar - Reduce By Up To 60
Received: 31-Mar-2000 Valid: 31-Mar-2000
Status: granted permission 15-May-2000

DC 99/2573 Officer: Decode not available for DJA
Alterations To Window Opening In Block B.
Received: 11-Oct-1999 Valid: 11-Oct-1999
Status: granted permission 23-Dec-1999

DC 98/2913 Officer: Mr Roy Summers
Alterations To Gents Toilet To Office.
Received: 17-Dec-1998 Valid: 17-Dec-1998
Status: granted permission 04-Feb-1999

DC 98/2731 Officer: Mr Roy Summers
Conversion Of Existing Rooms Used As Offices To Study Bedroom Use.
Received: 24-Nov-1998 Valid: 24-Nov-1998
Status: granted permission 31-Dec-1998

DC 98/T1472 Officer: Mr Nick Van Pelt
T40 - Platanus X Hispanica - Remove Lower Branches Overhanging Car Park
Received: 09-Oct-1998 Valid: 09-Oct-1998
Status: granted permission 26-Nov-1998

DC 98/T1470 Officer: Mr Nick Van Pelt
T28 - Ailanthus Altissima - 30 Crown Reduction And Removal Of Damaged Limb
Over Car Park
Received: 09-Oct-1998 Valid: 09-Oct-1998
Status: granted permission 26-Nov-1998

DC 98/T1471 Officer: Mr Nick Van Pelt