



450mm O/D flue for the boiler system  
 250mm O/D flue for the CHP system  
 discharging 1m above roof level  
 with S/steel shroud & manifold

- NOTES
- 1 The Contractor must check and confirm dimensions
  - 2 All discrepancies must be reported and resolved by the Architect before works commence
  - 3 This drawing is not to be scaled
  - 4 All work and materials to be in accordance with current applicable Statutory Legislation and to comply with all relevant Codes of Practice and British Standards.

D	ISSUED FOR PLANNERS INFORMATION	13/09/11
C	ISSUED FOR PLANNING	28/04/11
B	ISSUED FOR INFORMATION	21/04/11
A	LAYOUT AMENDMENTS	17/02/11

Rev	Date
-----	------

**Rolfe Judd**  
 Architecture Planning Interiors  
 Old Church Court, Claylands Road, The Oval, London SW8 1NZ  
 T 020 7566 1500  
 www.rolfe-judd.co.uk

Client

**Solum**  
 REGENERATION  
 Network Rail & Kier in partnership

Project  
 TWICKENHAM STATION  
 SCHEME 7

Drawing  
 SCHEME 7 PROPOSED PLAN  
 FLOOR 5

Scale	Date	Drawn
1:250(A1) 1:500(A3)	NOV 10	EM
Drawing No	Revision	
4674 / T(20)P05	D	
CAD Ref No		
©: \\674\T_Series\Scheme 7\T20\T(20)P05		
© Copyright Rolfe Judd Ltd		

This scale is 100mm in length when printed of the size indicated in the title block.