



- 450 x 450 x 50 CONCRETE FLAG PAVING Q25/215
- 30 SAND BED
- 75MM LEAN MIX 1/10 FILL
- DRAINAGE CHANNEL SYSTEM WITH GRATING Q10/180
- CONCRETE HAUNCHING - 150 min. SURROUND TO DRAINAGE CHANNEL

05/0406/ DD 01

10 OCT 2005

NOTES

1. cad info
 file: RSS422\drawings\current\00 series\Details
 layout name: 90 02
 plot style: RSS standard

2. This drawing is not to be scaled. Use figured dimensions only. Detailed site survey to be carried out to establish tolerances. Figured dimensions are in mm. All dimensions shall be verified on site before proceeding with the work. The architect shall be notified of any discrepancies.

3.

REVISIONS

rev	date	description
	28.04.05	ISSUED FOR TENDER

RIVINGTON STREET STUDIO ARCHITECTURE

54 RIVINGTON STREET LONDON, EC2A 3GN
 tel: 020 7739 8945 fax: 020 7729 4098 email: rrs@rssa.co.uk

job title: St. Mary's College CAFE
 Twickenham

drawing title: External Works
 Drainage channel in paving

drawn by: rl job no: 422 dwg no: 3.90.02

date: April05 scale: 1:5 @ A1 revision: -