

## LBRUT Sustainable Construction Checklist - Draft for Consultation, September 2015

This document forms part of the Sustainable Construction Checklist SPD. This document **must** be filled out as part of the planning application for the following developments: all

Property Name (if relevant):

4-6 Manor Road, Teddington

Application No. (if known):

Address (include. postcode)

4-6 Manor Road, Teddington, TW11 8BG

Completed by:

Tom Lodge - Price and Myers

*For Non-Residential*

Size of development (m2)

*For Residential*

Number of dwellings

15

**1 MINIMUM COMPLIANCE (RESIDENTIAL AND NON-RESIDENTIAL)**

**Energy Assessment**

Has an energy assessment been submitted that demonstrates the expected energy and carbon dioxide emissions saving from energy efficiency and renewable energy measures, including the feasibility of CHP/CCHP and community heating systems? If yes, please tick.

Yes

**Carbon Dioxide emissions reduction**

What is the carbon dioxide emissions reduction against a Building Regulations Part L (2013) baseline

46.14

*Policy DM SD 1 and London Plan Policy 5.2 (2015) require a 35% reduction in CO<sub>2</sub> emissions beyond Building Regulations 2013.*

Percentage of total site CO2 emissions saved through renewable energy installation?

20

**1A MINIMUM POLICY COMPLIANCE (NON-RESIDENTIAL AND DOMESTIC REFURBISHMENT)**

*Please check the Guidance Section of this SPD for the policy requirements*

**Environmental Rating of development:**

*Non-Residential new-build (100sqm or more)*

BREEAM Level

Have you attached a pre-assessment to support this?

*Extensions and conversions for residential dwellings*

BREEAM Domestic Refurbishment

Have you attached a pre-assessment to support this?

*Extensions and conversions for non-residential buildings*

BREEAM Level

Have you attached a pre-assessment to support this?

Score awarded for Environmental Rating:

Subtotal

BREEAM: Good = 0, Very Good = 4, Excellent = 8, Outstanding = 16

**1B MINIMUM POLICY COMPLIANCE (RESIDENTIAL)**

**Water Usage**

Internal water usage limited to 105 litres person per day. (Excluding an allowance 5 litres per person per day for external water consumption). Calculations using the water efficiency calculator for new dwellings have been submitted.

1

Subtotal

## 2. ENERGY USE AND POLLUTION

### 2.1 Need for Cooling

Score

a. How does the development incorporate cooling measures? Tick all that apply:

Energy efficient design incorporating specific heat demand to less than or equal to 15 kWh/sqm

6

Reduce heat entering a building through providing/improving insulation and living roofs and walls

2

Reduce heat entering a building through shading

3

Exposed thermal mass and high ceilings

4

Passive ventilation

3

Mechanical ventilation with heat recovery

1

Active cooling systems, i.e. Air Conditioning Unit

0

### 2.2 Heat Generation

b. How have the heating and cooling systems, with preference to the heating system hierarchy, been selected (defined in London Plan policy 5.6)? Tick all heating and cooling systems that will be used in the development:

Connection to existing heating or cooling networks powered by renewable energy

6

Connection to existing heating or cooling networks powered by gas or electricity

5

Site wide CHP network powered by renewable energy

4

Site wide CHP network powered by gas

3

Communal heating and cooling powered by renewable energy

2

Communal heating and cooling powered by gas or electricity

1

Individual heating and cooling

0

### 2.3 Pollution: Air, Noise and Light

a. Does the development plan to implement reduction strategies for dust emissions from construction sites?

2

b. Does the development plan include a biomass boiler?

-

If yes, please refer to the biomass guidelines for the Borough of Richmond, please see guidance for supplementary information. If the proposed boiler is of a qualifying size, you may need to completed the information request form found on the Richmond website.

-

c. Please tick only one option below

Has the development taken measures to reduce existing noise and enhance the existing soundscape of the site?

3

Has the development taken care to not create any new noise generation/transmission issues in its intended operation?

1

d. Has the development taken measures to reduce light pollution impacts on character, residential amenity and biodiversity?

3

e. Have you attached a Lighting Pollution Report?

-

Subtotal **21**

Please give any additional relevant comments to the Energy Use and Pollution Section below

The development has targeted very low U-Values for all thermal elements. An Approved Thermal Bridging study will also be undertaken at the detailed design stage. In terms of energy measures high efficiency gas condensing boilers are to be used with appropriate time and temperature zone controls. Lighting has been specified to be 100% low energy lighting. Finally a 17.04 kWp PV system is to be installed on the roof of the development. The existing site produces a lot of noise from cars entering the 6 Manor Road site overground and then

manoeuvring on the large gravelled area on the site. Considerable steps have been taken to design out noise through the use of underground parking.

### 3. TRANSPORT

#### 3.1 Provision for the safe efficient and sustainable movement of people and goods

a. Does your development provide opportunities for occupants to use innovative travel technologies?

Please explain:

The newly extended basement car park will include 1 in 5 spaces designated to have an electric charging point. Cycle storage shall also be provided in the basement of the development. Two cycle spaces shall be provided per unit.

b. Does your development include charging point(s) for electric cars?

2

c. **For major developments ONLY:** Has a Transport Assessment been produced for your development based on TfL's Best Practice Guidance?

If you have provided a Transport Assessment as part of your planning application, please tick here and move to Section 3 of this Checklist.

5

d. **For smaller developments ONLY:** Have you provided a Transport Statement?

5

e. Does your development provide cycle storage? (Standard space requirements are set out in the the Council's Parking Standards - DM DPD Appendix 4)

2

If so, for how many bicycles?

30

Is this shown on the site plans?

1

f. Will the development create or improve links with local and wider transport networks? If yes, please provide details.

2

Subtotal **11**

Please give any additional relevant comments to the Transport Section below

A transport report has been undertaken for the site. The report concluded that the proposed development site is accessible by sustainable modes of transport. It is also within acceptable walking distance to essential amenities. It is also expected that the development will result in an increase in pedestrian, cyclist and public transport trips. The report found that the development complies with the principles of NPPF. The newly extended basement car park will include 1 in 5 spaces designated to have an electric charging point.

**4 BIODIVERSITY**

**4.1 Minimising the threat to biodiversity from new buildings, lighting, hard surfacing and people**

- a. Does your development involve the loss of an ecological feature or habitat, including a loss of garden or other green space? (Indicate if yes)  
If so, please state how much in sqm? -2  
 sqm
- b. Does your development involve the removal of any tree(s)? (Indicate if yes)  
If so, has a tree report been provided in support of your application? (Indicate if yes) -
- c. Does your development plan to add (and not remove) any tree(s) on site? (Indicate if yes) -
- d. Please indicate which features and/or habitats that your development will incorporate to improve on site biodiversity:
- |   |     |                          |                |   |     |
|---|-----|--------------------------|----------------|---|-----|
| Pond, reedbed or extensive native planting                              | 6   | <input type="checkbox"/> | Area provided: | <input style="width: 100%; height: 15px;" type="text"/> | sqm |
| An extensive green roof   | 5   | <input type="checkbox"/> | Area provided: | <input style="width: 100%; height: 15px;" type="text"/> | sqm |
| An intensive green roof   | 4   | <input type="checkbox"/> | Area provided: | <input style="width: 100%; height: 15px;" type="text"/> | sqm |
| Garden space  | 4   | <input type="checkbox"/> | Area provided: | 539   | sqm |
| Additional native and/or wildlife friendly planting to peripheral areas | 3   | <input type="checkbox"/> | Area provided: | 138.75  | sqm |
| Additional planting to peripheral areas                                 | 2   | <input type="checkbox"/> | Area provided: | 46.25   | sqm |
| A living wall   | 2   | <input type="checkbox"/> | Area provided: | <input style="width: 100%; height: 15px;" type="text"/> | sqm |
| Bat boxes   | 0.5 | <input type="checkbox"/> |                |   |     |
| Bird boxes  | 0.5 | <input type="checkbox"/> |                |   |     |
| Other   | 0.5 | <input type="checkbox"/> |                |   |     |

**Subtotal**

Please give any additional relevant comments to the Biodiversity Section below

In the gardens and peripheral areas, 75% native and/or wildlife friendly species are to be provided. Some of the existing leylandii trees are to be removed to open up the light into the site  
Bat and bird boxes will be incorporated where possible.

## 5.1 Mitigating the risks of flooding and other impacts of climate change in the borough

- a. Is your site located in a high flood risk zone (Zone 3)? (Indicate if yes)  2  
 Have you submitted a Flood Risk Assessment? (Indicate if yes)  .

- b. Which of the following measures of the drainage hierarchy are incorporated onto your site? (tick all that apply)
- 5 Store rainwater for later use
  - 3 Use of infiltration techniques such as porous surfacing materials to allow drainage on-site
  - 4 Attenuate rainwater in ponds or open water features
  - 3 Store rainwater in tanks for gradual release to a watercourse
  - 2 Discharge rainwater directly to watercourse
  - 1 Discharge rainwater to surface water drain
  - 0 Discharge rainwater to combined sewer

- c. Please give the change in area of permeable surfacing which will result from your development proposal:

-236

sqm

Please provide details of the permeable surfacing below

*please represent a loss in permeable area as a negative number*Subtotal 

Please give any additional relevant comments to the Flooding and Drainage Section below

The development will add an additional 180.1m3 of storage capacity to the flood plain. All rainwater has been designed into a soakaway. The raised ground floor of the building means that the flood risk to the apartments will be minimised. Whilst the FRA confirms that the site is within Flood Zone 3, the area area benefits from the Thames Barrier and more local flood prevention measures. The development will mainly include the use of permeable paving system. Water butts are to be installed in all the private gardens.

**6.1 Reduce waste generated and amount disposed of by landfill though increasing level of re-use and recycling**

- a. Will demolition be required on your site prior to construction? *[Points will only be awarded if 10% or greater of demolition waste is reused/recycled]*

 1

If so, what percentage of demolition waste will be reused in the new development?

 %

What percentage of demolition waste will be recycled?

 %

- b. Does your site have any contaminated land?

 1

Have you submitted an assessment of the site contamination?

 2

Are plans in place to remediate the contamination?

 2

Have you submitted a remediation plan?

 1

Are plans in place to include composting on site?

 1
**6.2 Reducing levels of water waste**

- a. Will the following measures of water conservation be incorporated into the development? (Please tick all that apply):

Fitting of water efficient taps, shower heads etc

 1

Use of water efficient A or B rated appliances

 1

Rainwater harvesting for internal use

 4

Greywater systems

 4

Fit a water meter

 1

Subtotal

Please give any additional relevant comments to the Improving Resource Efficiency Section below

The contractor will sign up to the Considerate Constructors Scheme and expected to achieve a score of at least 35 points (with a score of at least 7 in each of the 5 sections).

**7 ACCESSIBILITY**

**7.1 Ensure flexible adaptable and long-term use of structures**

a. **If the development is residential**, will it meet the requirements of the nationally described space standard for internal space and layout?

1

If the standards are not met, in the space below, please provide details of the functionality of the internal space and layout

**AND**

b. **If the development is residential**, will it meet Building Regulation Requirement M4 (2) 'accessible and adaptable dwellings'?

2

If this is not met, in the space below, please provide details of any accessibility measures included in the development.

For major residential developments, are 10% or more of the units in the development to Building Regulation Requirement M4 (3) 'wheelchair user dwellings'?

1

**OR**

c. **If the development is non-residential**, does it comply with requirements included in Richmond's Design for Maximum Access SPG

2

Please provide details of the accessibility measures specified in the Maximum Access SPG that will be included in the development

**Subtotal** 4

Please give any additional relevant comments to the Design Standards and Accessibility Section below

All requirements from Richmond's Design for Maximum Access SPG and Building Regulation Requirement M4 (2) shall be adhered to where possible. The development will undertake all viable and possible accessibility options. Level access will be provided for all residential units. A lift is to be installed in the new block of flats which will service all floors.



**LBRUT Sustainable Construction Checklist- Scoring Matrix for New Construction**

**(Non-Residential and domestic refurb)**

**TOTAL** 56

Score	Rating	Significance
80 or more	A+	Project strives to achieve highest standard in energy efficient sustainable development
71-79	A	Makes a major contribution towards achieving sustainable development in Richmond
51-70	B	Helps to significantly improve the Borough's stock of sustainable developments
36-50	C	Minimal effort to increase sustainability beyond general compliance
35 or less	FAIL	Does not comply with SPD Policy

**LBRUT Sustainable Construction Checklist- Scoring Matrix for New Construction**

**Residential new-build**

Score	Rating	Significance
81 or more	A++	Project strives to achieve highest standard in energy efficient sustainable development
64-80	A+	Project strives to achieve highest standard in energy efficient sustainable development
55-63	A	Makes a major contribution towards achieving sustainable development in Richmond
35-54	B	Helps to significantly improve the Borough's stock of sustainable developments
20-34	C	Minimal effort to increase sustainability beyond general compliance
19 or less	FAIL	Does not comply with SPD Policy

**Authorisation:**

*I herewith declare that I have filled in this form to the best of my knowledge*

Signature Tom Lodge (Price and Myers)

Date 3/05/

2016