




Side Elevation - Existing

Scale 1:100

- Render to be carefully removed on the front and side elevations by a specialist
- Bricks to be repaired and repointed where necessary prior to re-rendering
- Lime render to be applied to the building with masonry lines
- Render to be painted with appropriate breathable paint
- Increase drainage diameter/ensure sufficient fall off bay roof
- Colour of render to be off white KEIM breathable paint
- Existing render to be carefully removed and patch tests of re-rendering and brick cleaning/repointing to be done for the council to inspect and advise on preferred option



-  existing window openings as per 18/0498/LBC
-  proposed window openings as per 18/0498/LBC
-  repair windows/doors as per 18/0498/LBC



render to be removed, brick repaired and re-pointed, lime render to be re-applied with masonry lines
all above works to be done by specialist
please see method statement prepared by Stone Edge

Amendments:
e1: amended notes



call: +44(0) 20 7385 3066
mail: hello@catocreative.com
browse: www.catocreative.com
tweet: @catocreative

project: TKA
clients: Kate MacWhirter, Hannatu Gentles
address: 2 Lion Gate, Hampton Court Road, East Molesey, KT8 9DD

drawing: Listed Building Consent Application no.2
drawn by: KP
scale: as shown @A3

all dimensions to be checked on site
do not scale from this drawing
these are not structural or building control plans
copyright & intellectual property laws apply

