

Supporting Technical Information for

CTiL

CSR 84329

Date Prepared: 14/11/2018

CTiL

KEY TO COVERAGE PLOTS

The enclosed radio propagation plots are based on Ordnance Survey geographical information.

The level of coverage provided by a particular site is dependant on a number of variables. The main factors which determine the extent of coverage are: the frequency of the signal emitted, the height of the antenna above ground level, the characteristics of the surrounding topography and the type and occurrence of ground clutter such as buildings and trees which can cause 'shadows' or reflections and can absorb the signal.

The Radio Planners have produced accurate visual representations of the level of coverage available in this particular area by using advanced computer modelling software based on a Geographical Information System. The programme takes the numerous variables as above into account and can then calculate and plot the strength of the signal.

Existing and proposed sites are indicated by a blue or red circle and dot with the site number. The orientation of the antennas is shown by the arrows.




Site sectors show orientation of antennas

Note on large rooftop sites the antenna can be distributed in different locations from the site location. This is represented by a line extending outwards from the site to the antenna.

Key for UMTS (3G) Plots


Pink	Sufficient signal strength to provide adequate service for indoor use of a hand portable mobile in urban areas.	Indoor Dense Urban
Orange	Sufficient signal strength to provide adequate service for indoor use of a hand portable mobile in suburban areas	Indoor Urban
Blue	Sufficient signal strength to provide adequate service for indoor use of a hand portable mobile in suburban areas	Indoor Suburban
Green	Sufficient signal strength to provide adequate service for use of a hand portable mobile in a car	In Car
Yellow	Sufficient signal strength to provide adequate service for outdoor use of a hand portable mobile.	Outdoor
No Colour	Insufficient signal strength to provide reliable service.	No Coverage

CTiL – UMTS Telefonica (3G) Coverage with 12078




This coverage plan must be read in conjunction with the key and site specific supplementary information. Each colour block represents 50 metres square.

CTiL - UMTS Telefonica (3G) Coverage with lose of 12078



CTiL – Existing UMTS Telefonica (3G) Coverage with 84329



This coverage plan must be read in conjunction with the key and site specific supplementary information. Each colour block represents 50 metres square.

RECEIVED
16 NOV 2018

Vodafone Justification Plots

Winchester Road Streetworks

St Margarets

London TW1 1LA

Vodafone Site – 15946

Site 15946 is required to partially replace NTQ site 77146

The proposed site will provide 2G/3G/4G coverage and capacity to the area South of St Margarets including the railway line from St Margarets to Twickenham.

Date Prepared: 14th November 2018

