

06/1626/LBC

LEGE	END
0	Existing trees to be retained (numbered specimens refer to tree survey)
0	Existing trees to be removed as recommended in arboricultural report.
\odot	Unsurveyed saplings / stumps / scrub to be removed
•	Existing surveyed trees to be removed.
•	Proposed trees
	Ornamental shrub planting to obscure fencing/ parking.
	Planting beneath existing trees to be supplemented with native shrubs and managed as per recommendation in ecology report
	Proposed 1.8m high timber fence.
	Proposed railings.
	Proposed gravel surface

Trees To Be Removed

The following trees are recommended for removal in the arboricultural report. Please see accompanying tree survey for detailed information regarding each specimen.

Proposed Car Park A.rea - 85, 87, 89, 91, 93, 100, 104, 111, 114

In addition, the following trees will also need to be removed.

Proposed Car Park Area - 99, 119, 120, 121

Car Park Construction

Car park to be constructed to minimise impact on root systems in accordance with BS 5837:2005. Construction within the RPA (root protection area) to be designed to avoid root loss due to excavation and minimise localised compaction. In these areas a cellular confinement system shall be installed as part of the sub-base to act as a load suspension layer. Gravel wearing course to be installed to provide a permeable, gas-porous surface treatment. Edge restraints within the RPA to be timber sleepers positioned using track or road pins.

STRAWBERRY-HILL

Client STRWABERRY-HILL-TRUST

Drawing: LANDSCAPE-LAYOUT

Project No: 112

Faic 01904 691634

Drawing No: 112(SK)001

Scale: 1:250@A2

Date: 20.09.06

The Landscape Agency

Planning and Management James Nicolson Link York YOSB 4GR United Kingdom

Tel: 01904 891630 Email: enquiries@landscapeagency.co.uk

Web; www.landacapeagency.co.uk

Rev: E

Drawn: BJ

Checked:

DO NOT SCALE FROM THIS DRAWING