



Heathview
35 New Haw Road
New Haw
Surrey
KT15 2BZ

Office: 01932 853755

Mobile: 07983 592875

Email: info@dhdesignandbuild.co.uk

Web: www.dhdesignandbuild.co.uk

London Borough of Richmond upon Thames
Civic Centre,
44 York Street
Twickenham
TW1 3BZ

10th May 2021

Flood Risk Assessment

Site address: 66 Rectory Grove, Hampton, Middlesex, TW12 1EE.
Proposal: Proposed single storey extension to the rear of the existing semi-detached dwelling.

Dear Sir(s)/Madam,

I would like to confirm the following points with regards to a 'Flood Risk Assessment' on the above mentioned property:

- We have carried out a flood risk search for the above property using the Planning Portal's Flood map tool and it has confirmed that the above site address is located in 'Flood Zone 1' (an area with a low probability of flooding).
- The proposed floor level of the proposed rear extension is to match the existing house.
- As part of this proposal, surface drainage will be incorporated to ensure the dispersal of all surface water. A minimum of 1 water butt will be incorporated into the design and any excess water will be connected to the existing gutter and downpipe system. If this is not feasible then the rainwater will be directed to a new soakaway a minimum of 5 metres away from the proposed extension,

If the Local Authority deem the information provided is inadequate for this proposal, the client will then be notified to arrange for a professional 'Flood Risk Assessment' (FRA) consultancy to carry out a full assessment of the site and to provide a full detailed report.

If you require any further information on the Flood Risk associated with this property then please make contact with us.

Kind Regards

Darren Holmes