

Chadhurst Farm Coldharbour Lane Dorking, Surrey RH4 3JH

Tel: 01306 741800 Fax: 01306 885150 Email: office@treeline.co.uk www.treeline.co.uk

Client:

Mr. A. P Davis 55 Bolingbroke Grove London SW11 6HR Our Ref: 41707

Date:

Site Address: 24 Hampton Road, Twickenham,

We have been instructed by our client to carry out the following arboricultural operations at the above site address.

Please see below the specification, reasons and location plan for this application.

Our contact details are as follows: Treeline Services Ltd., Chadhurst Farm, Coldharbour Lane, Dorking, Surrey RH4 3JH. Telephone: 01306 741800

Or reply by Email to office@treeline.co.uk

Yours sincerely

VAT Registration No 800 9964 23

Treeline Services Ltd. Registered Address - Chadhurst Farm Coldharbour Lane, Dorking, Surrey RH4 3JH Registered in England & Wales Number 4615608 bill 500 100 12015 1

PAL REV02 09-09-20 UNCONTROLLED DOCUMENT WHEN PRINTED (SEE DOCUMENT REVIEW LIST FOR LATEST REVIEW DATE)

Map Ref.	Species	Location	Work Specification	Our Ref: 41707

Τ1	Sycamore	As Per Map	Crown Lift To 5m From Ground Level Over Clients Side Only, Sever And Remove A Section Of Ivy From Fence Height To 1m Above, Remove Crossing Branches And Any Deadwood 25mm And Greater In Diameter.
T2	Walnut	As Per Map	Crown Lift To 3m From Ground Level.
G4	Sycamore	As Per Map	Sever And Remove A Section Of Ivy From Ground Level To A Height Of 1m Using Hand Tools Only
Τ5	Eucalyptus	As Per Map	Reduce Overall Size Of Crown By 3 -4m, Reduction Back To Suitable Growth Points, Sever And Remove A Section Of Ivy From Ground Level To A Height Of 1m Using Hand Tools Only, Remove Deadwood 25mm And Greater In Diameter.
Т6	Eucalyptus	As Per Map	Carefully Fell To Near Ground Level.
G7	Cypress Group	As Per Map	Carefully Fell To Near Ground Level.
Т8	Ash	As Per Map	Carefully Fell To Near Ground Level.
G9	Ash	As Per Map	Carefully Fell To Near Ground Level.
T11	Sycamore	As Per Map	Carefully Fell To Near Ground Level.
T12	Ash	As Per Map	Crown Lift To 6m From Ground Level Over Site.
			It Is Company Policy To Do A Free Enquiry With The Local Planning Department To Rule Out Tree Restrictions If The Above Work Is Accepted.

TREE NO.

APPLICATION REASONS

Our Ref: 41707

Τ1	Removal of the lower lateral branches to achieve sufficient height clearance over the
	car park area of the site. To reduce risk of damages to the vehicles utilising the
	area.

1		
-	Г2	Removal of the lower lateral branches to achieve sufficient height clearance over the boundary fence.
¢	G4	Exempt work
-	Г5	Reduction to suitable growth points to promote new growth and improve vitality. To Reduce weight and associated risk of branch breakage in stormy/ snowy conditions.
-	Гб	Due to the extensive lean towards the neighbouring outdoor office building and the raised root plate, Concerns to the stability due to the location of the tree grown from the base of the boundary fence.
¢	G7	Poor specimen tree group, Originally a hedge left to regenerate in unformalized tree group beyond retention as a hedge. Removal due the volume of debris, mess and damage caused by defecating and nesting over the garden target areas.
-	Т8	Due to Ash dieback present in the crown and the tree within falling distance of the neighbouring garden office work area.
¢	G9	Poor condition tree group, heavily reduced in past with decay at the previous reduction points. Crown beyond reduction due to the decay and pollard would leave un aesthetically pleasing monoliths.
-	Г11	As above
-	Г12	Removal of the low level lateral branches to give sufficient height clearance over public foot path and the main site entrance driveway to avoid damage to any vehicles entering or leaving the site.


SITE MAP

Our Ref: 41707

Mr. A. P Davis 55 Bolingbroke Grove London SW11 6HR

<u>Site Address:</u> 24 Hampton Road, Twickenham,

Council: London Borough of Richmond



PICTURES



Photo 2

Photo 1





Photo 3



Photo 4





VAT Registration No 800 9964 23

Treeline Services Ltd. Registered Address - Chadhurst Farm Coldharbour Lane, Dorking, Surrey RH4 3JH Registered in England & Wales Number 4615608



PAL REV02 09-09-20 UNCONTROLLED DOCUMENT WHEN PRINTED (SEE DOCUMENT REVIEW LIST FOR LATEST REVIEW DATE)