

























Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W S E	Scaled Tree Diagram (m) 	Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value
								Priority	Inspect Freq (yrs)	Physiological Condition	Life Expectancy (yrs)
										Structural Condition	Retention Category
T1	Sycamore Acer pseudoplatanus.	9	3	33 @ Base	4 4 3.5		Form: Twin-stemmed at 1.5m with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		Moderate Good Good	Moderate 40+ B
								n/a	3		
T2	Semi-Mature Lime Tilia sp.	12	0.5	30	4 4 4		Form: 3 Close growing specimens. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		High Good Good	Moderate 40+ B
								n/a	3		
T3	Early-Mature Sycamore Acer pseudoplatanus.	12	2.5	36	2 4.5 3		Form: Multi-stemmed at ground level with an unbalanced crown. History: No evidence of significant pruning. Defects: Significant bark wound to all three stems due to fire damage. Acceptable condition at present. Other: Recorded stem diameter is equivalent for 3 stems (28cm, 20cm, 12cm).	Monitor.		Moderate Good Fair	Moderate 10-20 C
								Low	1.5		
T4	Early-Mature Sycamore Acer pseudoplatanus.	9	3	42	4.5 4 4		Form: Twin-stemmed at 3m with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		Moderate Good Good	Moderate 40+ C +
								n/a	3		
T5	Semi-Mature Norway Maple Acer platanoides.	8	2	32	4.5 4.5 3		Form: Single stemmed and vertical with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Epicormic shoots throughout.	No action required.		Moderate Good Good	Moderate 20-40 B -
								n/a	3		
T6	Early-Mature Cherry Prunus sp.	7	2	29	2.5 4.5 2		Form: Single stemmed with a slight lean and a slightly unbalanced crown. History: Multiple pruning wounds due to crown lifting. Defects: No significant defects observed.	No action required.		Moderate Good Good	Low 40+ C
								n/a	3		
T7	Semi-Mature Norway Maple Acer platanoides.	8	2	26	3 3 3		Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		Moderate Good Good	Moderate 40+ B -
								n/a	3		

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W S E	Scaled Tree Diagram (m) 	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
								Priority	Inspect Freq (yrs)	Physiological Condition		Life Expectancy (yrs)	
										Structural Condition		Retention Category	
T8	Early-Mature Ash <i>Fraxinus excelsior.</i>	12	4	48	5.5 3 4		Form: Twin-stemmed at ground level with a slightly unbalanced crown. History: Multiple pruning wounds due to crown reduction. Defects: No significant defects observed. Other: Ivy prevented detailed inspection. Recorded stem diameter is equivalent for 2 stems (37cm, 30cm).	Remove ivy and inspect stem for defects.	Moderate	Good	Moderate	40+	B
T9	Semi-Mature Cherry <i>Prunus sp.</i>	6	1	17	3 3.5 2		Form: Single stemmed and leaning with a slightly unbalanced crown. Defects: Significant decay column to stem at 1m to 2m above ground level. Other: Poor specimen.	Remove.	Moderate	Fair	Low	<10	U
T10	Early-Mature Ash <i>Fraxinus excelsior.</i>	12	4	52	5.5 4.5 5		Form: Multi-stemmed at ground level with a balanced crown. History: Multiple pruning wounds due to crown reduction. Defects: 20cm diameter stem torn out at circa 6m, acceptable condition at present. Other: Numerous epicormic shoots throughout. Ivy prevented detailed inspection at back.	Crown clean. Remove ivy and inspect stem for defects.	Moderate	Fair	Moderate	20-40	B
T11	Early-Mature Hornbeam <i>Carpinus betulus.</i>	9	1.5	43	6 6 6		Form: Twin-stemmed at 1.5m with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.	Moderate	Good	Moderate	40+	B
T12	Mature Cherry <i>Prunus sp.</i>	7	2	39	4 2.5 3		Form: Twin-stemmed at 2m with a balanced crown. History: Multiple pruning wounds due to crown reduction. Defects: No significant defects observed.	No action required.	Moderate	Good	Moderate	10-20	C
T13	Early-Mature Portuguese Laurel <i>Prunus lusitanica.</i>	6	2	41	3 3.5 5 4.5		Form: Single stemmed and vertical with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.	Moderate	Good	Moderate	10-20	C
T14	Mature Strawberry Tree <i>Arbutus unedo.</i>	4.5	3	38	5 2 6.5 3		Form: Twin-stemmed at 1m with an unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.	Moderate	Good	Low	40+	C

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m) N W E S	Scaled Tree Diagram (m) 	Notes	Recommendations (Independent of any development proposals)		Vigour	Amenity Value
								Priority	Inspect Freq (yrs)	Physiological Condition	Life Expectancy (yrs)
										Structural Condition	Retention Category
T15	Early-Mature Hornbeam Carpinus betulus.	12	2	39	4 6	4 4 6		Position: Situated on third party land. Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.	Moderate	Low
										n/a	3
T16	Semi-Mature Hornbeam Carpinus betulus.	9	3	24	3 3	3 3		Position: Situated on third party land. Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.	Moderate	Low
										n/a	3
T17	Early-Mature Ash Fraxinus excelsior.	15	3	55	6 5	6.5 4		Position: Situated on third party land. Form: Multi-stemmed at ground level with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Recorded stem diameter is equivalent for 4 stems (24cm, 30cm, 28cm, 28cm).	No action required.	Moderate	Moderate
										n/a	3
T18	Early-Mature Ash Fraxinus excelsior.	12	5	41	5 6.5	5 5		Position: Situated on third party land. Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.	Moderate	Low
										n/a	3
T19	Semi-Mature Ash Fraxinus excelsior.	8	3	27	4 4	4 4		Position: Situated on third party land. Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.	Moderate	Low
										n/a	3
T20	Early-Mature Ash Fraxinus excelsior.	15	4	39	6.5 6.5	6.5 6.5		Position: Situated on third party land. Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.	Moderate	Low
										n/a	3
G21	Early-Mature Ash Fraxinus excelsior.	av 15	av 3	av 40	6 6	6 6		Position: Situated on third party land along woodland edge. Form: Row of 4 specimens. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.	Moderate	Low
										n/a	3