





















Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition	Life Expectancy (yrs)	Structural Condition	Retention Category
					S										
T1	Early-Mature Lombardy Poplar Populus nigra.	16	3	75	2.5	3.5	3.5		Form: Multi-stemmed at 3m with a slightly unbalanced crown. History: Previously reduced. Defects: Scattered deadwood throughout and included bark between stem junctions.	Reduce in height to 10m.		Moderate	Moderate	10-20	B
	3						Moderate			1.5	Good	Fair			
T2	Early-Mature Lombardy Poplar Populus nigra.	16	3.5	74	3	3.5	3.5		Form: Multi-stemmed at 3m with a slightly unbalanced crown. History: Previously reduced. Defects: Significant included bark between stem junctions and dead twigs to lower crown.	Reduce in height to 10m.		Moderate	Moderate	10-20	B
	1.5						Moderate			1.5	Good	Fair			
T3	Semi-Mature Holly Ilex aquifolium.	8	0	30	2	2	2		Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		Moderate	Moderate	20-40	C
	2						n/a			3	Good	Good			
T4	Semi-Mature Lime Tilia sp.	13	2	42	5	4.5	5.5		Form: Twin-stemmed at 3m with a slightly unbalanced crown. History: Occasional pruning wounds due to crown reduction. Defects: Scattered dead branches throughout. Other: Epicormic shoots prevented detailed inspection of stem base, Limited inspection, dimensions estimated.	No action required.		Moderate	Moderate	20-40	B -
	5.5						n/a			1.5	Good	Fair			
T5	Semi-Mature Lime Tilia sp.	7	0	32	4	3	3		Form: Twin-stemmed at 2m with an unbalanced crown. History: Previously reduced. Defects: Cavities developed at old pruning wounds and deadwood to lower crown. Other: Vegetation prevented detailed inspection of stem base (Limited inspection, dimensions estimated).	Reduce back to old pruning points.		Moderate	Low	20-40	C
	4						Moderate			1.5	Good	Poor			
T6	Mature London Plane Platanus x hispanica.	17	4	98	10	10.5	10		Form: Twin-stemmed at 4m with a slightly unbalanced crown. History: Lapsed pollard. Defects: No significant defects observed.	Reduce to a height of no more than 10m and a radial spread of no more than 3-4m.		Moderate	High	20-40	A -
	12						Moderate			1.5	Good	Fair			
T7	Semi-Mature Lime Tilia sp.	8.5	3	46	5	3.5	4.5		Form: Multi-stemmed at 3.5m with a slightly unbalanced crown. History: Previously reduced. Defects: Minor cavity developed at old pruning wound on stem at 3m above ground level. Other: Epicormic shoots prevented detailed inspection of base, some dimensions estimated.	No action required.		Moderate	Moderate	40+	B
	4.5						n/a			1.5	Good	Fair			

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition	Life Expectancy (yrs)	Retention Category	
					S	Structural Condition									
T8	Semi-Mature Lime Tilia sp.	10	3	36	4	4.5	4.5		Form: Multi-stemmed at 3m with a balanced crown. History: Previously reduced. Defects: Small scattered dead branches throughout. Other: Epicormic shoots prevented detailed inspection of stem.	No action required.		Moderate	Moderate	40+	B
					3.5	Fair				n/a	1.5				
T9	Semi-Mature Horse Chestnut Aesculus hippocastanum.	10	4	40	5.5	5.5	5.5		Position: Situated on third party land. Form: Single stemmed and vertical with a balanced crown. History: Occasional pruning wounds due to crown lifting. Defects: Cavities developed at old pruning wounds. Other: Limited inspection, dimensions estimated, ivy growing up stem.	No action required.		Low	Moderate	20-40	B
					5.5	Good				n/a	1				
T10	Early-Mature Horse Chestnut Aesculus hippocastanum.	16	3.5	60	9	8	7		Position: Situated on third party land. Form: Twin-stemmed at 3m with a slightly unbalanced crown. History: Occasional pruning wounds due to crown reduction. Defects: Significant tear wound to south east with decay developing and ganoderma observed beneath tearwound. Other: Limited inspection, dimensions estimated.	Decay detection required.		Moderate	High	10-20	B
					7	Fair				High	1				
T11	Mature Horse Chestnut Aesculus hippocastanum.	17	5	95	9	9	8.5		Position: Situated on third party land. Form: Multi-stemmed at 3m with a slightly unbalanced crown. History: Occasional pruning wounds due to crown lifting. Defects: No significant defects observed. Other: Limited inspection, dimensions estimated.	No action required.		Moderate	High	20-40	A
					9	Fair				n/a	1				
T12	Early-Mature Cherry Prunus sp.	5	1	42 @ Base	4.5	4	4.5		Form: Multi-stemmed at 0.5m with a balanced crown. History: No evidence of significant pruning. Defects: Included bark between stem junctions.	No action required.		Moderate	Moderate	20-40	C +
					4.5	Fair				n/a	1.5				
T13	Mature Horse Chestnut Aesculus hippocastanum.	15	2	80	5	7	7		Position: Situated on third party land. Form: Single-stemmed to a height of 3m. History: Occasional pruning wounds due to crown lifting. Defects: Cavities developed at old pruning wounds. Other: Limited inspection, dimensions estimated.	No action required.		Moderate	High	40+	B
					5.5	Fair				n/a	1				
T14	Mature Horse Chestnut Aesculus hippocastanum.	14	1.5	75	3.5	5	6.5		Position: Situated on third party land. Form: Multi-stemmed at 3m with a slightly unbalanced crown. History: Multiple pruning wounds due to crown lifting. Occasional pruning wounds due to crown reduction. Defects: Significant cavities developed at old pruning wounds, showing signs of dieback and cracking bark observed. Other: Limited inspection. dimensions estimated.	Remedial prune and undertake climbed inspection of cavities.		Moderate	Moderate	<10	C -
					6	Fair				High	1				

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition	Life Expectancy (yrs)	Retention Category	
					S	Structural Condition									
T15	Mature Horse Chestnut Aesculus hippocastanum.	17	2	75	6	7	4.5		Position: Situated on third party land. Form: Tripplle-stemmed at 3m with a slightly unbalanced crown. History: Occasional pruning wounds due to crown reduction. Defects: No significant defects observed. Other: Limited inspection, dimensions estimated.	No action required.		Moderate	Moderate	40+	B
					6	Fair	n/a			1					
T16	Mature Horse Chestnut Aesculus hippocastanum.	19	1.5	75	5	6	7		Position: Situated on third party land. Form: Twin-stemmed at 3m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Limited inspection, dimensions estimated.	No action required.		Moderate	Moderate	40+	B
					5	Fair	n/a			1					
T17	Semi-Mature Silver Maple Acer saccharinum.	7	3	26	4.5	3	4.5		Form: Multi-stemmed at 3.5m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		Moderate	Low	40+	C
					3	Good	n/a			3					
T18	Semi-Mature Ash Fraxinus excelsior.	9	3	36	4	3.5	6		Form: Single stemmed with a slight lean and a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Limited inspection, dimensions estimated.	No action required.		Moderate	Moderate	40+	B
					5	Good	n/a			3					
T19	Early-Mature Bhutan Pine Pinus wallichiana.	13	3.5	55	5	7.5	4.5		Form: Single stemmed and vertical with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: Torn out branch from upper canopy, scattered deadwood and branch stubs to lower crown.	Remdial prune.		Moderate	Moderate	40+	B
					5	Good	Moderate			1.5					
T20	Early-Mature Bhutan Pine Pinus wallichiana.	13	2	58	5.5	5	7		Form: Single stemmed with a slight lean and a slightly unbalanced crown. History: Occasional pruning wounds due to crown lifting. Defects: No significant defects observed. Other: Ivy prevented detailed inspection of stem.	No action required.		Moderate	Moderate	40+	B
					5	Good	n/a			1.5					
T21	Semi-Mature Silver Birch Betula pendula.	8.5	3	20	2.5	1.5	4.5		Form: Single stemmed with a slight lean and an unbalanced crown. History: No evidence of significant pruning. Defects: Scattered dead twigs to lower crown. Other: Ivy prevented detailed inspection of stem.	No action required.		Moderate	Low	20-40	C
					2	Good	n/a			1.5					

Reference G = Group H = Hedge	Age & Species	Height (m)	Crown Ht (m)	Diameter (cm)	Crown Spread (m)			Scaled Tree Diagram (m)	Notes	Recommendations (Independent of any development proposals)		Vigour		Amenity Value	
					W	N	E			Priority	Inspect Freq (yrs)	Physiological Condition	Life Expectancy (yrs)	Retention Category	
					S	Structural Condition									
T22	Semi-Mature False Acacia Robinia pseudoacacia.	9	4.5	34	4.5	6	2	4		Form: Twin-stemmed at 2m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: Scattered dead twigs throughout.	No action required.		Moderate	Moderate	
											n/a	3	Good	20-40 C+	
T23	Semi-Mature Bhutan Pine Pinus wallichiana.	16	6	63	5	5.5	5	5		Form: Twin-stemmed at 5m with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed. Other: Debris prevented detailed inspection some dimensions estimated.	No action required.		Moderate	High	
											n/a	1.5	Good	40+ B	
T24	Semi-Mature False Acacia Robinia pseudoacacia.	6	4	15	1.5	3.5	3.5	3		Form: Single stemmed and vertical with an unbalanced crown. History: No evidence of significant pruning. Defects: Scattered deadwood to lower crown suppressed by adjacent tree.	No action required.		Low	Low	
											n/a	1.5	Poor	10-20 C	
T25	Semi-Mature Bhutan Pine Pinus wallichiana.	12	3	39	2	3	5	4		Form: Single stemmed with a slight lean and a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		Moderate	Moderate	
											n/a	1.5	Good	40+ B	
T26	Early-Mature London Plane Platanus x hispanica.	16	2	79	10	11	3.5	9		Form: Multi-stemmed at 4m with a heavily un-balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		Moderate	Moderate	
											n/a	1.5	Good	40+ B	
T27	Semi-Mature Silver Birch Betula pendula.	8.5	2.5	20	2	2.5	3	2.5		Form: Single stemmed and vertical with a slightly unbalanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		Moderate	Moderate	
											n/a	3	Good	40+ C	
T28	Young Bhutan Pine Pinus wallichiana.	6	1.5	14	2.5	2.5	2	2		Form: Single stemmed and vertical with a balanced crown. History: No evidence of significant pruning. Defects: No significant defects observed.	No action required.		Moderate	Moderate	
											n/a	3	Good	20-40 C	