

PLANNING REPORT

Printed for officer by

.Jack Morris on 26 October 2022

Application reference: 22/1503/DD01 SOUTH TWICKENHAM WARD

Date application received	Date made valid	Target report date	8 Week date
19.08.2022	19.08.2022	14.10.2022	14.10.2022

Site:

St Marys College, 268 Waldegrave Road, Twickenham, TW1 4SX

Proposal:

Details pursuant to condition U0133839 (Details to specified scale) on permission 22/1503/LBC.

Status: Pending Consideration (If status = HOLD please check that all is OK before you proceed any further with this application)

APPLICANT NAME

N/a

St Mary's University
268 Waldegrave Road
Twickenham
TW1 4SX

AGENT NAME

Andrew Breathwick
129 Kew Road
Richmond
TW9 2PN
United Kingdom

DC Site Notice: printed on and posted on and due to expire on

Consultations:**Internal/External:****Consultee**

21D Urban D

Expiry Date

12.09.2022

Neighbours:

-

History: Development Management, Appeals, Building Control, Enforcements:Development Management

Status: GTD

Application:00/T0511

Date:15/05/2000

Black Poplar - Reduce By Up To 60

Development Management

Status: GTD

Application:00/T0512

Date:15/05/2000

Black Poplar - Reduce By Up To 60

Development Management

Status: GTD

Application:00/T0513

Date:15/05/2000

Black Poplar - Reduce By Up To 60

Development Management

Status: GTD

Application:00/T1874

Date:08/01/2001

Yew T43 - Lightly Selectively Prune Lower Branches Growing Over Paved Area Retaining Natural Shape Of Tree

Development Management

Status: RNO

Application:00/3442

Date:23/01/2001

Proposed Telecommunications Base Station To Provide Mobile

Telephone Coverage.

<u>Development Management</u>	
Status: GTD	Application:01/0361
Date:22/06/2001	Demolition Of Existing Teaching Accommodation. Erection Of
<u>Development Management</u>	
Status: REF	Application:01/0782
Date:20/04/2001	Proposed 6m Stub Tower Supporting 6 Antennae And 4 Microwave Dishes 1 Equipment Cabinet To Be Located At Roof Level, Electric Meter Cabinets Located At Ground Level.
<u>Development Management</u>	
Status: WNA	Application:01/1074
Date:21/06/2001	Proposed Temporary Teaching Accommodation, To Be Removed Subject To Planning Application 01/0361/ful When Completed.
<u>Development Management</u>	
Status: GTD	Application:01/1223
Date:18/07/2001	Works In Association With Demolition Of 'k' Block. Conversion Of Section Of Bin Store To Launderette In 'l' Block. Alterations To Kitchen Area In 'n' Block.
<u>Development Management</u>	
Status: GTD	Application:01/1197
Date:02/08/2001	Installation Of Radio Equipment Housing.
<u>Development Management</u>	
Status: GTD	Application:01/2924
Date:18/04/2002	Erection Of Acrylic Covers To Protect Antelope Figures On Staircase.
<u>Development Management</u>	
Status: GTD	Application:02/T0610
Date:18/04/2002	English Oak - Remove Snapped Branch In Upper Canopy
<u>Development Management</u>	
Status: GTD	Application:02/T0611
Date:18/04/2002	Sycamore - Fell
<u>Development Management</u>	
Status: GTD	Application:02/T0612
Date:18/04/2002	Elm - Fell
<u>Development Management</u>	
Status: GTD	Application:02/T0613
Date:18/04/2002	Sycamore - Fell
<u>Development Management</u>	
Status: GTD	Application:02/T0614
Date:18/04/2002	Dead Elm - Fell
<u>Development Management</u>	
Status: GTD	Application:02/T0615
Date:18/04/2002	Dead Elms - Fell
<u>Development Management</u>	
Status: GTD	Application:02/1792
Date:18/11/2002	Provision Of New Athletics Track And Associated Facilities To Replace The Existing Facilities Including Floodlighting Columns.
<u>Development Management</u>	
Status: REF	Application:02/1967
Date:28/08/2002	Installation Of Telecommunications Apparatus
<u>Development Management</u>	
Status: GTD	Application:02/2738
Date:04/11/2002	Installation Of A 6m High Stub Tower, Containing Three Panel Antennae And One Antenna Dish And An Equipment Cabin On The Roof Of The Science Block.
<u>Development Management</u>	
Status: REF	Application:03/0668/FUL
Date:22/04/2003	Re-location Of The Existing Main College Bin Storage Area.
<u>Development Management</u>	

Status: WNA Date:06/05/2004	Application:03/0669 Temporary Planning Permission To Locate Two Standard Containers And Two Portacabins On Existing Hardstanding To The Rear Of Wiseman And Doyle Student Residences.
<u>Development Management</u> Status: WDN Date:17/06/2003	Application:03/0963/FUL Erection Of A Three Storey Extension To The Existing Three Storey Residences At Graham, Wiseman And Doyle Comprising 183 Student Rooms Plus 4 Warden Suites In Two New Wings With All Associated Functions And External Works.
<u>Development Management</u> Status: GTD Date:11/07/2003	Application:03/T1150 Cedar (cedrus) - Prune Back From Property To Give Up To 1.5 Metres Clearance; Remove Major Deadwood.
<u>Development Management</u> Status: GTD Date:11/07/2003	Application:03/T1151 Turkey Oak (quercus Cerris) - Crown Lift To 5 Metres; Remove Deadwood.
<u>Development Management</u> Status: REF Date:12/09/2003	Application:03/1855/FUL Erection Of A Three Storey Extension To The Existing Three Storey Residences At Graham, Wiseman And Doyle Comprising 178 Student Rooms Plus 4 Warden Suites In Two New Wings With All Associated Functions And External Works.
<u>Development Management</u> Status: REF Date:03/11/2003	Application:03/2789/FUL Provision Of Dispersed Refuse Storage Compounds In 6 Locations On Campus With A Central Collection Point Accessible From Clive Road.
<u>Development Management</u> Status: GTD Date:16/01/2004	Application:03/2802 Erection Of A Portacabin On Existing Hardstanding To Rear Of Block N For A Temporary Period.
<u>Development Management</u> Status: GTD Date:20/11/2003	Application:03/T1875 Ash (fraxinus Excelsior) - Prune Back From Street Lamp And Phon Wires; Crown Lift To Statutory Height Over Road; Lift Low Bra From Corrugated Roofs To Give At Least 2 Metres Clearance.
<u>Development Management</u> Status: GTD Date:28/04/2004	Application:04/0300 Proposed Provision Of Refuse Storage Compounds In 4 Locations On Campus With Central Connection Point. Accessible From Site's Internal Roads.
<u>Development Management</u> Status: GTD Date:13/07/2004	Application:04/0293 Temporary Erection Of Porta-cabin For Changing Room And Storage On Land Adjacent To The Existing Sports Hall.
<u>Development Management</u> Status: GTD Date:29/04/2004	Application:04/0339 Erection Of Additional Halls Of Residence Adjoining And Linked To The Existing Halls Of Residence. Associated New Layout For Car Parking, Cycle Parking, Hard And Soft Landscaping.
<u>Development Management</u> Status: WNA Date:19/01/2005	Application:02/1792/DD01 Details Pursuant To Conditions Bd11u (miscellaneous Details) And Ns02u (non Standard) To Planning Permission 02/1792/ful.
<u>Development Management</u> Status: GTD Date:19/07/2004	Application:04/0904 External Elevational Alterations Including Glazed Enclosure To

Cloisters To Facilitate (1) Conversion Of Chapel Undercroft And Extension Of Existing Learning Resource Centre To Form An Internet Cafe and (2) ramped disabled access to chapel entrance.

Development Management

Status: GTD

Date:13/07/2004

Application:04/1007

Conversion And Rebuilding Of Block L Outbuildings To Offices.

Development Management

Status: WDN

Date:04/11/2005

Application:04/1085/FUL

Erection Of Hazardous Chemical Store.

Development Management

Status: GTD

Date:19/12/1989

Application:89/2232/FUL

Single Storey Roof Top Extension To Provide New Vivarium.

Development Management

Status: GTD

Date:19/12/1989

Application:89/2233/FUL

Construction Of New Fire Escape Stair Within Existing Building. Replace Existing Roof To Hallway With Glass & Steel. Staircase Enclosure At Roof Level To Be Brick/glass.

Development Management

Status: PCO

Date:25/12/1989

Application:89/2234/LBC

Construction Of New Fire Escape Stair Within Existing Building. Replace Existing Roof In Hallway With Glass & Steel. Staircase Enclosure At Roof Level To Be Brick/glass.

Development Management

Status: PCO

Date:25/12/1989

Application:89/2235/LBC

Single Storey Roof Top Extension To Provide New Vivarium.

Development Management

Status: GTD

Date:24/10/1990

Application:90/1683/FUL

Provision Of New Bin Store Area & Pergola.

Development Management

Status: GTD

Date:25/02/1991

Application:90/2098/FUL

Conversion Of Bath Houses At Clive Hostel To Form Additional Student Bedrooms & 2 No. First Floor Extensions Comprising 8 Student Bedrooms.

Development Management

Status: GTD

Date:24/02/1992

Application:91/2032/FUL

Erection Of 1 No. 3/4 Storey Building And 1 No. 3 Storey Building Comprising 106 No. Student Study/bedrooms. Formation Of 6 No. Parking Spaces At Front With New Access Thereto And 16 No. Parking Spaces At Rear. New Pathways And Landscaping

Development Management

Status: GTD

Date:06/12/1991

Application:91/2038/FUL

2 No. Single Storey Extensions To Kitchen Store And Servery Area.

Development Management

Status: PRQ

Date:03/10/1991

Application:91/1543/S64

Alterations To Kitchen, Servery And New Goods Entry.

Development Management

Status: GTD

Date:08/07/1992

Application:91/2032/DD01

Details Pursuant To Condition Ns01 (non Standard), Bd10 (sample Panels) And Partially Pursuant To Condition Bd05 (materials) Of Planning Consent 91/2032 Dated 24.2.92.

Development Management

Status: GTD

Date:28/07/1992

Application:91/2032/DD02

Details Pursuant To Condition Dv17 (bin Enclosure) Of Planning Consent 91/2032/ful Dated 24/2/92.

Development Management

Status: GTD

Date:22/02/1993

Application:91/2032/DD03

Details Pursuant To Condition Bd05 (materials), La11 (landscaping) & Pk06 (cycle Parking) Of Planning Consent 91/2032/ful Dated 24/2/92.

<u>Development Management</u> Status: GTD Date:09/04/1992	Application:92/0468/FUL Extension And Refurbishment Of Student Union Toilet Accommodation.
<u>Development Management</u> Status: GTD Date:22/02/1993	Application:92/1441/DD01 Details Pursuant To Condition La11 (landscaping) & Bd05 (materials) Of Planning Consent 92/1441 Dated 30/9/92.
<u>Development Management</u> Status: PNR Date:12/10/1992	Application:92/1595/S192 Internal Alterations To Facilitate A Temporary Bar Arrangement And Appropriate Fire Protection And Escape Work.
<u>Development Management</u> Status: GTD Date:28/05/1992	Application:92/0754/FUL Extension And Refurbishment Of Gymnasium.
<u>Development Management</u> Status: GTD Date:30/09/1992	Application:92/1441/FUL Formation Of 6 No. Relocated Car Parking Spaces To Rear Of New Hostels And Adjustment To Layout Of Approved Scheme (variation Of Condition Pk02 Attached To Planning Application Ref. 91/2032/ful Dated 24 February 1992).
<u>Development Management</u> Status: REF Date:30/11/1992	Application:92/1678/FUL Demolition Of Existing Garage And Erection Of A Two Storey Side Extension For Use By Elderly Relative And Front Car Port.
<u>Development Management</u> Status: GTD Date:22/12/1992	Application:92/1881/FUL Extension To And Adaption Of Drama Workshop To Provide A Three Storey Building For Use As Student Union Accommodation.
<u>Development Management</u> Status: GTD Date:18/02/1993	Application:92/2051/FUL Erection Of Enclosed Access Stair.
<u>Development Management</u> Status: GTD Date:24/03/1993	Application:91/2032/DD04 Details Pursuant To Condition La03 (works To Trees) Of Planning Consent 91/2032 Dated 24/2/92.
<u>Development Management</u> Status: GTD Date:15/09/1993	Application:92/1881/DD02 Details Pursuant To Condition Bd06 (materials) Of Planning Consent 92/1881/ful Dated 22/12/92.
<u>Development Management</u> Status: GTD Date:01/04/1993	Application:92/1881/DD01 Details Pursuant To Condition Attached To Consent 92/1881 Bd09 (materials) Dated 22.12.92 For The Extension To And Adaption Of Drama Workshop To Provide Three Storey Building For Use As Student Union Accommodation
<u>Development Management</u> Status: GTD Date:01/04/1993	Application:93/0220/FUL Make Good Fire Damaged Structure And Aterations To Form Teaching Space.
<u>Development Management</u> Status: GTD Date:03/06/1993	Application:93/0547/FUL Extension To Sports Building To Form Sports Injury Clinic.
<u>Development Management</u> Status: GTD Date:13/08/1993	Application:93/1076/FUL Single Storey Extension To Existing Chaplaincy Centre & New Boundary Wall.
<u>Development Management</u>	

Status: GTD Date:26/05/1994	Application:94/0397/FUL Erection Of Tennis Hall
<u>Development Management</u> Status: GTD Date:26/09/1994	Application:94/1549/DD01 Details Pursuant To Condition Bd05 (materials) Of Planning Permission 94/1549/ful Dated 4/8/94
<u>Development Management</u> Status: GTD Date:04/10/1994	Application:94/1549/DD02 Details Pursuant To Conditions La03 (no Felling/lopping), La06 (protected Trees) And La17 (soil Compaction) Of Planning Permission 94/1549/ful Dated 4/8/94
<u>Development Management</u> Status: GTD Date:04/08/1994	Application:94/1549/FUL Erection Of Tennis Hall - Amendment To Planning Consent 94/0397/ful
<u>Development Management</u> Status: GTD Date:14/10/1994	Application:94/2140/FUL Installation Of Grasscrete Car Park At Students Union
<u>Development Management</u> Status: GTD Date:20/03/1995	Application:94/1549/DD03 Details Pursuant To Condition La07 (tree Planting) Of Planning Permission 94/1549/ful Dated 4/8/94
<u>Development Management</u> Status: GTD Date:10/03/1995	Application:94/2140/DD01 Details Pursuant To Condition La13 (landscaping) Of Planning Permission 94/2140/ful Dated 14/10/94
<u>Development Management</u> Status: GTD Date:07/04/1995	Application:95/0589/S191 Mixed Use For The Purposes Of Educational Institute With Ancillary Residential Accommodation, Playing Fields Etc And For The Purposes Of Holding Functions Including Wedding Receptions. (the Functions Unrelated To The Educational Use Of The
<u>Development Management</u> Status: GTD Date:11/12/1995	Application:95/1244/DD01 Details Pursuant To Condition Bd12 (materials) Of Planning Permission 95/1244/ful Dated 7/6/95.
<u>Development Management</u> Status: GTD Date:07/06/1995	Application:95/1244/FUL Extension To Existing Library
<u>Development Management</u> Status: GTD Date:16/08/1995	Application:95/2315/S192 Erection Of New Lobby To Student Union Building.
<u>Development Management</u> Status: GTD Date:16/08/1995	Application:95/2316/S191 Extension To Existing Tennis Hall To Provide Wind And Dust Control Lobby & Store Area For Equipment.
<u>Development Management</u> Status: GTD Date:07/09/1995	Application:95/T2659/CA Fell Robinia Tree
<u>Development Management</u> Status: GTD Date:24/10/1997	Application:96/3978 Alterations And Extension To Existing Sports Centre To Provide A Coaching And Performance Development Centre To Include Replacement Of Existing Running Track With A New 4 Lane Training Track, An All Weather Pitch With Floodlighting And An A
<u>Development Management</u> Status: GTD Date:04/03/1997	Application:97/0029 Refurbishment Of Front Facade. (new Cramps, Minor Stone Repairs

Etc.)

<u>Development Management</u> Status: GTD Date:04/03/1997	Application:97/0030 Removal Of Cementitious Render Stucco From The External Brick Work Walls To Reveal 'joints Jointed' Colourwashed Brickwork; Pointing Repairs Approx 85 ; Reapplication Of Colour Wash; Alterations To Roof Eaves To Incorporate Ventilation
<u>Development Management</u> Status: GTD Date:19/06/1997	Application:97/T6658 Sycamore - Fell Dead Or Dying Stems
<u>Development Management</u> Status: GTD Date:15/08/1997	Application:97/1320 Alterations To Existing Toilet And Store Area To Provide Additional Toilet Facilities.
<u>Development Management</u> Status: REF Date:02/12/1997	Application:97/T7516 Tree No. T75 Sycamore - Prune Branches Overhanging 8 Clive Road
<u>Development Management</u> Status: GTD Date:26/11/1998	Application:98/T1470 T28 - Ailanthus Altissima - 30 Crown Reduction And Removal Of Damaged Limb Over Car Park
<u>Development Management</u> Status: GTD Date:26/11/1998	Application:98/T1471 T35 - Platanus X Hispanica - Remove Lower Branches Overhanging Car Park
<u>Development Management</u> Status: GTD Date:26/11/1998	Application:98/T1472 T40 - Platanus X Hispanica - Remove Lower Branches Overhanging Car Park
<u>Development Management</u> Status: GTD Date:26/11/1998	Application:98/T1473 T41 - Quercus Robur - Remove Epicormic Growth And Small Laterals Overhanging Car Park
<u>Development Management</u> Status: GTD Date:06/01/1999	Application:98/2731 Conversion Of Existing Rooms Used As Offices To Study Bedroom Use.
<u>Development Management</u> Status: GTD Date:10/02/1999	Application:98/2913 Alterations To Gents Toilet To Office.
<u>Development Management</u> Status: GTD Date:23/12/1999	Application:99/2573 Alterations To Window Opening In Block B.
<u>Development Management</u> Status: REF Date:09/03/1977	Application:76/0698 Alterations to boundary wall and the creation of a coach lay-by.
<u>Development Management</u> Status: GTD Date:04/05/1978	Application:78/0112 Erection of a new double garage and new car park with landscaping.
<u>Development Management</u> Status: GTD Date:09/04/1980	Application:79/1674 Erection of a two storey extension to southern side of existing theatre to provide additional seminar and craft facilities for Drama Department.
<u>Development Management</u> Status: GTD Date:11/08/1980	Application:80/0558 Erection of a single storey extension to students union part of college to provide new lounge and entrance hall.

<u>Development Management</u> Status: GTD Date:24/09/1981	Application:81/1049 Alterations to part of building involving the construction of new utility rooms at first and second floors.
<u>Development Management</u> Status: GTD Date:08/04/1982	Application:81/1478 Erection of new entrance gates and adjacent walls and piers.
<u>Development Management</u> Status: GTD Date:08/04/1983	Application:83/0146 Erection of two storey extension and minor internal alterations to existing sportshall. (Amended drawings received 17th February, 1983).
<u>Development Management</u> Status: GTD Date:16/12/1983	Application:83/1085 Erection of a single storey library extension. (Revised plans received 20th October, 1983).
<u>Development Management</u> Status: GTD Date:04/01/1984	Application:83/1388 Demolition of existing lean to and erection of new single storey laundry area.
<u>Development Management</u> Status: GTD Date:01/03/1985	Application:85/0115 Provision of new fire escape stairs from day study centre.
<u>Development Management</u> Status: GTD Date:21/07/1986	Application:86/0165 Erection of new infill building between existing science block to be used as additional science department accommodation; and animal house, and general alterations to adjacent existing buildings.
<u>Development Management</u> Status: GTD Date:22/07/1986	Application:86/0561 Erection of extension to sports hall.
<u>Development Management</u> Status: GTD Date:30/09/1988	Application:88/1826 Conversion of store room to central reception area and formation of new entrance (Drawing No. 87 116 07 amended on 28th September 1988).
<u>Development Management</u> Status: GTD Date:16/06/1949	Application:47/0779 Extension to wood work class room.
<u>Development Management</u> Status: GTD Date:27/07/1954	Application:47/4936 Erection of store shed.
<u>Development Management</u> Status: GTD Date:27/07/1954	Application:47/5177 Extension to existing College building.
<u>Development Management</u> Status: GTD Date:23/05/1957	Application:47/8153 Erection of a new gymnasium, changing rooms and lavatory accommodation.
<u>Development Management</u> Status: REF Date:30/05/1958	Application:58/0170 Erection of science building and cloakrooms.
<u>Development Management</u> Status: GTD Date:09/07/1958	Application:58/0376 Restoration work to main entrance.
<u>Development Management</u> Status: GTD Date:25/08/1958	Application:58/0484 Erection of an electricity transformer sub-station.

<u>Development Management</u> Status: GTD Date:01/05/1959	Application:59/0106 Erection of new chapel, assembly hall, residential buildings and alterations and extensions to existing College buildings.
<u>Development Management</u> Status: GTD Date:04/07/1960	Application:60/0498 Erection of extensions.
<u>Development Management</u> Status: GTD Date:01/09/1960	Application:60/0717 Erection of extensions.
<u>Development Management</u> Status: GTD Date:19/12/1960	Application:60/1127 Erection of new Chapel and Library.
<u>Development Management</u> Status: GTD Date:19/01/1962	Application:61/1282 Retention of existing garage.
<u>Development Management</u> Status: GTD Date:16/08/1962	Application:62/0742 New gate lodge and access drive.
<u>Development Management</u> Status: GTD Date:16/08/1962	Application:62/0743 Alterations to front elevation of (1926) buildings and construction of covered way and store.
<u>Development Management</u> Status: GTD Date:17/12/1963	Application:63/1170 Conversion of existing chapel to common rooms and offices, by addition of a new floor.
<u>Development Management</u> Status: GTD Date:25/06/1964	Application:64/0494 Erection of a building to contain students bed-study rooms and other ancillary accommodation.
<u>Development Management</u> Status: GTD Date:25/06/1964	Application:64/0495 Extensions to provide additional teaching and sanitary accommodation.
<u>Development Management</u> Status: GTD Date:24/12/1965	Application:65/1724 Erection of Sports Hall and Centre for physical training and recreation (Stage I).
<u>Development Management</u> Status: GTD Date:23/01/1967	Application:66/2194 Kitchen stores extension.
<u>Development Management</u> Status: GTD Date:12/09/1967	Application:67/1330 Erection of new three-storey teaching block and extensions and alterations to existing sports hall.
<u>Development Management</u> Status: GTD Date:11/06/1968	Application:68/0920 Erection of external escape staircase.
<u>Development Management</u> Status: GTD Date:01/08/1968	Application:68/1254 Erection of a covered way and single storey extension to existing gymnasium for use as a students common room.
<u>Development Management</u> Status: GTD Date:02/10/1968	Application:68/1782 Erection of single storey extension to kitchen, and staff dining room.
<u>Development Management</u> Status: GTD	Application:70/1134

Date:29/12/1970	Erection of one 3-storey extension to provide additional teaching accommodation; erection of 2-storey library extension and first floor study area.
<u>Development Management</u> Status: GTD Date:10/08/1970	Application:70/1277 Erection of single storey extension to hostel.
<u>Development Management</u> Status: GTD Date:29/12/1970	Application:70/1629 Erection of single storey extension to dining hall.
<u>Development Management</u> Status: GTD Date:28/05/1974	Application:71/2733/DD01 Erection of swimming pool and single storey plant room; provision of car park for 20 cars (details of design and materials). Condition No. 3 & 21 of outline planning permission 71/2733 dated 5th June, 1973.
<u>Development Management</u> Status: GTD Date:05/06/1973	Application:71/2733 Erection of swimming pool and single-storey plant room; provision of car park for 20 cars.
<u>Development Management</u> Status: GTD Date:07/11/1972	Application:71/2734/DD01 Erection of gymnasium and associated single storey buildings comprising Physical Education Laboratory stores, toilet and staff accommodation. Condition No. 40 of planning permission 71/2734 dated 13th July, 1972.
<u>Development Management</u> Status: GTD Date:13/07/1972	Application:71/2734 Erection of gymnasium and associated single storey buildings comprising physical education laboratory, stores, toilet and staff accommodation.
<u>Development Management</u> Status: GTD Date:13/07/1972	Application:72/0453 Conversion and use of existing gymnasium as Students Union accommodation and erection of one and two-storey extension comprising store, entrance and staircase.
<u>Development Management</u> Status: GTD Date:15/01/1974	Application:73/1031 Demolition of existing wall and formation of new vehicular access.
<u>Development Management</u> Status: GTD Date:26/08/1975	Application:74/0863 Alterations to and extension of car park and landscaped area.
<u>Development Management</u> Status: GTD Date:08/08/1975	Application:75/0060 Alterations to landscaped area in forecourt of existing Chapel; provision of new pedestrian access.
<u>Development Management</u> Status: GTD Date:08/04/1976	Application:76/0039 Erection of first floor extension to provide tutorial block extension.
<u>Development Management</u> Status: GTD Date:15/09/1948	Application:47/0080 The erection of an additional hut for handicrafts.
<u>Development Management</u> Status: GTD Date:15/11/1948	Application:47/0204 The reinstatement of war damage.
<u>Development Management</u> Status: GTD Date:10/03/1949	Application:47/0493 The construction of additions.
<u>Development Management</u> Status: NFA	Application:02/1792/DD02

Date:12/08/2004	Details pursuant to condition 02/1792/FUL of planning permission 02/1792/FUL
<u>Development Management</u> Status: GTD Date:12/08/2004	Application:02/1792/DD03 Details pursuant to conditions BD12U in part (surface treatment) and NS03U (trees) of planning permission 02/1792/FUL dated 14/11/2002.
<u>Development Management</u> Status: GTD Date:14/09/2004	Application:04/0293/DD01 Details pursuant to condition BD05 (Materials) of planning permission 04/0293/FUL dated 13/07/2004.
<u>Development Management</u> Status: GTD Date:14/09/2004	Application:04/0339/DD01 Details pursuant to condition BD12 in part (bricks) of planning permission 04/0399/FUL dated 29.04.2004
<u>Development Management</u> Status: GTD Date:08/09/2004	Application:02/1792/DD04 Details pursuant to condition LB12A (archaeology) for planning permission 02/1792/FUL dated 14/11/2002.
<u>Development Management</u> Status: GTD Date:15/10/2004	Application:04/2745/FUL Erection of 16m lighting columns to running track approved under planning application 02/1792/FUL dated 14.11.2002.
<u>Development Management</u> Status: GTD Date:14/09/2004	Application:02/1792/DD05 Details pursuant to condition BD12U (track barrier) of planning application 02/1792/FUL.
<u>Development Management</u> Status: GTD Date:14/09/2004	Application:04/0293/DD02 Details pursuant to conditions U00697 (Protective fencing) and U00698 (Tree protection measures) of planning permission 04/0293/FUL dated 13/07/2004.
<u>Development Management</u> Status: GTD Date:20/09/2004	Application:04/0246/TPO T1 - Oak (Quercus robur) - Tidy damaged branch, reduce 2 x adjacent limbs at rear of summerhouse by 25% to balance.
<u>Development Management</u> Status: WDN Date:01/08/2005	Application:04/3166/LBC Internal works comprising Installation of a platform stair lift onto an existing staircase with strengthening to the underside of the staircase.
<u>Development Management</u> Status: GTD Date:04/04/2005	Application:04/3260/LBC Proposed widening of existing opening in block B and installation of counter; installation of double doors.
<u>Development Management</u> Status: GTD Date:08/12/2004	Application:04/0339/DD02 Details pursuant to conditions BD12 in part (window frame finish and glazed insert panel) and PK06A (Cycle Parking) of planning permission 04/0399/FUL dated 29.04.2004
<u>Development Management</u> Status: WNA Date:25/01/2005	Application:04/0339/DD03 Details pursuant to condition BD12 in part (external hard surfacing) of planning permission 04/0339/FUL dated 29.04.04.
<u>Development Management</u> Status: WNA Date:01/08/2005	Application:04/0339/DD04 Details pursuant to condition LA09U (planting) of planning permission 04/0339/FUL dated 29.04.04
<u>Development Management</u>	

Status: GTD Date:25/01/2005	Application:04/0339/DD05 Details pursuant to condition DV28 (External Illumination) and BD12 in part (part external hard surfacing) of planning permission 04/0339/FUL dated 29.04.04.
<u>Development Management</u> Status: GTD Date:01/06/2005	Application:05/0406/FUL Proposed new cafe building (including external seating area) to overlook the athletics track
<u>Development Management</u> Status: REF Date:10/05/2005	Application:05/0805/FUL Erection Of A New Portacabin Type Physiotherapy Rooms Adjacent To The Existing Sports Hall 'R Block'.
<u>Development Management</u> Status: GTD Date:23/05/2005	Application:05/0932/FUL Erection of tensile canopy within courtyard against the existing buildings. Erection of a glazed screen, lighting, heating and resurfacing of courtyard hardstanding.
<u>Development Management</u> Status: GTD Date:17/05/2005	Application:04/0339/DD06 Details pursuant to BD12 in part (staircase roofs) of planning permission 04/0339/FUL dated 29.04.04.
<u>Development Management</u> Status: WNA Date:27/06/2005	Application:05/1492/LBC Proposed external landscape upgrade to include: 1. Chapel Courtyard upgrade: i) new bins, benches, lighting, cycle racks, shelters and bollards. ii) new planting scheme including pruning back of existing planting, iii) new paved area. 2. General campus areas: replacement of benches and bins. 3. General Campus area: external notice management system.
<u>Development Management</u> Status: GTD Date:27/06/2005	Application:05/1493/FUL Proposed external landscape upgrade to include: 1. Chapel Courtyard upgrade: i) new bins, benches, lighting, cycle racks, shelters and bollards. ii) new planting scheme, iii) new paved area. 2. General campus areas: replacement of benches and bins. 3. General Campus area: external notice management system.
<u>Development Management</u> Status: GTD Date:28/07/2005	Application:05/1708/FUL Erection Of A New Portacabin Type Physiotherapy Rooms Adjacent To The Existing Sports Hall 'R Block'.
<u>Development Management</u> Status: GTD Date:16/08/2005	Application:04/0339/DD07 Details of materials pursuant to BD12 in part (roof tiles) of planning permission ref: 04/0339/FUL dated 29.04.04.
<u>Development Management</u> Status: WDN Date:15/09/2005	Application:05/2276/LBC Internal works - installation of a platform stair - lift onto an existing stair with strengthening to the underside of the staircase.
<u>Development Management</u> Status: GTD Date:25/08/2005	Application:04/0339/DD08 Details pursuant to LA09U (screen planting) of planning permission 04/0339/FUL dated 29.04.04.
<u>Development Management</u> Status: GTD Date:06/10/2005	Application:04/0339/DD09 Details pursuant to BD12 (Materials - Hard Surfacing) of planning permission ref: 04/0339/FUL dated 29.04.04.
<u>Development Management</u> Status: GTD Date:	Application:05/T0514/TPO T1 - Cedar (Cedrus spp.) - Crown thin by 20% Crown lift by 4 metres.

Reduce laterally by 3-4 metres.

<u>Development Management</u> Status: GTD Date:21/10/2005	Application:05/2750/PS192 Change Of Use From Care Taker's Flat To Offices.
<u>Development Management</u> Status: GTD Date:05/12/2005	Application:05/0406/DD01 Details Pursuant To Condition LA07A (Tree Planting) And LA11A (Landscaping - Hard And Soft) Of Planning Permission 05/0406/FUL Dated 31.05.2005.
<u>Development Management</u> Status: GTD Date:	Application:06/T0043/TPO T1 - Sycamore (Acer pseudoplatanus) - Fell to ground level.
<u>Development Management</u> Status: WDN Date:03/05/2006	Application:06/0632/LBC Conversion Of Chapel Undercroft To An Internet Cafe With Raised Timber Floor Protecting The Original Flooring.
<u>Development Management</u> Status: WNA Date:03/07/2008	Application:06/0863/FUL Retention Of A Hazardous Chemical Store.
<u>Development Management</u> Status: GTD Date:16/06/2006	Application:06/1368/LBC Conversion Of Chapel Undercroft To An Internet Cafe Involving External and Internal Alterations.
<u>Development Management</u> Status: GTD Date:20/06/2006	Application:05/1493/DD01 Details Pursuant To Condition UO5207 (Paving Details) Of Planning Permission 05/1493/DD01 Dated 27.06.2005.
<u>Development Management</u> Status: GTD Date:22/06/2006	Application:06/1430/LBC Proposed installation of lighting and extension to Chapel steps.
<u>Development Management</u> Status: GTD Date:22/06/2006	Application:06/1432/FUL Proposal to install lighting and extend steps to Chapel.
<u>Development Management</u> Status: REF Date:06/07/2006	Application:06/T0297/TPO T1 - Yew (Taxus baccata) - Remove. T2 - Sycamore (Acer pseudoplatanus) - Prune back. T3 (T5 on plan) - Various - Prune back to improve vistas.
<u>Development Management</u> Status: GTD Date:29/08/2006	Application:06/2073/FUL Erection Of A Single Storey Temporary Modular Building To Provide Teaching, Office And Storage Accommodation For A Period Of 3 Years.
<u>Development Management</u> Status: GTD Date:05/10/2006	Application:06/2081/FUL Proposed Two Storey Extension To The Existing College Refectory Consisting Of A Kitchen At Ground Floor Level And Catered Conferencing Facilities At First Floor Level.
<u>Development Management</u> Status: GTD Date:14/12/2006	Application:06/1368/DD01 Details Pursuant To Conditions U10043 (Miscellaneous Details) And BD04 (Details To Specified Scale) Of Planning Permission Dated 16.06.2006.
<u>Development Management</u> Status: GTD Date:21/11/2006	Application:06/3203/FUL Installation Of 5 No. 4 Metre High Lighting Columns and Lamp Fittings.
<u>Development Management</u>	

Status: PDE Date:	Application:06/T0616/TPO T1 - Yew (Taxus baccata) - Remove and replace. T2 - Prunus 'amanogawa' - Remove and replace.
<u>Development Management</u> Status: REF Date:22/12/2006	Application:06/T0627/TPO T1 - Plane (Platanus spp.) - Crown reduce by 30%. T2 - Plane (Platanus spp.) x 3 - Crown reduce laterally by 20% where appropriate on larger 2x specemins. Crown lift by 15% to remove suppressed and crossing branches.
<u>Development Management</u> Status: GTD Date:22/08/2007	Application:07/2285/ADV One theatre sign in white individual letters and two backlit A0 poster frames.
<u>Development Management</u> Status: GTD Date:22/08/2007	Application:07/2287/FUL Reinstate the entrance to the theatre building in its original location on the courtyard façade, currently a side door is used. Introduce external lighting and illuminated sign to new entrance to enable area to be lit in evenings when events occur. Introduce two A0 poster frames to façade to promote events. Refurbish lobby are and include station for staff use when taking tickets.
<u>Development Management</u> Status: GTD Date:14/11/2007	Application:07/2816/FUL Installation of new bike shelters at various locations around the site.
<u>Development Management</u> Status: PDE Date:	Application:07/T0575/TPO T1; Judas Tree - Fell to ground level T2; Judas Tree - Fell to ground level T3; Holm Oak - Reduce canopy back to 3.5m from running track and hedge T4; Hornbeam - Reduce canopy back to 3.5m from running track and hedge T5; Wingnut - Crown reduce protruding branches to main crown line, crown lift by 2-3m removing supressed and abrasing branches T6; Wingnut - Crown reduce protruding branches to main crown line, crown lift by 2-3m removing supressed and abrasing branches T7; Ash - Crown reduce by 20%
<u>Development Management</u> Status: PDE Date:	Application:07/T0634/TPO T1; Sycamore - Reduce crown laterals by 25% over gardens of Clive Road T2; Tree of Heaven (Not under TPO or in TCA) - Fell to ground level
<u>Development Management</u> Status: GTD Date:14/04/2010	Application:07/4107/FUL New sports hall, the refurbishment and remodelling of the existing sports hall, associated parking and landscaping works and removal of a hazardous chemical store and a portacabin.
<u>Development Management</u> Status: GTD Date:10/01/2008	Application:07/T0887/TPO T1; Oak - Crown lift to 2m to major whorl of branches and remove major deadwood T2; Oak - Crown lift to 2m and remove deadwood
<u>Development Management</u> Status: GTD Date:15/04/2008	Application:08/T0054/TPO T1; Betula pendula 'Youngii' - Remove
<u>Development Management</u> Status: GTD Date:20/05/2008	Application:08/1211/PS192 Portable floodlight.
<u>Development Management</u> Status: GTD Date:30/06/2008	Application:08/1629/LBC Construction of a new timber stud partition within an office to form a corridor
<u>Development Management</u>	

Status: GTD
Date:27/03/2009

Application:08/T0461/TPO
G1 - Rowan x 3, Crab x 2, Sycamore - Prune back to allow 1m clearancwe from nets T3- Sycamore - Prune from light T4 - Sycamore - Crown lift over roof and road by 2m T5 - Holm Oak - remove branches, crown lift over path by 2m T6 - Scots Pine - Remove branch in contact with pavilion roof

Development Management

Status: VOID
Date:12/02/2009

Application:08/T0462/TCA
Application lapsed G3 - Horse Chestnut x 16 - Crown reduce by 20% G7 - Black Poplar x 12 - Re-reduce G8 - Black Poplar - recoppice T1 - Horse Chestnut - crown reduce by 20% T5 - False Acacia - Reduce growth from structure to allow 2m clearance, raise canopy over footpath; remove major deadwood T6 - Tree of Heaven - Crown lift over Tennis Court by 2m T7 - False Acacia - Reduce growth from structure to allow 2m clearance T8 - False Acacia - Reduce growth from structure to allow 2m clearance T9 - Beech - Crown lift by 1.5m; prune to clear structure by 2m T10 - Cherry - Reduce growth from structure to allow 2m clearance T10B - Red Chestnut - Crown reduce by 20%; crown lift by 3m T11 - Goat Willow - Fell T13 - Maidenhead Tree - crown reduce by 20% and brace T14 - Holly - Raise canopy to 3m; reduce growth from structure to leave 2m clearance T15 - Honey Locust - Reduce growth from footpath T17 - Common Lime - Raise canopy over footpath/road to 3m; remove basal and trunk growth; reduce from adjacent structure to leave 2-3m clearance T18 - English Oak - Raise canopy over footpath/road to 3m; remove basal and trunk growth; reduce from adjacent structure to leave 2-3m clearance T34 - Turkey Oak - reduce from property to leave 2m clearance T35 - Holm Oak - reduce from property to leave 2m clearance T36 - False Acacia - crown reduce by 20%

Development Management

Status: GTD
Date:08/09/2008

Application:08/2636/ADV
Double sided monolith type entrance sign

Development Management

Status: GTD
Date:05/03/2009

Application:08/T0868/TPO
G2 - Crataegurs - Remove

Development Management

Status: GTD
Date:24/07/2009

Application:09/0481/FUL
New plant room (G23) to facilitate the separation of services from St Mary's University College. The new single-storey building will be constructed on the footprint of the lost scullery. New concrete paved path to rear staff entrance. New external disabled access ramp to serve lower ground floor of the Waldegrave Wing, together with the provision of disabled car parking. New external access ramp to education rooms and new internal disabled hoist.

Development Management

Status: GTD
Date:24/07/2009

Application:09/0782/LBC
Various Internal And External Works To A Listed Building.

Development Management

Status: WDN
Date:16/12/2009

Application:09/2621/FUL
Erection of a Recycling and Waste Compound for St Mary's University College

Development Management

Status: GTD
Date:09/12/2009

Application:09/2723/FUL
Temporary retention for 3 years of A Single Storey Temporary Modular Building Providing Teaching, Office And Storage Accommodation (Renewal Of Previously Approved Application 06/2073/FUL Dated 29/08/2006.

Development Management

Status: GTD

Application:09/T0727/TPO

Date:23/12/2009	T1 - Cherry - Fell
<u>Development Management</u>	
Status: GTD	Application:09/T0785/TPO
Date:01/02/2010	G1 - Rows of Poplars(2) - Repollard/Coppice
<u>Development Management</u>	
Status: GTD	Application:07/4107/DD01
Date:08/07/2010	Details Pursuant To Conditions U24528 (Archaeology) in part Of Planning Permission 07/4107/FUL.
<u>Development Management</u>	
Status: GTD	Application:07/4107/DD02
Date:31/08/2011	Details Pursuant To Conditions BD12 (Materials), DV28 (External illumination), U24525 (Railings details), U24529 (Bat and bird boxes), U24532 (SBEM results), U24536 (Permeable surfaces), PK06A (Cycle parking), U24528 (Archaeology), U24530 (Temporary car park details), LA07 (tree planting), LA11A (Landscaping), LA29 (Details of earthworks), U24522 (Tree protection), U24523 (Tree work supervision), U24527 (Surface water run off limitation), DV28 (lighting) Of Planning Permission 07/4107/FUL.
<u>Development Management</u>	
Status: VOID	Application:07/4107/DD03
Date:20/04/2010	Details Pursuant To Section 106 Legal Agreement Of Planning Permission 07/4107/FUL.
<u>Development Management</u>	
Status: WDN	Application:10/1823/FUL
Date:19/08/2010	Erection of a modular building adjacent the existing athletics track to provide a track recorders hut.
<u>Development Management</u>	
Status: REF	Application:10/2100/FUL
Date:07/12/2010	Installation of 10 no. cycle stands and shelter adjacent main entrance.
<u>Development Management</u>	
Status: GTD	Application:10/T0622/TPO
Date:02/11/2010	T1 - T4 - Lime - Reduce back to most recent pruning points
<u>Development Management</u>	
Status: GTD	Application:11/0610/FUL
Date:24/06/2011	Installation of 6 cycle stands under 1 shelter at location 2 (Reception).
<u>Development Management</u>	
Status: GTD	Application:11/0653/FUL
Date:27/02/2012	Installation of 12 cycles stands and 1 bank of 2 shelters (Outside Y Block halls of residence).
<u>Development Management</u>	
Status: GTD	Application:11/T0465/TPO
Date:30/08/2011	T1 - Tilia Vulgaris - Crown lift to 6 metres
<u>Development Management</u>	
Status: GTD	Application:11/2420/FUL
Date:31/08/2011	Erection of a temporary modular building adjacent to the existing athletics track to provide a track recorders hut.
<u>Development Management</u>	
Status: GTD	Application:11/T0622/TPO
Date:09/11/2011	T1 - London Plane - Crown reduce by 30% to previous reduction points; T2 - Horse Chestnut (by shed at end of row) Crown lift by removal of lowest limb over shed and secondary branches 4m.
<u>Development Management</u>	
Status: RNO	Application:11/T0950/TCA
Date:22/02/2012	T1-2- Elm- Fell to ground level
<u>Development Management</u>	
Status: RNO	Application:12/T0063/TCA
Date:22/02/2012	T1- Conifer- Fell to ground level and remove stump and all debris.
<u>Development Management</u>	

Status: GTD Date:24/07/2012	Application:12/T0274/TPO T497 - Laburnum - Fell to ground level T506 - Robinia - Remove deadwood T156 - Ash - Remove deadwood; clear property by 1.5m T122 - Aesculus carnea - Crown reduce by 25% T311 - Leyland Cypress - Fell to ground level
<u>Development Management</u> Status: GTD Date:24/10/2012	Application:12/T0426/TPO T1 - (T94) - Aesculus hippocastanum - Crown reduce by 30%; canopy clean T2 - (T96) - Aesculus hippocastanum - Crown reduce by 30% T3 - (T101) - Aesculus hippocastanum - Crown reduce by 30%
<u>Development Management</u> Status: GTD Date:28/09/2012	Application:12/2310/FUL Proposed temporary installation of a single portacabin structure to provide additional teaching space for a period of 3 years only. Installation of associated landscaping, containers and other structures.
<u>Development Management</u> Status: GTD Date:24/10/2012	Application:12/T0495/TPO T1 - Norway Maple - beside the pavillion - Crown reduce by 30% T2 - Crab Apple - Reduce to clear netting T3 - Rowan - Reduce to clear netting
<u>Development Management</u> Status: GTD Date:10/10/2012	Application:12/T0500/TPO T1 - (T354) - Castanea sativa - Crown reduce by 40% due to large wound in upper crown and remove deadwood
<u>Development Management</u> Status: GTD Date:30/10/2012	Application:12/2839/FUL Retention of a single storey temporary modular building, providing teaching, office and storage accommodation on land within St Mary's University College for a period of 3 years.
<u>Development Management</u> Status: REF Date:19/12/2012	Application:12/2936/FUL Insertion of new pedestrian gateway to the Waldegrave Road perimeter of the campus.
<u>Development Management</u> Status: GTD Date:20/11/2012	Application:12/T0637/TPO T1 (T176) - Oak - Lift and reduce branches to provide 2m clearance around building T2 (T177) - Lime - Reduce branches and growth from trunk to provide 2m clearance around building
<u>Development Management</u> Status: GTD Date:23/01/2013	Application:12/T0854/TPO T1 - Taxus Baccata - Front of Chapel - Lift crown to a height of 15 ft, to reduce the lateral growth extending over the roadway back to the path & to reduce growth back that has encroached on the chapel to provide 1-2m clearance. T2 - Taxus Baccata - Rear of Chapel - Reduce to provide 1-2m clearance to prevent branches from damaging the facade.
<u>Development Management</u> Status: GTD Date:25/04/2013	Application:13/T0011/TPO T1 - Robinia - Fell to ground level and remove stump - To protect wall from damage
<u>Development Management</u> Status: GTD Date:18/03/2013	Application:13/T0016/TPO T1 - Oak - On outside corner of sports hall beside clive car park - Reduce limb with defective join by 50% to alleviate pressure and prevent further stress to tree
<u>Development Management</u> Status: GTD	Application:11/2420/NMA

Date:07/03/2013	Erection of a temporary modular building adjacent to the existing athletics track to provide a track recorders hut [Non material amendment to application 11/2420/FUL dated 19/09/2012 to allow changes to the proposed doors and windows incorporating moving the window in the front elevation from the right hand side to the left hand side of the modular building and re-location of the door; replacement of the proposed double door to single door in the side elevation and change of external cladding from vertical cladding to horizontal cladding; alterations to levels, alterations to height of building and alterations to the access ramp.
<u>Development Management</u> Status: GTD Date:07/06/2013	Application:13/1213/FUL Proposed first floor light well infill extension to learning research centre to provide additional computer study space.
<u>Development Management</u> Status: GTD Date:07/08/2013	Application:13/T0339/TPO T1 - Ash - In corner of Clive U garden of St Marys University bordering No 43 Waldegrave Park and Waldegrave Park Road - Crown lift by 4m removing lowest limb; crown thin by 20% and remove deadwood
<u>Development Management</u> Status: GTD Date:23/08/2013	Application:07/4107/DD04 Revised details pursuant to part conditions LA11A (Landscaping) and LA33 (Landscape mgmt plan - large scheme) of planning permission 07/4107/FUL dated 14/04/2010 (to allow for alterations to the landscaping plan and associated landscape management plan).
<u>Development Management</u> Status: RNO Date:16/09/2013	Application:13/T0465/TCA T1 (Tree of Heaven) - Crown lift by 4m over tennis hall and by 6m over seated area; remove major deadwood and inspect crown for defects T2 Robinia adjacent - Crown reduce by 25% to alleviate weight after limb was shed T3 - Robinia - Crown clean; remove deadwood and inspect
<u>Development Management</u> Status: GTD Date:07/10/2013	Application:13/2834/PS192 Temporary use of three portable floodlights on main campus training pitches nos 1 and 2.
<u>Development Management</u> Status: WDN Date:16/09/2013	Application:13/T0545/TPO In Staff Car Park by wall - Robinia (tpo 497) - Fell to ground level and poison /grind stump and replant
<u>Development Management</u> Status: VOID Date:12/09/2013	Application:13/0590/TCAVOI Staff Car Park Area T1 Tree of Heaven - Crown reduce by 50% & reshape T2 Tree of Heaven - Fell to ground level T3 Tree of Heaven - Crown reduce by 30% T4 Tree of Heaven - Crown reduce by 30% All works are to be undertaken as a response to the failure of an adjacent specimen. Reductions are accordingly to lessen windthrow and branch end weight and also to contain
<u>Development Management</u> Status: GTD Date:30/10/2013	Application:13/T0592/TPO T1- Tree of heaven- Crown reduce by 50% and reshape (TPO 497 - T28) T2- Tree of heaven- Fell to ground level (TPO 49 - (T26) T3- Tree of heaven- Crown reduce by 30% (TPO497 - T23) T4- Tree of heaven Crown reduce by 30% (TPo 497 - T24)
<u>Development Management</u> Status: GTD Date:14/11/2013	Application:13/3500/FUL Alteration to the existing White Gates entrance to incorporate a separate pedestrian gate with relevant directional signage and

internal road markings.

Development Management

Status: VOID
Date:17/10/2013

Application:13/0736/TCAVOI
T1 - Sycamore - Prune back from street light T2 - T3 - Scots Pine x 2
- Crown lift by 1.5m over road to clear buses using our MEWP T4 -
Red Maple - Crown lift over road

Development Management

Status: GTD
Date:30/12/2013

Application:13/T0797/TPO
T161 Maple - Fell to ground level T160 Lime - Crown reduce by 20%
T149 Lime - Crown reduce by 20% T158 Lime - Crown reduce by
20% T293 & T294 Sycamore - Inspect and crown lift and remove ivy
T329, T330 & T331 Prunus cerasifera pissardii - Crown reduce by
25% T332 Prunus cerasifera pissardii - Crown reduce by 25% T174
Lime - Crown reduce by 25% T150 Lime - Crown reduce by 25%
T170 Horse Chestnut - Crown reduce by 25% T147 Lime - Crown
reduce by 30% T167 Lime - Remove deadwood

Development Management

Status: GTD
Date:18/11/2014

Application:14/3393/FUL
Temporary change of use and erection of temporary structures to
permit open air ice skating seven days a week (except Christmas
Day) between the hours of 9:00am and 8:00pm for seven weeks
(plus 2 weeks for rigging/de-rigging) per annum between either the
months of November 2014 and February 2015 or between November
2015 and February 2016. Temporary structures to include an open-
air ice rink, marquees to accommodate ticketing, viewing and skate
hire, area for ice rink machinery (chillers, generator, banded fuel tank
and pumps) housed in an acoustic enclosure; beverage and food
concessions located in 4 gazebos, decorative & safety lighting and
PA system to play background music.

Development Management

Status: WNA
Date:20/03/2015

Application:15/T0038/TPO
Works as identified by 'The Tree Company' during site survey of all
trees during 2014 and highlighted on plan and list of required or
urgent works. T275 Sambucus Nigra Poor fell to fence height -
REDUCE TO FENCE HEIGHT T274 Ailanthus Altissima Semi mature
leaning - FELL T270 Acer Pseudoplatanus Fair remove epicormic
growth from base - PERMISSION NOT REQUIRED T269 Robinia
Psuedoacacia Poor pollard or fell to 3m - REVIEW AND POLLARD
IF CONFIRMED APPROPRIATE

Development Management

Status: GTD
Date:18/09/2015

Application:15/T0453/TPO
T1 - Tree of Heaven - Crown lift by 4m over road and prune to give
3m from building T2 - Tree of Heaven - Remove stem over path

Development Management

Status: GTD
Date:18/09/2015

Application:15/T0454/TPO
T1 - Sycamore - Crown lift to 5m and remove deadwood

Development Management

Status: GTD
Date:18/09/2015

Application:15/T0455/TPO
T1-2 - Horse Chestnut - Crown reduce by 20% and reshape i.e. by 4-
5m T3 - Leylandii - Reduce overbearing weight on branch ends and
deadwood and clear building of light and roof

Development Management

Status: GTD
Date:15/09/2015

Application:15/3164/FUL
Retention of a single storey temporary modular building, providing
office and storage accommodation on land within St Mary's University
campus boundary for a period of 3 years.

Development Management

Status: GTD
Date:08/02/2016

Application:15/4560/ADV
Replacement of engraved stone St Mary's College sign over main

entrance with stone overcladding to match existing and 20mm deep brushed stainless steel lettering in relief stating "St Mary's University".

Development Management

Status: GTD
Date:09/02/2016

Application:15/T0864/TPO
T1 (T23) - Ailanthus Altissima - Remove T2 (T24) - Ailanthus Altissima - Remove

Development Management

Status: GTD
Date:17/03/2016

Application:16/0245/FUL
Temporary retention of 1 No.portacabin (Cabin 2 on Drawing No D110) to provide additional office space for a period of 3 years.

Development Management

Status: WNA
Date:20/07/2016

Application:16/1007/VRC
Removal of condition number DV40A from planning permission 07/4107/FUL.

Development Management

Status: GTD
Date:10/10/2016

Application:16/1082/FUL
Temporary permission for the retention of R Block Portacabin for storage and office space (5 year temporary permission previously granted by planning permission ref. 05/1708/FUL granted 28.07.2005).

Development Management

Status: GTD
Date:12/10/2016

Application:16/T0298/TPO
T578 - Pinus (at Teddington Lock) - Reduce crown height by 1.5m and radius by 2m; remove deadwood - Revised Specification following climbing inspection - Remove top split section and reduce further i.e.by 30% (4-5m) and balance. T454 - Quercus Ilex (in staff car park) - Reduce crown height and radius by 2m retaining secondary canopy T351 - Tilia (in Woodland beside track) - Reduce by 4m and canopy radius by 2m; remove deadwood T148 - Tilia (in Clive Car Park) - Reduce crown height and radius by 3m; remove deadwood T154 & T156 - Tilia (in Clive Car Park) - Reduce crown height by 2.5m; crown lift; remove deadwood T157 - Tilia (in Clive Car Park) - Reduce crown height by 2.5m; crown lift; remove deadwood

Development Management

Status: GTD
Date:12/12/2016

Application:16/T0767/TPO
T1 - Copper Beech - Fell to ground level

Development Management

Status: GTD
Date:19/01/2017

Application:16/4643/FUL
Erection of a temporary single storey storage facility for 3 years.

Development Management

Status: GTD
Date:24/04/2017

Application:17/0776/FUL
Erection of temporary single storey storage facility (for storing external sporting equipment) for a period of 3 years.

Development Management

Status: GTD
Date:13/06/2017

Application:17/T0247/TPO
T164 - Oak - Reduce crown overhanging roadway and pitchside by 2-3m (retaining shape whilst reducing spread to the northern side of the tree) T165 - Lime - Lift to point of previous lift removing young basal and trunk growth

Development Management

Status: GTD
Date:14/08/2017

Application:17/T0391/TPO
T499 - Sycamore - Remove ivy to 1.5m and remove deadwood and hanging branches T233 - Horse Chestnut - Reduce crown/height radius by 2.5m (approx 25%) T225 - Prunus Cerasfera Pissardii - Fell to ground level stem on east

Development Management

Status: GTD
Date:15/09/2017

Application:17/T0519/TPO
T1 - Leyland Cypress (Rear of Old Sports Hall) - Fell to ground level and grind down stump

Development Management

Status: GTD
Date:01/02/2018

Application:17/T1042/TPO
T333 - Ilex aquifolium - Fell as the tree has died with the exception of a secondary stem which is also to be felled due to its poor value and leaning. The living secondary stem appears to originate from unmanaged basal growth.

Development Management

Status: GTD
Date:16/03/2018

Application:18/T0060/TPO
T1-T8 - Poplar - Re-coppice to height of coppice stool T9 - Elder - Coppice at ground level

Development Management

Status: GTD
Date:16/07/2018

Application:18/T0130/TPO
T1 (T481) - Sycamore - Crown reduce to 4m above cavity on removed fork (i.e. reduce by 6-7m) T2 - Lime (in Clive Road Car Park with extensive truncal decay) - Fell to ground level

Development Management

Status: RNO
Date:16/07/2018

Application:18/T0359/TCA
T136 - Gleditsia (outside No.21 Waldegrave Park) - Remove dead left hand side and remainder by 3-4m to rebalance

Development Management

Status: WON
Date:24/07/2019

Application:18/T0360/TCA
T132 & T133 - Gleditsia - Pollard at 6m

Development Management

Status: GTD
Date:21/09/2018

Application:18/T0461/TPO
T61 - Sycamore - Crown reduce by 20% (i.e. by 4m) to previous reduction points

Development Management

Status: GTD
Date:19/12/2018

Application:18/T0749/TPO
T1 - Sycamore - Crown reduce by 30% (i.e. by 5-6m)

Development Management

Status: GTD
Date:21/12/2018

Application:18/T0779/TPO
T1 - Caucasian Wingnut (on field) - Crown reduce by 25% (i.e. by 4-5m) to previous reduction points to mitigate damage caused by fruit and to contain T2 - Caucasian Wingnut (on field) - Crown reduce by 25% (i.e. by 4-5m) to previous reduction points to mitigate damage caused by fruit and to contain

Development Management

Status: GTD
Date:18/12/2018

Application:18/T0873/TPO
T1 - Triple Stemmed False Acacia (in staff car park) - Reduce laterally by 2-3m all stems to alleviate overbearing height of heavily leaning stems

Development Management

Status: GTD
Date:01/05/2019

Application:19/T0122/TPO
Beside Tennis Hall starting from the end at The Sports Hall starting from the Tilia T 184. Lime. As per spec T 194. Horse Chestnut. Crown reduce 2.5m on N side and removal of deadwood. T 195. Horse Chestnut. Crown reduce 2.5m on N side and removal of deadwood T 196. Horse Chestnut. Remove deadwood and stubs and tidy lowest limbs T 197. Horse Chestnut. Crown reduce by 2.5m particularly on S side and remove deadwood T 198. Horse Chestnut. Remove deadwood T 199. Horse Chestnut. Crown reduce 3-4m on N side T 200. Horse Chestnut. Reduce top by 2-3m on both stems T 201. Horse Chestnut. Laterally reduce 2-3m on N side. Crown lift to 3m a.g.l. and deadwood T 202. Horse Chestnut. Reduce laterally 3-4m at N side and 2m to S side. T 215. Horse Chestnut. Reduce laterally 3-4m at N side and 2-3m to S side. T 217. Horse Chestnut. Reduce laterally 2-3m at N. Crown lift to 4m a.g.l. T 218. Horse Chestnut. Crown reduce by 2.5m on N side and remove deadwood T 78. Cedar. Remove 1.5m from the 2 - 3 most extended limbs

overhanging over the building and shape the remainder of the tree to give an even spread all round removing varying amounts to achieve this. We would also be looking to tidy damaged limbs following previous failures.

<u>Development Management</u> Status: GTD Date:22/05/2019	Application:19/T0203/TPO T480 - Quercus Robur - Crown reduce height/laterals by up to 2.5m (by 20%) T25 - Populus Spp - Fell to ground level T39 - Acacia Dealbata - Reduce crown height/radius by 1.5m (by 30%) T242 - Aesculus Hippocastanum - Crown reduce height/radius by 4m (by 40%) T182 - Ailanthus Altissima - Reduce crown height/radius by up to 2.5m (by 25%) T113 - Tilia x Europea - Crown reduce height/radius by up to 2m T122 - Cupressocyparis Leylandii - Reduce by 1/3 T285 - Pinus - Fell to ground level
<u>Development Management</u> Status: GTD Date:24/04/2019	Application:19/T0337/TPO 5 DAY DANGEROUS TREE NOTIFICATION T242 - Horse Chestnut - Crown reduce height/radius by 4m (by 40%)
<u>Development Management</u> Status: GTD Date:22/08/2019	Application:19/T0511/TPO T1-T4 - Poplar - Crown reduce by 3-5m to previous reduction points (final height 15-16m; final spread unchanged)
<u>Development Management</u> Status: RNO Date:27/02/2020	Application:20/T0067/TCA T22 - Pinus Sylvestris - Crown lift off fence raising canopy by 2m - Final height 13m Final spread 9m T34 Pinus sylvestris - Reduce laterally over road by 2m - Final height 12m Final spread 7m T60 Tilia x europea Crown reduce by 3m laterally - Final height 14m Final spread 7m
<u>Development Management</u> Status: WNA Date:03/03/2020	Application:20/T0130/TPO Ulmus procera x2 (T307) - fell dead multi-stemmed tree. Remove deadwood from remaining smaller multi-stemmed tree.
<u>Development Management</u> Status: GTD Date:20/02/2020	Application:20/T0176/TPO 5 DAY NOTICE Pine tree - Remove
<u>Development Management</u> Status: GTD Date:28/09/2020	Application:20/2168/FUL Single storey extension and associated works (including: externals, works at roof level and adaptations to fenestration / forming new openings)
<u>Development Management</u> Status: GTD Date:28/09/2020	Application:20/2169/FUL New link building, between existing Cafe & Library Buildings and associated works.
<u>Development Management</u> Status: VOID Date:09/11/2020	Application:20/T0771/TPO T363 - Betula pendula 'youngii' - fell as dead and pieces of decayed limbs falling Not intending to replant as the existing tree was already suppressed by neighbouring trees and the conifer hedge, the Carpinus betulus nearest will fill the canopy space.
<u>Development Management</u> Status: GTD Date:10/09/2021	Application:21/0483/FUL Infill extension to the undercroft to provide an extended entrance into the Library and removal of 2no. raised flower beds within the piazza outside the Library and Chapel. Relocation of 2no. palm trees.
<u>Development Management</u> Status: RNO Date:04/06/2021	Application:21/T0257/TCA 1 Ash (Fraxinus excelsior) Reduce laterally by 2-3m; Crown lift

by 2m and remove deadwood - Final height 14m as existing and final spread 9m

<u>Development Management</u> Status: RNO Date:09/06/2021	Application:21/T0461/TCA 5 Day notice Horse Chestnut 267 - fell
<u>Development Management</u> Status: VOID Date:15/10/2021	Application:21/T0711/TPO T315 - Aesculus Carnea Fell to ground level- in poor condition T299- Quercus Robur fell to ground Level- In poor condition
<u>Development Management</u> Status: GTD Date:24/11/2021	Application:20/2169/DD01 Details pursuant to condition U0088220 - Tree planting scheme. of planning permission 20/2169/FUL.
<u>Development Management</u> Status: GTD Date:26/10/2022	Application:22/0269/FUL Installation of new glazed guard rails to the existing Chapel on the Main Campus of St Marys University
<u>Development Management</u> Status: PDE Date:	Application:22/0270/LBC 1. Infill extension to the undercroft to provide an extended entrance into the Library. 2. Remove the 2no. raised flower beds within the piazza which are outside the Library and Chapel. 3. New Glazed guardrails to the Chapel entrance
<u>Development Management</u> Status: GTD Date:01/08/2022	Application:22/1502/FUL Conversion of an existing fire exit on the western side of the building into a new entrance, including reinstatement of an existing window, and creation of screening and signage, internal modifications to this double height entrance area to create space for a platform lift, and internal modifications to the first floor area to create an accessible toilet, and link the lift and new entrance through to the main corridor of The Waldegrave Suite.
<u>Development Management</u> Status: GTD Date:01/08/2022	Application:22/1503/LBC Conversion of an existing fire exit on the western side of the building into a new entrance, including reinstatement of an existing window, and creation of screening and signage, internal modifications to this double height entrance area to create space for a platform lift, and internal modifications to the first floor area to create an accessible toilet, and link the lift and new entrance through to the main corridor of The Waldegrave Suite.
<u>Development Management</u> Status: GTD Date:26/10/2022	Application:22/1502/DD01 U0133847 (Details to specified scale) and U0133845 (Lift engineering report) on permission 22/1502/FUL.
<u>Development Management</u> Status: PCO Date:	Application:22/1503/DD01 Details pursuant to condition U0133839 (Details to specified scale) on permission 22/1503/LBC.
<u>Development Management</u> Status: PDE Date:	Application:22/T0692/TPO T3 - London plane (Platanus - acerifolia) - In Main car park Crown Reduction - Reducing the height and spread of the tree by up to 3m. Final height 15m and spread 9m T4 - London plane (Platanus - acerifolia) In car park near entrance Crown Reduction - Reducing the height and spread of the tree by up to 4m. Final height 15m and spread 12m

<u>Building Control</u> Deposit Date: 02.05.2001 Reference: 01/0803/FP	Roof mounted unmanned telecommunications cabin, equipment & aerial array
<u>Building Control</u> Deposit Date: 22.06.2001 Reference: 01/1148/FP	Single storey launderette extension and alterations to kitchen store
<u>Building Control</u> Deposit Date: 10.10.2001 Reference: 01/1875/AI	Erection 3/4 storey teaching & office accommodation building
<u>Building Control</u> Deposit Date: 02.09.2002 Reference: 02/1667/AI	Disabled access works.
<u>Building Control</u> Deposit Date: 20.09.2002 Reference: 02/1799/AI	Refurbishment of 'u' hostel to provide endurance performance centre
<u>Building Control</u> Deposit Date: 08.04.2003 Reference: 03/0677/AI	Refurbishment & extension to existing residential accommodation
<u>Building Control</u> Deposit Date: 22.12.2003 Reference: 03/2476/FP	Formation of opening in wall & insertion of two no beams
<u>Building Control</u> Deposit Date: 27.06.2003 Reference: 03/5522/FENSA	FENSA Notification of Replacement Glazing comprising 5 Windows and 1 Doors. Installed by Chertsey Double Glazing. FENSA Member No 16346. Installation ID 829266. Invoice No 46
<u>Building Control</u> Deposit Date: 13.10.2003 Reference: 04/5243/FENSA	FENSA Notification of Replacement Glazing comprising 8 Windows and 1 Doors. Installed by Chertsey Double Glazing. FENSA Member No 16346. Installation ID 1126692. Invoice No 58
<u>Building Control</u> Deposit Date: 04.11.1991 Reference: 91/1184/BN	Amalgamation of rooms B13/15 BX by removal of structural wall
<u>Building Control</u> Deposit Date: 27.08.1991 Reference: 91/0919/FP	Alterations to existing laboratory preparation room
<u>Building Control</u> Deposit Date: 15.01.1992 Reference: 92/0052/BN	Two single storey extensions to kitchen store & servery area
<u>Building Control</u> Deposit Date: 27.01.1992 Reference: 92/0100/FP	Refuse bin store
<u>Building Control</u> Deposit Date: 23.07.1992 Reference: 92/0527/1/FP	New student residence
<u>Building Control</u> Deposit Date: 06.11.1992 Reference: 92/0812/2/FP	Extension and refurbishment of student union toilet accommodation
<u>Building Control</u> Deposit Date: 10.08.1992 Reference: 92/0777/FP	Extension and refurbishment of gymnasium
<u>Building Control</u> Deposit Date: 08.09.1992 Reference: 92/1043/FP	Installation of temporary bar & bar store in classrooms E13 & E7

<u>Building Control</u> Deposit Date: 19.04.1993 Reference: 92/1400/1/FP	Alterations & extension to (J) block
<u>Building Control</u> Deposit Date: 15.02.1993 Reference: 93/0025/1/FP	Access stair & enclosure
<u>Building Control</u> Deposit Date: 08.04.1993 Reference: 93/0168/1/FP	Demolition of fire damaged building, structural alterations and internal partitioning
<u>Building Control</u> Deposit Date: 14.07.1993 Reference: 93/0567/1/FP	Alterations & extension to sports centre to form sports injury clinic.
<u>Building Control</u> Deposit Date: 15.07.1993 Reference: 93/0568/1/FP	Drama workshop control room
<u>Building Control</u> Deposit Date: 15.11.1993 Reference: 93/1185/1/FP	Alterations & extension to chaplaincy
<u>Building Control</u> Deposit Date: 06.06.1994 Reference: 94/0779/BN	Alterations to catering kitchen
<u>Building Control</u> Deposit Date: 28.11.1994 Reference: 94/0802/2/FP	New steel portal frame structure with brick & steel sheet cladding
<u>Building Control</u> Deposit Date: 27.09.1995 Reference: 95/0876/2/FP	Acoustic upgrading at ground floor level. Bar room enlargement and toilets added on first floor level.
<u>Building Control</u> Deposit Date: 11.08.1995 Reference: 95/0906/1/FP	Single storey extension to tennis court building
<u>Building Control</u> Deposit Date: 28.11.1995 Reference: 95/1160/1/FP	Two storey extension to existing library
<u>Building Control</u> Deposit Date: 08.08.1997 Reference: 97/1188/FP	Internal alterations to student union junior common room.
<u>Building Control</u> Deposit Date: 02.10.1997 Reference: 97/1462/FP	Refurbishment of existing and internal alterations for new toilets.
<u>Building Control</u> Deposit Date: 06.05.1998 Reference: 98/0753/FP	Lecture theatre (G 7) refurbishment.
<u>Building Control</u> Deposit Date: 24.07.1998 Reference: 98/1263/FP	Internal alterationsto M block
<u>Building Control</u> Deposit Date: 24.11.1998 Reference: 98/1969/FP	Conversion of offices to study-bedrooms with bathroom & kitchen (G Block)
<u>Building Control</u> Deposit Date: 21.12.1998 Reference: 98/2085/FP	Alteration of gents toilet to office (Room 6) (B Block)
<u>Building Control</u> Deposit Date: 26.01.1999 Reference: 98/1969/1/FP	Conversion of offices to study-bedrooms with bathroom & kitchen (G Block)

<u>Building Control</u> Deposit Date: 26.04.1999 Reference: 99/0711/FP	Internal alterations and fit out to entrance foyer
<u>Building Control</u> Deposit Date: 11.06.1999 Reference: 99/0999/FP	Internal alterations (to include laboratory fit out) at second floor level.
<u>Building Control</u> Deposit Date: 30.07.1999 Reference: 99/0999/1/FP	Internal alterations (to include laboratory fit out) at second floor level.
<u>Building Control</u> Deposit Date: 20.09.1999 Reference: 99/1340/FP	Internal alterations at second floor level(J Block).
<u>Building Control</u> Deposit Date: 15.03.2004 Reference: 04/0520/FP	Construction of new binstore within colonade adjacent Block G and diversion of fire escape exit/upgrade of protected corridor to current standards
<u>Building Control</u> Deposit Date: 15.03.2004 Reference: 04/0521/FP	Construction of new binstore adjacent to Block E
<u>Building Control</u> Deposit Date: 08.04.2004 Reference: 03/2476/RS1/FP	Formation of opening in wall & insertion of two no beams
<u>Building Control</u> Deposit Date: 22.04.2004 Reference: 04/0800/IN	Conversion of Block L outbuildings to form offices.
<u>Building Control</u> Deposit Date: 19.04.2005 Reference: 05/0779/IN	Internet Café
<u>Building Control</u> Deposit Date: 19.05.2005 Reference: 05/0996/IN	Café building
<u>Building Control</u> Deposit Date: 07.09.2005 Reference: 05/1831/IN	New Physiotherapy Room
<u>Building Control</u> Deposit Date: 16.10.2006 Reference: 06/2201/IN	New temporary CCCA building
<u>Building Control</u> Deposit Date: 18.10.2006 Reference: 06/2245/IN	Refurbishment to the ground floor of J block
<u>Building Control</u> Deposit Date: 20.10.2006 Reference: 06/2255/IN	Divide existing student IT room into smaller room. New glass partitioning
<u>Building Control</u> Deposit Date: 22.12.2006 Reference: 06/2690/IN	New lift
<u>Building Control</u> Deposit Date: 15.03.2007 Reference: 07/0584/IN	Refectory extension (N Block)
<u>Building Control</u> Deposit Date: 27.06.2007 Reference: 07/1373/FP	Relocation of entrance, reinstating to original location on external facade (Theatre Building) INVOICE OUTSTANDING - DO NOT ISSUE COMPLETION CERTIFICATE.
<u>Building Control</u> Deposit Date: 20.02.2008	Relocation of entrance, reinstating to original location on external

facade (Theatre Building)

Reference: 07/1373/FP/1

Building Control

Deposit Date: 03.06.2008

New Shannon toilets and corridor refurbishment project/N-block building

Reference: 08/1165/IN

Building Control

Deposit Date: 24.04.2009

Conversion of existing student bedrooms into academic office accommodation (First Floor, G Block)

Reference: 09/0620/IN

Building Control

Deposit Date: 01.09.2009

Refurbishment of existing redundant small kitchen and ancillary space, provide new 106 No. Seat and 2 No. Disabled space lecture theatre and small open plan office space

Reference: 09/1449/IN

Building Control

Deposit Date: 10.02.2010

Creation of new sporting facilities and remodelling of existing

Reference: 10/0256/IN

Building Control

Deposit Date: 14.05.2013

First floor infill and reconfiguration works to an existing light well

Reference: 13/1079/IN

Building Control

Deposit Date: 10.07.2014

Internal first floor refurbishment to form new teaching space, changing facilities and alterations to WCs

Reference: 14/1592/IN

Building Control

Deposit Date: 18.07.2014

Mezzanine floor installation

Reference: 14/1667/IN

Building Control

Deposit Date: 07.07.2016

Construction of a new brick lobby and refurbishment of existing reception

Reference: 16/1477/IN

Building Control

Deposit Date: 21.12.2016

Conversion of store to office, staff WC into store, relocation of door opening/removal of wall for food prep space and a new wall constructed to form a new altitude chamber

Reference: 16/2679/IN

Building Control

Deposit Date: 30.03.2017

Internal alterations to convert store rooms to multi faith prayer rooms

Reference: 17/0642/IN

Building Control

Deposit Date: 26.06.2017

Internal alterations to form new shop, including bar and food prep refurbishment works Block J

Reference: 17/1292/IN

Building Control

Deposit Date: 20.02.2018

Internal alterations and fit out to ground floor

Reference: 18/0309/IN

Building Control

Deposit Date: 28.03.2018

Alterations and refurbishment of theatre, lighting booth, TV studio and drama studios 1-3

Reference: 18/0550/IN

Building Control

Deposit Date: 06.07.2018

Alterations to library to form raised area, new ramp, enclosure to racking room and alterations to toilet

Reference: 18/1215/IN

Building Control

Deposit Date: 18.07.2018

Internal alterations to form internal office rooms, new internal partitions, new wash hand basins and replacement light fittings

Reference: 18/1293/IN

Building Control

Deposit Date: 06.12.2018 Internal alterations and refurbishment to the first floor of J block

Reference: 18/2110/IN

Building Control

Deposit Date: 21.03.2019 Refurbishment of the corridor and toilets including enlarging external doors

Reference: 19/0455/IN

Building Control

Deposit Date: 22.05.2019 Refurbishment of Room N24 including removal of internal doors and installation of new tea point

Reference: 19/0805/IN

Building Control

Deposit Date: 17.12.2019 Removal of internal walls, alterations and refurbishment of offices Blocks E & F

Reference: 19/1973/IN

Building Control

Deposit Date: 29.06.2020 Converting teaching space to office (Block L room L106), new reception (Green Gym) and clinic teaching space and knock through existing reception to room R16 (Block R)

Reference: 20/0771/IN

Building Control

Deposit Date: 07.05.2021 Refurbishment of E block toilets

Reference: 21/0787/IN

Building Control

Deposit Date: 02.07.2021 Student Heart Phase 1 - extensions, alterations and refurbishment

Reference: 21/1137/IN

Building Control

Deposit Date: 10.03.2022 Refurbishment and alteration works to the existing medical centre to include structural alterations, new linings, replacement M&E services, new double door set, plus installation of new kitchen

Reference: 22/0423/IN

Building Control

Deposit Date: 01.06.2022 Internal alterations to the Waldegrave Suite including a new entrance, a new lift to provide wheelchair access, a new Accessible WC, a glazed screen in the existing D121 room and new Food Preparation area

Reference: 22/0974/IN

Building Control

Deposit Date: 30.05.2022 Alterations to existing Naylor library building to include erection of new partition, alterations to existing spaces including new double doorset to form new physiotherapy room, plus alterations to fixed building services

Reference: 22/0975/IN

Enforcement

Opened Date: 31.07.2002 Enforcement Enquiry

Reference: 02/00258/EN

Enforcement

Opened Date: 28.07.1994 Enforcement Enquiry

Reference: 94/00066/EN

Enforcement

Opened Date: 10.03.2006 Enforcement Enquiry

Reference: 06/0105/EN/UBW

Application Number	22/1503/DD01
Address	St Marys University 268 Waldegrave Road Twickenham
Proposal	Details pursuant to condition U0133839 (Details to specified scale) on permission 22/1503/LBC.
Contact Officer	JMO
Target Determination Date	13/10/2022

1. INTRODUCTION

This application is of a nature where the Council's Constitution delegates the authority to make the decision to Officers rather than it being determined by the Planning Committee.

Before preparing this summary report the planning officer considered any relevant previous planning applications in relation to the development and considered any comments made by those interested in the application such as consultees with specialist knowledge and nearby residents.

By indicating that the development proposal complies with relevant Local Plan Policies, the planning officer has considered the information submitted with the application, any previous relevant applications, any comments received in connection with the application and any other case specific considerations which are material to the decision.

2. DESCRIPTION OF THE SITE AND ITS SURROUNDINGS

The application site comprises a vacant plot of land located to the rear of numbers 3-7 Third Cross Road.

The application site is situated within Twickenham and is designated as:

- Archaeological Priority (English Heritage) (Site: Strawberry Hill - Remains of 18th century landscape garden, and house built from around 1749 until 1777 for
- Horace Wal)
- Area Benefiting Flood Defence - Environment Agency. (Areas Benefiting from Defences)
- Area Poorly Provided With Public Open Space (Area poorly provided with Public Open Space)
- Area Susceptible To Groundwater Flood - Environment Agency (Superficial Deposits Flooding - >= 50%)
- Article 4 Direction Basements (Article 4 Direction - Basements / Ref: ART4/BASEMENTS / Effective from: 18/04/2018)
- Building of Townscape Merit (Site: 21 Waldegrave Park Twickenham Middlesex TW1 4TL)
- Building of Townscape Merit (Site: 33 Waldegrave Park Twickenham Middlesex TW1 4TJ)
- Building of Townscape Merit (Site: St Marys College Chapel Waldegrave Road Teddington)
- Conservation Area (CA54 Waldegrave Park Teddington)
- Critical Drainage Area - Environment Agency (Strawberry Hill [Richmond] / Ref: Group8_003 /)
- Floodzone 2. (Fluvial / Tidal Models)
- Floodzone 3. (Fluvial / Tidal Models)
- Historic Park / Garden (2 : Strawberry Hill Waldegrave Rd)
- Land Use Past Industrial (Electricity Industry Facilities Start: 1967 End: 2004)
- Landmark (Ref 19 ST MARYS UNIV)
- Listed Building (Grade: I Site: Chapel In The Woods Waldegrave Road Teddington Middlesex)
- Listed Building (Grade: I Site: St Marys University College 268 Waldegrave Road Twickenham Middlesex TW1 4SX)
- Listed Building (Grade: II Site: St Marys College Chapel Waldegrave Road Teddington)
- Listed Building. (CHAPEL IN THE WOOD, STRAWBERRY HILL - Grade: I - Location of listed building or structure is identified here by Historic England.)

- Listed Building. (CHAPEL, ST MARY'S UNIVERSITY COLLEGE - Grade: II - Location of listed building or structure is identified here by Historic England.)
- Listed Building. (STRAWBERRY HILL (ST MARY'S TRAINING COLLEGE) - Grade: I - Location of listed building or structure is identified here by Historic England.)
- Metropolitan Open Land (Site: Strawberry Hill Coll - MOL - LP 13)
- Registered Park / Garden. (Site: STRAWBERRY HILL - Grade: II* - Ref: Registered_Parks_and_Gardens.1 - Register of Historic Parks and Gardens of special historic interest in England, part of the National Heritage List for England.)
- Risk of Flooding from Surface Water 1 in 100 chance - Environment Agency (RoFSW Extent 1 In 100 year chance - SSA Pool ID: 23449)
- SFRA Zone 3a High Probability (Flood Zone 3)
- Site Allocation (St Mary's University College / St Mary's University College, Waldegrave Road, Twickenham, TW1 4SX / Ref: SA 8 / Area: 123061.8 / Included: Flood zone: Zone 1)

3. DESCRIPTION OF THE PROPOSAL AND ANY RELEVANT PLANNING HISTORY

This application seeks to discharge condition U0133845 – Lift Engineering report & U0133847 Details to specified scale.

Proposals

Conversion of an existing fire exit on the western side of the building into a new entrance, including reinstatement of an existing window, and creation of screening and signage, internal modifications to this double height entrance area to create space for a platform lift, and internal modifications to the first-floor area to create an accessible toilet, and link the lift and new entrance through to the main corridor of The Waldegrave Suite.

Development Management

Status: GTD
Date:01/08/2022

Application:22/1503/LBC
Conversion of an existing fire exit on the western side of the building into a new entrance, including reinstatement of an existing window, and creation of screening and signage, internal modifications to this double height entrance area to create space for a platform lift, and internal modifications to the first-floor area to create an accessible toilet, and link the lift and new entrance through to the main corridor of The Waldegrave Suite.

Development Management

Status: GTD
Date:26/10/2022

Application:22/1502/DD01
U0133847 (Details to specified scale) and U0133845 (Lift engineering report) on permission 22/1502/FUL.

4. CONSULTATIONS CARRIED OUT

This type of application is not required to be publicised. As such, no letters were received by the property's neighbours.

Condition U0133442 states:

Prior to the commencement of development, detailed drawings to a scale of not less than 1:10; shall be submitted to and approved in writing by the Local Planning Authority. Such details shall show:

- o New entrance door incorporating window above entrance door
- o Any new internal doors, which should match originals where possible
- o Lift design details and materials
- o Increase in opening through to billiard room to show how much additional historic fabric will be removed
- o Alterations to existing door and architrave to billiard room
- o External entrance canopy design and materials and junction with existing building
- o Short section of proposed fence

The works shall be carried out in accordance with the approved details and retained as such thereafter.

REASON: To ensure that the proposed development is in keeping with the existing building(s) and does not prejudice the appearance of the locality.

Professional Comments:

The Council's Urban Design Team were contacted to comment on the case and left the following comments which have been summarised below:

- No objection to details of enlarged jib door opening to billiard room.
- No objection to details of proposed porch.
- No objection to lift details.
- No objection to fence and planter details and proposed signage.
- No objection to door details.

Recommend approval.

Officer Notes

Upon full assessment of the submitted material supporting the application, taking into account all material considerations, it is considered the requirements of conditions Details pursuant to condition U0133442 Details to specified scale of planning permission 22/1503/LBC have been met.

Conclusion:

Full discharge of condition.

Recommendation:

The determination of this application falls within the scope of Officer delegated powers - YES

I therefore recommend the following:

- 1. REFUSAL
- 2. PERMISSION
- 3. FORWARD TO COMMITTEE

This application is CIL liable YES* NO
 (*If yes, complete CIL tab in Uniform)

This application requires a Legal Agreement YES* NO
 (*If yes, complete Development Condition Monitoring in Uniform)

This application has representations online (which are not on the file) YES NO

This application has representations on file YES NO

Case Officer (Initials): JMO

Dated: 26/10/2022

I agree the recommendation: WT

~~Team Leader/Head of Development Management/Principal Planner~~

Dated:27/10/2022.....

This application has been subject to representations that are contrary to the officer recommendation. The Head of Development Management has considered those representations and concluded that the application can be determined without reference to the Planning Committee in conjunction with existing delegated authority.

Head of Development Management:

Dated:

REASONS:
CONDITIONS:
INFORMATIVES:
UDP POLICIES:
OTHER POLICIES:

The following table will populate as a quick check by running the template once items have been entered into Uniform

SUMMARY OF CONDITIONS AND INFORMATIVES

CONDITIONS

INFORMATIVES

U0070380	DD Informative
----------	----------------