
EAST



Notes:

1) No changes proposed to Front Elevation

Om 5m IOm I5m 20m

Christopher Tredway Architects

3rd Floor, 175 - 176 Tottenham Court Road, London WIT 7NX.

E Mail: office@christredway.co.uk

Phone: +44 (0)20 7101 9336

Wellington Lodge

Site: Wellington Lodge, 42a Wellington Road, Hampton TWI2 IJT.

Title: Proposed Elevations
Date: 19/08/2024


Job No: II7 Drawing No: II7 / APO2


Revision: /


Scale: 1:100 @ 100% A3 L

ristopher Tredway Architects Ltd. 2024

Proposed Rear Elevation @ 1:100







Notes:

1) No changes proposed to Side Elevation 2

Om 5m IOm I5m 20m

Christopher Tredway Architects

3rd Floor, 175 - 176 Tottenham Court Road, London WIT 7NX.

E Mail: office@christredway.co.uk

Phone: +44 (0)20 7101 9336

Wellington Lodge

Site: Wellington Lodge, 42a Wellington Road, Hampton TWI2 IJT.


Title: Proposed Elevations
Date: 19/08/2024

Drawing No: II7 / APO3
Revision: /

Job No: II7

Scale: 1:100 @ 100% A3 L

Christopher Tredway Architects Ltd. 2024





 Om
 5m
 10m
 15m
 20m

Christopher Tredway Architects

3rd Floor, 175 - 176 Tottenham Court Road, London WIT 7NX.

E Mail: office@christredway.co.uk

Phone: +44 (0)20 7101 9336

Wellington Lodge

Site: Wellington Lodge, 42a Wellington Road, Hampton TWI2 IJT.


Title: Proposed Ground Floor Plan

Date: 19/08/2024

Job No: II7 Drawing No: II7 / APO4 Revision: /

Scale: 1:100 @ 100% A3 L

Christopher Tredway Architects Ltd. 2024





 Om
 5m
 IOm
 I5m
 20m

Christopher Tredway Architects

3rd Floor, 175 - 176 Tottenham Court Road, London WIT 7NX.

E Mail: office@christredway.co.uk

Phone: +44 (0)20 7101 9336

Wellington Lodge

Site: Wellington Lodge, 42a Wellington Road, Hampton TWI2 IJT.


Title: Proposed Ground Floor Plan

Date: 19/08/2024

Job No: II7 Drawing No: II7 / APO5 Revision: /

Scale: 1:100 @ 100% A3 L

Christopher Tredway Architects Ltd. 2024



Minimum 30 minute fire resistant wall construction.

Minimum 60 minute fire resistant wall construction.

Smoke Detector linked to specialist fire detection system.

Heat Detector linked to specialist fire detection system.

Alarm Sounder linked to specialist fire detection system.

Protected man

Escape door.

Protected means of escape.

Notes

I) Provide 30 minutes fire resistance between floors and 60 minutes fire resistance between units;

2) Provide fire dampers / collars as required between all floors and compartment walls (denoted with red line on fire strategy drawings) to maintain the specified fire seperation;

3) Emergency lighting to areas as indicated on M&E consultants information;

4) Fire alarm and detection system, to specialists design, to be linked with specialist building management system and specialist equipment (e.g. Lift);

5) Provide 30 minutes fire resistance to staircase structure.

6) Internal Fire Spread; Circulation spaces and garages to have wall and ceiling linings that meet Nation Class I, as defined by BS 476 "Fire tests on building materials and structures".

7) All steels are to be treated with intumescent steel paint to thermally insulate them in a fire for a period of 30 minutes.



Om 5m 10m 151

Christopher Tredway Architects

3rd Floor, 175 - 176 Tottenham Court Road, London WIT 7NX.

E Mail: office@christredway.co.uk

Phone: +44 (0)20 7

Wellington Lodge

Phone: +44 (0)20 7101 9336

weilingion Loage

Date: 19/08/2024

Site: Wellington Lodge, 42a Wellington Road, Hampton TWI2 IJT. Title: Proposed Fire Strategy Job No: II7

Drawing No: II7 / AP06

Revision: /

Scale: I:100 @ 100% A2 P