

Arboricultural Survey to BS5837:2012

Dave Varns

16 Castelnau Barns London SW13 9RU

23 August 2024

Chris Poplett Dip Arb L4 MArborA



Table of Contents

This report has been released electronically and the appendices have been included at the end of this report. Plans are included as A0, A1, A2 or A3 as appropriate.

1.	Introduction	2
2.	Survey	2
3.	BS5837:2012 Scope	5
4.	Methodology	5
5.	Definitions	7
6.	Recommendations	8
7.	Limitations	8
8.	Appendices	9
A	ppendix 1: Table 1 Cascade chart for tree quality assessment	10
A	ppendix 2: Schedule of Trees	12
A	ppendix 3: Tree Constraints Plan	18
9.	Document Production Record	.20

1. Introduction

Arbtech Consulting Limited (Arbtech) received written instruction on 07 August 2024 from Dave Varns to attend 16 Castelnau, Barns, London, SW139RU; grid reference, TQ 22444 76775 (site) to undertake an arboricultural survey to BS5837:2012 guidance to assess trees, hedges and major shrub groups growing on and within influencing distance of the site and to produce a Schedule of Trees and a Tree Constraints Plan.

I am Chris Poplett, an arboricultural consultant at Arbtech Consulting Ltd. I undertook the tree survey on 21 August 2024 and subsequently have produced this summary of my findings.

Chris Poplett has accumulated experience within the arboricultural industry since 1996. Qualified to Level 4 Diploma and has Lantra professional tree inspector certification. Chris Poplett has been awarded professional membership of the Arboricultural association and is a certified soil food web laboratory technician.

The advice below and appended is underwritten by our Professional Indemnity insurance for the business practice of Arboricultural Consultancy in the sum of one million Pounds Sterling in each and every claim.

 Table 1: Documents referred to.

Document	Reference No.
Survey base drawing	007/105-SK01
LPA pre-app comments	N/A
British Standard 5837:2012	"BS5837"
Tree Survey Schedule	Arbtech TS 01
Tree Constraints Plan	Arbtech TCP 01

2. Survey

Survey: An arboricultural survey to BS5837 of all trees within impacting distance of the site was undertaken by Chris Poplett on 21 August 2024.

During the survey I categorised the trees using "Table 1 – Cascade chart for tree quality assessment" of the BS5837:2012 (see Appendix 1).

A total of twenty-three (23) individual trees and one (01) group of trees were surveyed. Details for each of the trees surveyed are provided in the Schedule of Trees (see Appendix 2).

Arbtech Consulting Limited is registered in England and Wales: 05678552. VAT: GB903660148



Table 2: Documents upon which this tree survey has been based.

Document	Originator	Reference Number	Title
Survey Base	Attic Design and	007/105-5801	Site Location Plan
Drawing	Build	007/105-5K01	

Limitations: The survey was made at ground level using visual observation only. Detailed examinations, such as climbing inspections and advanced decay detection equipment were not employed, though may form part of the survey's management recommendations. Measurements were taken using specialist tapes, laser, and GPS devices. Where this was not possible, measurements are estimated.

Scope: Pre-development tree surveys make arboricultural management recommendations based exclusively upon the individual tree or group of trees condition relative to their present context (*i.e. not in relation to the proposed development*).

Legal Status: No statutory protection check has been performed. BS5837 does not draw any distinction between trees subject to statutory protection, such as a Tree Preservation Order ("TPO"), and those trees without. This is principally because a detailed planning consent overrides any TPO protection. Consequently, we do not seek to offer any comparison between or infer any difference in the quality or importance of TPO trees and other trees.

* For more information on the surveyed trees please see Arbtech Consulting Ltd, Tree Survey Schedule (Appendix 1), Tree Survey Report and Tree Constraints Plan.

Site description

Detached dwelling house with associated off-street parking. Landscaped gardens to the rear of the property.



Figure 1: OS Map showing the site location (Bing Maps)



Figure 2: Aerial Image of site with approximate red line boundary (Google Earth)



This content is for educational and informative purposes; parts of it are reproduced with the kind permission of BSI Global.

3. BS5837:2012 Scope

This standard recognises that there can be problems for development close to existing trees which are to be retained, and of planting trees close to existing structures. This standard sets out to assist those concerned with trees, in relation to construction, to form balanced judgements. It does not set out to put arguments for or against development, or for the removal or retention of trees. Where development, including demolition, is to occur, the standard provides guidance on how to decide which trees are appropriate for retention, on the means of protecting these trees during development, including demolition and construction work, and on the means of incorporating trees into the developed landscape.

4. Methodology

The methodology used to assess the trees was the British Standard 5837:2012 'Trees in Relation to Construction' tree survey method. The aim of the survey is to establish which trees are moderate and good quality; suitable for retention and justifying protection. And which trees are low or poor quality; either undesirable or unsuitable to retain and protect.

The tree survey includes all trees included in the land survey red line boundary plan, as well as any that may have been missed, and it should categorize trees or groups of trees, including woodlands for their quality and value within the existing context, in a transparent, understandable, and systematic way. Where the arboriculturist has deemed it appropriate, the trees have been tagged with small metal or plastic tags, placed as high as is convenient on the stem of each tree.

Whilst master plan proposals for the development of the site might be available, the trees have been surveyed without taking these into consideration. All detailed design work on site layout should take into consideration the results of the tree survey (and the TCP).

Trees forming groups and areas of woodland (including orchards, wood pasture and historic parkland) are identified and considered as groups where the arboriculturist has determined that this is appropriate, particularly where they contain a variety of species and age classes that could aid long-term management. It is often expedient to assess the quality and value of such groups of trees as a whole, rather than as individuals. However, an assessment of individuals within any group has been undertaken if they are open-grown or if there is a need to differentiate between them.

The quality and value of each tree or group of trees has been recorded by allocating it to one of the four categories: A, B, C, or U (highest to lowest quality respectively). The categories are differentiated on the tree survey plan by colour, or by suffixing the category adjacent to the tree identification number on the TCP.

The survey schedule lists all the trees or groups of trees. The following information is also provided:

- a) reference number (to be recorded on the tree survey plan);
- b) species (common or scientific names);
- c) height in meters (m);
- d) stem diameter in millimetres (mm) at 1.5m above adjacent ground level or immediately above the root flare for multi-stemmed trees;
- e) branch spread in meters taken at the four cardinal compass points;
- f) height of crown clearance above adjacent ground level in meters (m);
- g) age class (newly planted, young, semi-mature, early mature, mature, over mature);
- h) physiological condition (e.g. good, fair, poor, decline and dead);
- i) structural condition (e.g. good, fair, poor or not visible);
- j) comment about the tree, its location and preliminary management recommendations, including further investigation of suspected defects that require more detailed assessment and potential for wildlife habitat;
- k) The retention category referring to the quality and useful contribution in years; U = <10yrs; A = >40yrs; B = >20yrs; C = >10yrs. The retention subcategory referring to the type of amenity; 1 = Arboricultural; 2 = Landscape; 3 = Cultural including conservation (see Appendix 1 Cascade chart for tree quality assessment).

5. Definitions

Arboriculturist

An arboriculturist (or arboricultural consultant) is a person who has, through relevant education, training, and experience, gained recognized qualifications and expertise in the field of trees in relation to construction.

Tree Survey

A tree survey should be undertaken by an arboriculturist and should record information about the trees on a site independently of and prior to any specific design for development. As a subsequent task, and with reference to a design or potential design, the results of the survey should be included in the preparation of a tree constraints plan, which should be used to assist with site layout design.

Tree Constraints Plan

A TCP is plan, typically delivered as an AutoCAD drawing (.DWG file format), prepared by an arboriculturist for the purposes of layout design showing the root protection area and representing the effect that the mature height and spread of retained trees will have on layouts through shade, dominance, etc.

Root Protection Area

An RPA is a layout design tool indicating the area surrounding a tree that contains sufficient rooting volume to ensure the survival of the tree, shown in plan form in m^2 .

Construction Exclusion Zone (also termed Tree Protection Zone)

A construction exclusion or tree protection zone is an area based on the RPA (in m²), identified by an arboriculturist, to be protected during development, including demolition and construction work, by the use of barriers and/or ground protection fit for purpose to ensure the successful long-term retention of a tree.

Arboricultural Impact Assessment (AIA)

This is a study, undertaken by an arboriculturist, to identify, evaluate and possibly mitigate the extent of direct and indirect impacts on existing trees that may arise as a result of the implementation of any site layout proposal.

Tree Protection Plan (TPP)

A TPP is plan, typically delivered as an AutoCAD drawing (.DWG file format), prepared by an arboriculturist showing the finalized layout proposals, tree retention and tree and landscape protection measures detailed within the arboricultural method statement, which can be shown graphically.

arbtech

Arbtech Consulting Limited is registered in England and Wales: 05678552. VAT: GB903660148

Arboricultural Method Statement (AMS)

This is a methodology for the implementation of any aspect of development that has the potential to result in loss of or damage to a tree. The AMS is likely to include details of an onsite tree protection monitoring regime.

6. Recommendations

With the benefit of making an assessment of your planning proposals, I make the following recommendation to ensure that there are no irrevocable issues to the proposed retained trees and so that no conditions relating to arboriculture are attached to any planning consent secured; obtain an arboricultural report to include:

- a) An arboricultural impact assessment (AIA).
- b) An arboricultural method statement (AMS).
- c) A tree protection plan drawing (TPP).

7. Limitations

Trees were inspected from using visual observation from ground level only. Trees were not climbed or inspected below ground level. Inaccessible trees will have best estimates made about the location, physical dimensions, and characteristics. Trees have been grouped where BS5837 guides us that it is expedient to do so. Trees have been excluded from the survey if they are found by us to be sufficiently far away from the proposed developable area or if they are outside of the red line boundary plan showing the expectations of our client for the extent of the survey. BS5837 does not draw any distinction between trees subject to statutory protection, such as a Tree Preservation Order ("TPO"), and those trees without. This is principally because a detailed planning consent overrides any TPO protection. Consequently, we do not seek to offer any comparison between or infer any difference in the quality or importance of TPO trees and other trees.

This report does not constitute a tree safety survey, nor does it fulfil the stewards/landowners Duty of Care in relation to tree risk.



8. Appendices

The following documents were released to the Client as appendices to this report:

- Survey Schedule (.PDF)
- Tree Constraints Plan drawing (.DWG & .PDF)

If you require clarification of information contained herein, please do not hesitate to contact us via 01244 661170.

Yours Sincerely,

C P-plett

Chris Poplett Dip Arb L4 MArborA Arboricultural Consultant

07706 350348

chrispoplett@arbtech.co.uk



Appendix 1: Table 1 Cascade chart for tree quality assessment





Identification on

plan

3 Mainly cultural values, including

conservation

16 Castelnau – Arbtech TSR 01

BS5837:2012 Trees in relation to design, demolition and construction – Recommendations

Table 1 Cascade chart for tree quality assessment

1 Mainly arboricultural qualities

Category and definition C	riteria (including subcategories when a	appropriate
---------------------------	---	-------------

Trees unsuitable for retention (see Note)

Category U	•Trees that have serious, irremediable, structural defect, such that their early loss is expected due to collapse, including those that will become unviable after removal of other category U trees (e.g. where, for whatever reason, the loss of companion shelter cannot be mitigated	
Those in such a condition that they cannot realistically be retained as living trees in the context of the current land use for longer than 10 years.	 by pruning). Trees that are dead or are showing signs of significant, immediate, and irreversible overall decline. Trees infected with pathogens of significance to the health and/or safety of other trees nearby, or very low quality trees suppressing adjacent trees of better quality. NOTE Category U trees can have existing or potential conservation value which might be desirable to preserve; see 4.5.7. 	Dark red

2 Mainly landscape qualities

Trees to be considered for retention

Category A Trees of high quality with an estimated remaining life expectancy of at least 40 years.	Trees that are particularly good examples of their species, especially if rare or unusual; or those that are essential components of groups or formal or semi-formal arboricultural features (e.g. the dominate and/or principal trees within an avenue).	Trees, groups, or woodlands of particular visual importance as arboricultural and/or landscape features.	Trees, groups or woodlands of significant conservation, historical, commemorative or other value (e.g. veteran trees or wood- pasture).	Light green
Category B Trees of moderate quality with an estimated remaining life expectancy of at least 20 years.	Trees that might be included in category A, but are downgraded because of impaired condition (e.g. presence of significant though remedial defects, including unsympathetic management and storm damage), such that they are unlikely to be suitable for retention of beyond 40 years; or trees lacking the special quality necessary to merit the category 'A' designation.	Trees present in numbers, usually growing as groups or woodlands, such that they attract a higher collective rating than they might as individuals; or trees occurring as collectives but situated so as to make little visual contribution to the wider locality.	Trees with material conservation or other cultural value.	Mid blue
Category C Trees of low quality with an estimated remaining expectancy of at least 10 years, or young trees with a stem diameter below 150mm.	Unremarkable trees of very limited merit or such impaired condition that they do not qualify in higher categories.	Trees present in groups or woodlands, but without this conferring on them significantly greater collective landscape value; and/or trees offering low or only temporary/transient landscape value.	Trees with no material conservation or other cultural value.	Grey

Arbitech consulting limited is registered in Lingiand and Wales. 0001 0002. VAL. 0000000140

Ecology - Protected Species - Licensing - Arboriculture - Biodiversity Net Gain - Land/Topographical Survey



Appendix 2: Schedule of Trees

Arbtech consulting ltd

Client: Dave Varns Project: 16 Castelnau, Barnes, London, SW13 9RU Survey Date: 21/08/2024 Surveyor: Chris Poplett

ิล	arbtech
----	---------

Unit 3 Well House Barns Chester Road Chester Cheshire CH4 0DH Phone: 01244661170

Tree and Tag No		Umbe		Stem	าร	C	rown			RP	Phys		Churchtung	Preliminary Recommendations			
Species		Hght (m)	N	• (Ø S (mm)	Spread (m)	i (Clear (m)	Age	A (m²) R (m)	Condition	ו	Condition		Survey Comment	ERC	
G01															Estimated Me	asurement	
Sycamore		17	1	60	00 I	N	10	2	М	A: 162.9	Good	С	: Good			B.2	
Acer pseudoplatanus					I	E	10	2		R: 7.2		S	: Not visible	Off sit	te group comprising of three individual trees. Brick	20+ yrs	
					5	S	10	2				В	: Not visible	bound	dary wall obscuring observations of stems and base.	,	
					١	W	10	2						Dimer group diame	nsions recorded are the largest represented within the b. X2 dead branches hung up in canopy up to 200mm eter X 5m length.		
T01															Estimated Me	asurements	
Sycamore		18	1	26	60 I	N	7	2.5	М	A: 30.6	Good	С	: Good			B.2	
Acer pseudoplatanus					I	E	2	2.5		R: 3.12		S	: Not visible	Off sit	te tree. Brick boundary wall obscuring observations of	20+ yrs	
					:	S	2	2.5				В	: Not visible	stem	and base. Asymmetrical crown shape due to presence of	-	
					١	W	7	2.5						partne	er trees.		
Т02															Estimated Me	asurements	
Вау		6	7	42	23 (Eq) l	N	2	2	EM	A: 81.1	Good	С	: Good			C.1	
Laurus nobilis					I	E	2	2		R: 5.08		S	: Not visible	Off sit	te tree. Asymmetrical crown shape due to presence of	20+ yrs	
					: \	S W	4 4	2 2				В	: Not visible	partne of ste	er trees. Concrete boundary wall obscuring observations ms and base.		
Т03															Estimated Me	asurements	
Magnolia		5	3	17	75 (Eq) l	N	3	2	М	A: 13.9	Good	С	: Good			C.1	
Magnolia sp.						E	3	2		R: 2.1		S	: Not visible	Off sit	te tree. Concrete houndary wall obscuring observations of	20+ vrs	
					:	S	2	2				В	: Not visible	stems	s and base.		
					١	W	3	2									
Age Classifications:	Ν	Newly plan	ted	EM	Early Ma	ature		C	ondit	ion: (C Crown			Stems:	Ø Diameter		
	Y	Young	-	M	Mature						S Stem	~ ~		550	(Eq) Equivalent stem diameter using BS5837:2012 def	inition	
	SIVI	Semi-matu	ie	OM	Over Ma	ature					b Basal ar	ea		ERC:			
Page 1										Tree	Minder				21 Δι	iaust 2024	

Tree and Tag No		Haht	St		Crown				RP A (m ²)	Phys		C hannel (Preliminary Recommendations		0-h		
Species	Hgi (m	nt I)	No	Ø (mm)	Spr (n	ead	Clea	r	Age	A (m²) R (m)	Phys Condition		Condition			Survey Comment	ERC
T04				()		,	(11)										
Common Yew	1(n	1	610	N		3	0	м	۵. 168 4	Good	c٠	Good				B 1
Taxus baccata	1	0	1	010	F		3	0	1.1	R: 7.32	0000	S:	Good				40
					S		3	0				B:	Good	Histori	cal pru	uning works to maintain shape and form to current	40+ yrs
					W		3	0						uniteri	510115.		
Т05																	
Viburnum	4	Ļ	2	120 (Ea) N		1	1	м	A: 6.6	Good	C:	Good				C.1
Viburnum sp			-	(E		1	1		R: 1.44		S:	Good				10± vrc
					S		2	1				B:	Good	INO SIG	nifican	it features have been observed.	101 913
					W		2	1									
T06																	
Tree of Heaven	9)	1	100	Ν		2	2.5	Y	A: 4.5	Good	C:	Good				C.1
Ailanthus altissima					Е		2	2.5		R: 1.19		S:	Good	No cia	nifican	t fasturas have been observed	20+ vrs
					S		2	2.5				B:	Good	NO SIG	mincari	it reatures have been observed.	201 910
					W		2	2.5									
Т07																	
Tree of Heaven	9)	2	158 (l	Eq) N		3	2.5	Y	A: 11.3	Good	C:	Good				C.1
Ailanthus altissima					Е		3	2.5		R: 1.89		S:	Good	No sia	nifican	t features have been observed	20+ yrs
					S		3	2.5				B:	Good	no sig	linear		,
					W		3	1									
Т08																	
Cherry Laurel	5	;	1	190	Ν		2	2	М	A: 16.3	Good	C:	Good				C.1
Prunus laurocerasus					Е		2	2		R: 2.27		S:	Good	No sia	nifican	t features have been observed.	20+ yrs
					S		2	2				B:	Good				
					W		2	2									
Age Classifications:	N Newly n	lante	d F	M Ear	lv Matur	e		C	ondit	ion: C	Crown			Stems:	Ø	Diameter	
,	Y Young			M Mat	ure					S	Stem				(Eq)) Equivalent stem diameter using BS5837:2012 de	finition
S	M Semi-m	ature	e (OM Ove	er Matur	е				В	Basal are	а		ERC:	Est	timated Remaining Contributio	
Dara 2										T	4					01.4	1 000 1

Tree and Tag No		Usht	5	Stem	S	C	Crowr	ı		RF	P	Dhura	Churchtung		Preliminary Recommendations	Cat
Species		(m)	No	,	Ø	Sprea	d	Clear	Age	A (n	n²) n) C(ondition	Condition		Survey Comment	ERC
				(mm)	(m)		(m)			,					
109		_		_			_	_			_					_
Cultivated Apple		5	1	32	20	N	3	2	М	A: 46	.3	Fair	C: Fair			C.1
Malus domestica						E	3	2		R: 3.8	33		S: Fair	100	00mm diameter patch of dysfunctional bark to main stem at 1	l0+ yrs
						5	3	2					B: NOL VISIDIE	500	00mm from ground level on southern aspect. Stem angles	
						vv	J	2						apı ma	ain stem. Approximately 20% lower than expected foliage	
														der	ensity for age class and species. Vegetation obscuring	
														obs	bservations of base.	
T10																
Вау		4	1	12	20	Ν	1	1	SM	A: 6.5	5	Good	C: Good			C.1
Laurus nobilis						Е	1	1		R: 1.4	43		S: Good	His	istorically topped at 2m 50mm diameter regrowth from 2	20+ yrs
						S	1	1					B: Good	poi	oints of wounding.	,
						W	1	1								
T11																
Silver Birch		5	1	16	50	Ν	3	2	EM	A: 11	.6	Good	C: Good			C.1
Betula pendula						Е	2	2		R: 1.9	92		S: Good	Pac	acc of tree cituated approximately 200mm from brief	l0+ vrs
						S	2	2					B: Good	bou	oundary wall. Tree growing within 200mm brick retained	
						W	3	2						rais	aised bed.	
T12																
Lawson Cypress		4	1	11	LO	Ν	1	2	SM	A: 5.5	5	Poor	C: Poor			U
Chamaecyparis lawsoniana						Е	1	2		R: 1.3	32		S: Fair	Cro	rown defaliation by annrovimately 70% Dead witteria	<10 vrs
						S	1	2					B: Good	atta	ttached to upper 50% of canopy. Historical pruning works to	10 ,10
						W	1	2						rais	ise canopy height to current dimensions.	
T13																
Lawson Cypress		11	1	47	70	Ν	2.5	2	ОМ	A: 99	.9	Good	C: Good			B.1
Chamaecyparis lawsoniana						Е	2.5	2		R: 5.6	53		S: Good	Lic	ictorical pruning works to raise canony beight to surront 2	0+ vrs
						S	2.5	2					B: Good	dim	imensions. Root expansion lifting crazy paving on northern	_01 y13
						W	2.5	2						asp	spect.	
Age Classifications:	Ν	Newly plant	ed	EM	Early	Mature			Condi	tion:	C	Crown		Stem	ns: Ø Diameter	
	Y	Young		М	Matur	е					S	Stem			(Eq) Equivalent stem diameter using BS5837:2012 definition	ion
	SM	Semi-matur	e	OM	Over I	Mature					BI	Basal area	3	ERO	RC: Estimated Remaining Contributio	
Dara 2										т.					01 1	+ 0004

Tree and Tag No	ŀ	Uabt	Ste	ms	C	rown			RP	Phys	Structural		Preliminary Recommendations	Cat ERC
Species		(m)	No	Ø (mm)	Spread (m)	d (Clear (m)	Age	A (m²) R (m)	Condition	Condition		Survey Comment	
Τ14				(1111)	(11)		(111)						-	
		0	1	210	N	C	2 5	м	A. 12 E	Cood	C: Cood			C 1
Malus domestica		9	T	510	F	2 3	2.5	I	A. 43.5 R· 3 72	Good	C. Good			0.1
					S	2	2				B: Good	Base	of tree situated 200mm. From boundary brick wall. Stem	10+ yrs
					W	3	2					reduc	ce canopy height and spread. Approximately 50mm	
												diame	eter regrowth from points of wounding. Historical pruning	
												WORKS	s to raise canopy height to current dimensions.	
T15													Estimated Mea	asurements
Magnolia		5	3	210 (Ed	א (ב א	4	2	Μ	A: 19.9	Good	C: Good			C.1
Magnolia sp.					E	3	2		R: 2.51		S: Not visible	Off si	ite tree. Concrete boundary wall obscuring observations of	20+ yrs
					5	3	2				B: Not visible	stems	s and base. No significant features have been observed.	
					vv	3	2							
T16														
Pissards Plum		7	2	348 (Ed	7) N	3	3	М	A: 54.9	Good	C: Good			C.1
Prunus atropurpurea					Е	4	3		R: 4.18		S: Good	600m	nm of included bark were stems bifurcate from ground	10+ yrs
					S	2	3				B: Good	level.	. Historical pruning works to raise canopy height to	
					W	2	3					curre	ent dimensions.	
T17													Estimated Mea	asurements
Common Horse Chestnut		15	1	680	Ν	4	2	М	A: 209.2	Good	C: Fair			B.1
Aesculus hippocastanum					Е	3	2		R: 8.16		S: Not visible	Histo	rically topped at approximately 8m, 200mm diameter	20+ vrs
					S	3	3				B: Not visible	regro	with from points of wounding. Topped again at	
					W	3	3					appro	oximately 11m. 30mm diameter regrowth from points of	
												curre	naling. Historical pruning works to raise canopy height to ent dimensions.	
T10													Estimated Mar	curomonto
Common Horse Chestnut		15	1	820	N	4	2	м	V· 304 2	Good	C: Eair		Estimated Pice	P 1
Aesculus hinnocastanum		15	I	020	F	т 3	3	1.1	R: 9.84	Good	S' Good			20
					S	3	3				B: Fair	Root	zone excavated to a depth of approximately 800mm up	20+ yrs
					W	5	3					20mn	m diameter. Historically topped at approximately 8m.	
												200m	nm diameter regrowth from points of wounding. Topped	
												again	n at approximately 11m. 30mm diameter regrowth from	
												heigh	t to current dimensions. Three cavities up to 150mm	
												diame	eter forming from pruning wounds at 2m from ground	
												level	on eastern aspect.	
Age Classifications:	N	Newly planted	d El	/ Early	Mature		C	ondit	ion: C	Crown		Stems:	Ø Diameter	
	Y	Young	N	Matu	re				S	Stem		EDC:	(Eq) Equivalent stem diameter using BS5837:2012 defi	nition
	SIVI	Semi-mature	U	vi Over	mature				Б		a	ERU:		

Tree and Tag No			5	Stem	s	Crown		_	RP A (m ²)	Disco	Structural		Preliminary Recommendations	Cat	
Species		Hgnt (m)	No		Ø	Spread		Clear	Age	A (m ²)	Condition	Condition		Survey Comment	ERC
				(mm)	(m)		(m)		K (III)					
T19					<i>(</i>)										
Pissards Plum		7	2	27	'7 (Eq)) N	3	3	М	A: 34.6	Good	C: Good			C.1
Prunus atropurpurea						E	5	3		R: 3.31		S: Good	800mr	m deep soil excavation 1m from base of tree on eastern	10+ yrs
						5	4	3				B: Fair	aspect	t. Fibrous roots exposed up to 20mm diameter. Historical	
						VV	4	3					prunin Approx	ig works to reduce canopy height and spread.	
													wound	ding. Historical pruning works to raise canopy height to	
													curren	nt dimensions.	
T20															
Pissards Plum		7	2	39	6 (Eq)) N	2	2	М	A: 71	Good	C: Good			C.1
Prunus atropurpurea						Е	6	2		R: 4.75		S: Good	800mr	m deep soil excavation 300mm from base of tree on	10+ yrs
						S	6	2				B: Fair	easter	n aspect. Fibrous roots exposed up to 20mm diameter.	,
						W	5	2					Histori	ical pruning works to reduce canopy height and spread.	
													Approx	ximately 20mm diameter regrowth from points of ding. Historical pruning works to raise canopy height to	
													curren	it dimensions.	
T21															
Common Lime		3	1	49	0	Ν	1	1	М	A: 108.6	Good	C: Fair			C.1
Tilia europaea						Е	1	1		R: 5.87		S: Fair	Histori	ically topped at 2m. Regrowth to current dimensions	10+ vrs
						S	1	1				B: Good	Base c	of tree situated 150mm from brick boundary wall.	201 910
						W	1	1							
T22															
Common Lime		3	1	49	0	Ν	1	1	М	A: 108.6	Good	C: Fair			C.1
Tilia europaea						Е	1	1		R: 5.87		S: Fair	Histori	ically topped at 2m. Regrowth to current dimensions	10+ vrs
						S	1	1				B: Good	Base c	of tree situated 150mm from brick boundary wall.	10. 10
						W	1	1					200mr	m diameter decaying pruning wound at 1.2m from	
													ground	d level on southern aspect. Existing cavity filled switch	
T22													concre		
123		2		40						A. 100 C	Card				
		3	T	49	U		1	1	Ivi	A: 108.0	Good	C: Fair			C.1
						L S	1	1		K. J.07		B' Good	Histori	ically topped at 2m. Regrowth to current dimensions.	10+ yrs
						w	1	1				D. 6000	Base c	of tree situated 150mm from brick boundary wall.	
							-	-							
Age Classifications:	Ν	Newly plante	ed	EM	Early I	Mature			Condi	tion: (Crown		Stems:	Ø Diameter	
	Y	Young		M	Mature	e				5	S Stem			(Eq) Equivalent stem diameter using BS5837:2012 def	inition
	SM	Semi-mature	e	OM	Over N	viature				E	Basal are	ea	ERC:	Esumated Remaining Contributio	
Page 5										Troo	Minder			21 Δι	iaust 2024



Appendix 3: Tree Constraints Plan



ŻŻŚ	Image: Note of the second s	 Dree Categories Trees are categorised in accordance with the cascade chart in Table 1 of the British Standard BS 5837:2012 'Trees in relation to design, demolition and construction - Recommendations' Category 'U' - Trees in such condition that they cannot realistically be retained as living trees in context of the current land use for longer than 10 years. Category 'B' - Trees of high quality with an estimated remaining life expectancy of at least 40 years. Category 'B' - Trees of moderate quality with an estimated remaining life expectancy of at least 20 years. Category 'B' - Trees of low quality with an estimated remaining life expectancy of at least 10 years, or young trees with a stem diameter below 150mm. Category 'B' - Trees of Not Protection Areas (RPAs) are plotted remaining life expectancy of at least 10 years, or young trees with a stem diameter below 150mm. Norder to avoid damage to the roots or rooting environment of retained trees, the Root Protection Areas (RPAs) are plotted around each of the category A, B and C trees. This is a minimum area in m² which should be left undisturbed around each retained tree. The RPA is calculated using the British Standard BS 5837:2012 Trees in relation to design, demolition and construction - Recommendations. The calculated RPA is capped to 707m², which is the equivalent to a circle with a radius of 15m. Where there appears to be restrictions to root growth the root protection area is reshaped to more accurately reflect the likely distribution of the roots. Dree Surdvey Report and Tree Schedule for full details on all surveyed trees, hedges, woodlands and groups of trees/shrubs. All trees were surveyed and categorised in accordance with the guidance as set out in the British Standard BS5837:2012 Tree in relation to design, demolition and constructin - Recommendations. Ma make the following reco
		Project: 16 Castelnau Barns London SW13 9RU Client: Dave Varns
0m 1m 3m	5m 10m	Drawing: Tree Constraints Plan Based on: 007/105-SK01 Drawing No: Rev: Arbtech TCP 01 Prawin: Date: Scale: August 2024 1:100 @ A0 Key: Trunks: Tree Trunks: Nos: Category 'B' trees: Category 'B' trees: 'B' groups: Category 'C trees: 'C trees: Category 'C trees: Category 'B' trees: 'B' groups: Al dimensions should be checked on site. No dimensions are to be scaled from this drawing. Al dimensions should be checked on site. No dimensions are to be scaled from this drawing. Traces notify us of any discrepancies found. Artbech Consulting Ld. cannot be hid responsible for inaccuracies in the base direving in which this plan is based. The drawing is designed to reflect the principles of the layout or design only, and relates only to the protection of retained trees. This drawing is not to be read as a definitive part of the engineering or construction designs or method statement. An architect or structure any standards or regulatory requirements relating to proposed structures, and statement. An architect or structure any standards or regulatory requirements relating to proposed structures, and statement. An architect or structure an



16 Castelnau - Arbtech TSR 01

9. Document Production Record

Document number	Editor	Signature	Position	lssue number	Date
Arbtech TSR 01	Chris Poplett	C Peplett	Arboricultural Consultant	01	23/08/24

Limitations

Arbtech Consulting Ltd has prepared this report for the sole use of the above-named Client/Agent in accordance with our terms of business, under which our services were performed. No other warranty, expressed or implied, is made as to the professional advice included in this report or any other services provided by us. This report may not be relied upon by any other party without the prior and express written agreement of Arbtech Consulting Ltd. The assessments made assume that the sites and facilities will continue to be used for their current purpose without significant change. The conclusions and recommendations contained in this report are based upon information provided by others and upon the assumption that all relevant information has been provided by those parties from whom it has been requested. Information obtained from third parties has not been independently verified by Arbtech Consulting Ltd.

Copyright

© This Report is the copyright of Arbtech Consulting Ltd. Any unauthorised reproduction or usage by any person other than the addressee is strictly prohibited.