

Proposed Ground Floor Plan

Interlinked Smoke Detector to first and second floor landings.


30 minutes Fire door to all the doors open to first and second floor landings to create a fire protected corridor.

Passive and active fire safety measures include fire doors/partitions/smoke alarms have been implemented.  
 External walls in masonry. Fireline boards to underside of flat roof to reduce potential fire spread to surrounding properties.  
 Proposal to comply with building regulations approved document B and British standard Bs9999a and Bs991.

NOTE:

- Smoke Detector
- Heat Detector
- Smoke & Carbon monoxide Detector
- 30 Minutes Fire Door
- Fire Protected Corridor

Evacuation Assembly Point



Green Cube Design & Built Ltd  
 Address: 56 Fulham High Street, London SW6 3LQ  
 Tel: +44 751 407 4842  
 Website: greencubeltd.com  
 Email Address: info@greencubeltd.com

\*Do not scale from this drawing for construction.  
 \*All dimensions to be checked on the site.  
 \*This layout should be used in conjunction with other Green Cube documentation of the same revision.  
 \*This layout and the information contained within is the property of Green Cube and may not be used, transmitted or reproduced in whole or in part without prior written consent from Green Cube.

PROJECT TITLE: Rear Extension, Garage Conversion and various minor changes

CLIENT: Mr. & Mrs. Zarbalian

DRAWING TITLE: Fire Strategy Plan

REV: 01

SCALE: 1:100 @A3

NOTE:

ADDRESS: 12 1vicarage Dr SW14 8RX

DRAWING NO: 07

DRAWN BY: P.F HENZAKY

