

1:10

01

0.5

IMPORTANT NOTE:

ALL MATERIALS AND COMPONENTS WITHIN EXTERNAL WALLS TO BE EITHER RATED EUROCLASS A1 OR A2,S1-d0 (WHEN ASSESSED TO EN 13501-1) UNLESS THEY ARE EXEMPT UNDER **BUILDING REGULATION 7 AND FURTHER APPROVED BY BUILDING CONTROL**

ALL MEMBRANES TO ACHIEVE CLASS B-S3,d0 OR BETTER

MOISTURE RESISTANT PLASTERBOARD TO BE USED IN WET AREAS AND AREAS OF HIGH HUMIDITY

ALL DETAILS TO ADHERE TO NHBC STANDARDS & ACCREDITED CONSTRUCTION DETAILS

BALCONY MEMBRANE KEY

	High Performance Damp Proof Course
	Damp Proof Course
	Fixing Strip
	DPM to parapet plywood
	Detailing Cover Strip
	Air & Vapour Control Layer
	Breather Membrane
	Seperating Membrane
•••••	EPDM
	Airtightness Tape
	Cold Applied Liquid Waterproofing Membrane

Notes

Do not scale. All dimensions are in millimetres unless otherwise stated. This drawing should be read in conjunction with all relevant project information and contract documentation. All dimensions to be checked prior to fabrication and or commencement of works. All works to comply . with all relevant legal standards, building regulations and warranty provider requirements. Report any discrepancies, if in doubt ask.

Revisions:									
Rev	Status	Date	Description	Drn	Chkd				
C01	A4	14.08.24	CONSTRUCTION ISSUE	MP	\$ 5				

Client Name:								
London Square								
Project Name: Richmond College								
Drawing Name: Masonry Flat Blocks - First Floor Walkway Threshold Detail								
0	awing Number: Rev: Status: .0300-BPW-ZZZ-ZZ-DR-A-37570 CO1 A4							
Project No: 23-057	RIBA Stage: 4	Drawn By: RQ	Scale: 1:10 @ A3					
C	ONS	TRUC	CTIO	N				
Gre SE1 t. 0	Norman Ro enwich, Lo 0 9QX 20 8293 51 w.co.uk	ondon)				

1:10r